

# **RNC**

#### Features


- 1. Suitable for high precision, higher stability and reliability applications compared to thick-film chip resistors.
- 2. Contribute to the reduction of fine adjustment, high accuracy and stability of circuit.
- 3. Stability Class: 1%



#### Dimensions



### **●Part Number Description**



## FIXED THIN FILM CHIP RESISTORS; RECTANGULAR TYPE

### **RNC**

#### Ratings

Style	Size Metric (Inch)	Rated Dissipation at 70°C W	Rated Resistance Range	Tolerance on Rated Resistance	Temperature Coefficient of Resistance 10°/°C	Limiting Element Voltage V	Preferred Number Series for Resistors	Isolation Voltage V	Category Temperature Range °C
RNC20 2012 (0805)	0.1	100Ω~130kΩ	B (±0.1%) C (±0.25%)		75				
	(0805)		10Ω~130kΩ	D (±0.5%)	±25		E96 E24	100	<b>−55∼+125</b>
RNC32	3216 (1206)	0.125	100Ω~180kΩ	B (±0.1%)	±50	150			
			10Ω~180kΩ	C (±0.25%) D (±0.5%)					

Note1. Rated Voltage =  $\sqrt{\text{(Rated Dissipation)} \times (\text{Rated Resistance})}$ . (d.c. or a.c. r.m.s. Voltage)


Note2. Limiting Element Voltage can only be applied to resistors when the resistance value

is equal to or higher than the critical resistance value.

Note3. Critical Resistance Value is the resistance value at which the rated voltage is equal to the limiting element voltage.

### Derating Curve

The derated values of dissipation for temperatures in excess of 70°C shall be indicated by the following Curve.



### Climatic Category

Lower Category Temperature -55°C Upper Category Temperature +125°C Duration of the Damp heat, Steady-State Test 56 days

#### • Performance Characteristics JIS C 5201-1: 1998

Description	Requirements	Test Methods				
Voltage proof	No breakdown or flashover R≥1G ohm	Clause 4.7 100Va.c.,60s				
Variation of resistance with temperature	See Ratings Table	Clause 4.8 Measuring temperature : +20°C/-55°C /+20°C/+125°C/+20°C				
Overload	ΔR≤±(0.25%+0.05 ohm) No visible damage, legible marking	Clause 4.13 The applied voltage shall be 2.5 times of the rated voltage or twice of the limiting element voltage, whichever is the less severe, 2s.				
Solderability	In accordance with Clause 4.17.4.5	Clause 4.17 235°C, 2s				
Resistance to soldering heat	ΔR≤±(0.25%+0.05 ohm)	Clause 4.18 After immersion into the flux, the immersion into solder shall be carried out in Solder bath at 260°C for 5s.				
Rapid change of temperature	ΔR≤±(0.25%+0.05 ohm) No visible damage	Clause 4.19 5 cycles between -55°C and +125°C.				
Climatic sequence	ΔR≤±(1%+0.05 ohm) No visible damage	Clause 4.23 Dry/Damp heat(12+12h cycle), first cycle./ Cold/Damp heat(12+12h cycle), remaining cycle./ D.C.Load.				
Damp test, steady state	ΔR≤±(1%+0.05 ohm) No visible damage, legible marking	Clause 4.24 40°C, 95%R.H., 56 days, test a) and b) of Clause 4.24.2.1				
Endurance at 70°C	ΔR≤±(1%+0.05 ohm) No visible damage, legible marking	Clause 4.25.1 Rated voltage, 1.5h"ON", 0.5h"OFF", 70°C, 1,000h.				
Endurance at the upper category temperature	ΔR≤±(1%+0.05 ohm) No visible damage	Clause 4.25.3 125°C, no-load, 1,000h.				
Adhesion	No visible damage	Clause 4.32 5N, 10s				
Bend strength of the face plating	ΔR≤±(0.25%+0.05 ohm)	Clause 4.33 Amount of bend : 3 mm				