



External Drive Piezo Transducer Specification

Series FZ-V1778

Model Number: 177PA13480LFLA

Version 1.0

Address: 28 Genting Lane, #08-07 Platinum 28, Singapore 349585

Tel: +65-6493 5035

Fax: +65-6493 5037

Website: <http://www.flezon.com>

Email: flezon@flezon.com

1. ELECTRICAL SPECIFICATIONS



Model No.: 177PA13480LFLA

Description: PZ TRANSDUCER 10V L/W ABS RoHS SP
1) ADD 90mmLL " UL1571 , AWG#32 "

<i>MODEL NO.</i>	<u>177PA13480LFLA</u>
<i>SOUND PRESSURE LEVEL</i>	80.0 dBA min.(10V p-p Square Wave , 10 cm , 4800 Hz)
<i>CAPACITANCE</i>	15000 pF ± 30 % at 120 Hz
* <i>MAX. INPUT VOLTAGE</i>	30.0 V p-p
<i>OPERATING TEMPERATURE</i>	-20 ~ +60 ° C
<i>STORAGE TEMPERATURE</i>	-30 ~ +70 ° C
<i>TERMINAL</i>	LEADWIRE
<i>HOUSING MATERIAL</i>	ABS
* <i>WEIGHT</i>	1.0 g

FLEZON CONFIDENTIAL


2. PHYSICAL DIMENSION




All dimensions stated are in mm

Tolerance: $\pm 0.5\text{mm}$


TOP VIEW



SIDE VIEW



BOTTOM VIEW



FLEZON

Revision History

Revision	Date	Description
1.0	2013/09	Change the lead wire

FLEZON CONFIDENTIAL