



External Drive Piezo Transducer Specification

Series FZ-V658

Model Number: 65PA14400LFPN

Version 2.0

Address: 28 Genting Lane, #08-07 Platinum 28, Singapore 349585

Tel: +65-6493 5035

Fax: +65-6493 5037

Website: <http://www.flezon.com>

Email: flezon@flezon.com

1. ELECTRICAL SPECIFICATIONS



Model No.: 65PA14400LFPN

Description PZ TRANSDUCER 9V NORYL RoHS SP

1) HP589-01 EPOXY

<i>MODEL NO.</i>	<u>65PA14400LFPN</u>
<i>SOUND PRESSURE LEVEL</i>	90.0 dBA Min. (9.0V p-p Square Wave , 10.0 cm , 4000 Hz)
<i>CAPACITANCE</i>	13000 pF ± 30 % at 120 Hz
* <i>MAX. INPUT VOLTAGE</i>	30.0 V p-p
<i>OPERATING TEMPERATURE</i>	- 20.0 ~ + 70.0 ° C
<i>STORAGE TEMPERATURE</i>	- 30.0 ~ + 80.0 ° C
<i>TERMINAL</i>	PIN
<i>HOUSING MATERIAL</i>	NORYL
* <i>WEIGHT</i>	1.0 g


FLEZON CONFIDENTIAL

2. PHYSICAL DIMENSION



All dimensions stated are in mm

Tolerance: $\pm 0.5\text{mm}$



FLEZON CO.

Revision History

Revision	Date	Description
1.0		First release
2.0	2015/07	Max. input voltage with 30Vp-p

FLEZON CONFIDENTIAL