



# External Drive Piezo Transducer Specification

## Series FZ-V788

Model Number: 78PA22200LFX589A

Version 1.0

Address: 28 Genting Lane, #08-07 Platinum 28, Singapore 349585

Tel: +65-6493 5035

Fax: +65-6493 5037

Website: <http://www.flezon.com>

Email: [flezon@flezon.com](mailto:flezon@flezon.com)

# 1. ELECTRICAL SPECIFICATIONS



**Model No.:** 78PA22200LFX589A

**Description:** PZ TRANSDUCER 9V PIN ABS (XR409) SP

1) Min. 85 dBA 9V p-p 2) With FIFO STACKED on Carton

3) PIN Width 2.8 +/- 0.2 mm 4) RoHS

5) Increase Plastic Rivet


MODEL NO.	78PA22200LFX589A
SOUND PRESSURE LEVEL	85.0 dBA Min. ( 9.0V p-p Square Wave , 10 cm , 2000 Hz )
CAPACITANCE	20000 pF ± 30 % at 120 Hz
* MAX. INPUT VOLTAGE	30.0 V p-p
OPERATING TEMPERATURE	- 20 ~ + 80 ° C
TERMINAL	PIN
HOUSING MATERIAL	ABS (XR409)
* WEIGHT	3.0 g

FLEZON CONFIDENTIAL

## 2. PHYSICAL DIMENSION



All dimensions stated are in mm



FLEZON

## Revision History

Revision	Date	Description
1.0	2011.10	Silk Screen Date Code Marking Change to Engraved Marking

FLEZON CONFIDENTIAL