DEGSON is a professional industrial connector manufacturer that offers customized solutions to customers.



DEGSON®
DEGSON ELECTRONICS CO.,LTD.

Add: No.1585. Xiaolin Road. Cixi.Ningbo China
P.C.: 315321
www.degson.com

Tel: +86-574-63504333
Fax: +86-574-63512345
E-mail: sale@degson.com

The catalog is only for reference,and the detail data must be based on our company`s specification!

Scan the code to enter the website

GC 19-E02

DEGSON®

TERMINAL BLOCK



DEGSON ELECTRONICS CO.,LTD.

ISO9001 ISO14001 ISO80079-34 IATF16949 RoHS REACH

Brief Introduction

Founded in 1990, DEGSON Electronics Co., Ltd. is one of the largest manufacturers of terminal blocks and industrial electrical connection products in Asia. As a High-tech enterprise, DEGSON owns the first UL and VDE authorized laboratory in Asia. DEGSON products have been approved by RoHS REACH The company has been granted ISO9001, ISO14001, ISO80079-34, ISO/TS22163 and IATF16949 management system certificates.

DEGSON products are very popular in China, Germany, UK, Italy, Spain, Poland, Russia, India, Turkey, Brazil, USA, Japan, Korea, South Africa , etc.,totally more than 100 countries and areas. DEGSON provide excellent products and service for the customers all over the world, especially in Industrial Automation, Instrument, Elevator, Electric Power, Rail Transport, New Energy, Lighting, Telecommunication, Power Supply, Security, Ship-building and so on.

DEGSON fulfill the sales network all over the world and set up marketing centers in Germany and Shanghai, China. Pragmatic, Sincerity, Responsibility, Innovation, Harmonious, Development, Rule and Win-win. In accordance with these spirits of enterprise for 29 years, DEGSON will keep providing more speedy, comprehensive and professional local service to our customer.

COMPANY HISTORY



SALES NETWORK

Products have been exported to more than 100 countries and areas in the global.

QUALITY CERTIFICATIONS First Lab. authorized by UL&VDE in Asia

Visiting UL, VDE

① The general manager of UL global energy &technology division visit our company.

② Visiting VDE, VDE office gave a warm welcome to our general manager Mr.Ding.

③ VDE Laboratory Accreditation: In July 2010, VDE Issued the "VDE Authorized Laboratory" Certificate to DEGSON`s laboratory.
UL Laboratory Accreditation: UL formally issued "UL WTDP" certification to DEGSON in March 2013.
On April, 2016, UL-CTDP.
On December, 2016, VDE-TDAP.
On January, 2017, Pass IRIS system audit.

ISO9001

ISO14001

IRIS

UL - CTDP

VDE - TDAP

EX certificate

UL File NO.:E228872 1400 items

168 VDE certificates for 1000 items

TUV certificate

EAC certificate

CE certificate

European Invention Patent Certificate

DEGSON®

CONTENTS



PLUGGABLE TERMINAL BLOCKS

Plug-in terminal blocks, provide the wire size from 0.08mm² to 10mm². Available with different pitches from 2.5mm to 10.16mm. Choosing insert direction, contact direction, plug-in direction according to requests. The product is designed in accordance with IEC/EN61984、UL1059、CSA C22.2 No.158 standards.

EG:HOW TO ORDER

2EDGKD-5.08 - 0 4 P - 1 4 - X X X (Customer Request)

01-12



PCB UNIVERSAL SCREW TERMINAL BLOCKS

PCB universal screw terminal blocks, this typical feature of the screw connection system is characterized by the easy connection and extremely high contact strengths. Provide the wire size from 0.08mm² to 35mm². Available with different pitches from 2.54mm to 15.0mm, and 3 wire insertion directions : 90°, 135°, 180°. The parts can be assembled by 2 ways and 3 ways, with the design level structures from 1 level to 4. The product is designed in accordance with IEC/EN60998、IEC/EN60947-7-4 UL1059 CSA C22.2 No.158 standards.

EG:HOW TO ORDER

DG136T-10.16 - 0 2 P - 1 4 - X X X (Customer Request)

12-17

PCB SPRING TERMINAL BLOCKS

PCB Spring terminal blocks, available with two connection methods, cage clamp contact and dish clamp contact. It can be used instead of Printed Circuit universal screw terminal blocks, more flexible. The product is designed in accordance with IEC/EN60998、IEC/EN60947-7-4、 UL1059、CSA C22.2 No.158 standards.



EG:HOW TO ORDER

DG202-5.0 - 0 6 P - 1 Y - X X X (Customer Request)

17-20



TRANSFORMER TERMINAL BLOCKS

Transformer terminal blocks,with structure design features of easy wire connection and reliable connection;also with snap foot allowing quick fixing to flat mounting rails 10x2mm or to snap-in devices of the winding frame.The product is designed in accordance with IEC/EN60998、UL1059、CSA C22.2 No.158 standards.

EG:HOW TO ORDER

TSCB4 - 0 2 P - 1 5 - X X X (Customer Request)

20-21



THROUGH-WALL TERMINAL BLOCKS

Through-wall terminal blocks, the design of structure is characterized by the easy connection and extremely high contact strengths. These connectors are available in all types of wires with the size from 0.5mm² to 95mm², and designed in accordance with IEC/EN60947、UL1059、CSA C22.2 No.158 etc.

EG:HOW TO ORDER

DG4 - 0 1 P - 1 1 - X X X (Customer Request)

21-22

INTERFACE MODULE

Interface Module,now we have connector Module Series, Relay Module series, Miniature Relay Module series and Soled State Relay Module series.

EG:HOW TO ORDER

FMET - 0 4 P - 1 4 - X X X (Customer Request)

22

CONTENTS



RELAY MODULE / RELAY

Relay modules series is divided into connector module series and relay module series. Compact structure design have the advantage of saving space. Reliable screw connection or push-in connection technology. The products are available of installing on the NS35 and NS32 din rail.

EG:HOW TO ORDER

DM-72 - RM - X X - 1/2 - Y Y - X X X (Customer Request)

23-25

FEED THROUGH TERMINAL BLOCKS

Feed through terminal blocks, connecting with two conductors easily and credibility. provide the wire size from 0.5mm² to 16mm². Available with fuse and without fuse. The product is designed in accordance with IEC/EN60998、UL1059、CSA C22.2 No.158 standards.

EG:HOW TO ORDER

DG285 - 0 3 P - 1 9 - X X X (Customer Request)

26

BARRIER TERMINAL BLOCKS

Barrier terminal blocks, connecting easily, provide the wire range size from 0.5mm² to 300mm². Available with different pitches from 6.35 to 60mm, with cover and without cover. The product is designed in accordance with UL1059、CSA C22.2 No.158 standards.

EG:HOW TO ORDER

DGR150 - 0 4 P - 1 3 - X X X (Customer Request)

26-31



DIN RAIL TERMINAL BLOCKS

Din Rail terminal blocks, available with two connection methods, universal screw contact and cage clamp contact. The combination terminals connect two conductors easily and credibility. They are designed for fitting both U type and G type Din Rails. The product is designed in accordance with IEC/EN60947、UL1059、CSA C22.2 No.158 standards.

EG:HOW TO ORDER

DS2.5 - 0 1 P - 1 1 - X X X (Customer Request)

31-38

HOW TO ORDER

DG500-5.08 — 0 2 P — 1 4 — 0 0 AH (Standard Products)

Series No.

No. of Pole

1	Single pitch
2	Double pitch

Color

1	Grey	5	Orange	9	White
2	Blue	6	Red		
3	Black	7	Trans Parent		
4	Green	8	Yellow		

EG:



HOW TO ORDER:

[ ] — X X X (Customer Request)

Series No.

The items marked " ( ) " are the parts under scheduling

The catalog is only for reference,and the detail data must be based on our company' s specification!

15EDG,Pitch=2.5mm
Pluggable terminal blocks

15EDGKD-2.5
250V/5A 0.2-0.5mm²
150V/4A 26-20AWG
Poles 2P-12P

15EDGRC-2.5
250V/5A —
150V/4A —
Poles 2P-12P

15EDGVC-2.5
250V/5A —
150V/4A —
Poles 2P-12P



15EDGRH-2.5
100V/4A —
150V/5A —
Poles 2*(2P-12P)



15EDGVH-2.5
100V/4A —
150V/5A —
Poles 2*(2P-12P)



15EDG,Pitch=3.5 / 3.81mm
Pluggable terminal blocks

15EDGK-3.5
15EDGK-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-24P

15EDGKM-3.5
15EDGKM-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-20P



15EDGKC-3.5
15EDGKC-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-24P

15EDGKCM-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-20P

15EDGKA-3.5
15EDGKA-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-24P



15EDGKAM-3.5
15EDGKAM-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-20P

15EDGKB-3.5
15EDGKB-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-24P



15EDGKBM-3.5
15EDGKBM-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-20P

15EDGKR-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-24P

15EDGKRP-3.81
250V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-16P



15EDGKD-3.5
15EDGKD-3.81
250V/12A 0.2-1.5mm²
300V/8A 28-16AWG
Poles 2P-24P



15EDGKDM-3.5
15EDGKDM-3.81
250V/12A 0.2-1.5mm²
300V/8A 28-16AWG
Poles 2P-20P



15EDGKN-3.5...1000AH
15EDGKN-3.81...1000AH
250V/8A 0.2-1.0mm²
300V/8A 28-16AWG
Poles 2P-22P

15EDGKNM-3.5...1000AH
15EDGKNM-3.81...1000AH
250V/8A 0.2-1.0mm²
300V/8A 28-16AWG
Poles 2P-20P

15EDGKNG-3.5...1000AH
15EDGKNG-3.81...1000AH
250V/8A 0.2-1.0mm²
300V/8A 28-16AWG
Poles 2P-20P

15EDGKNGB-3.81
250V/8A 0.2-1.0mm²
300V/8A 28-16AWG
Poles 2P-20P

15EDGKN-3.5
250V/8A 0.2-1.0mm²
300V/8A 28-16AWG
Poles 2P-22P



15EDGKNM-3.5
250V/8A 0.2-1.0mm²
300V/8A 28-16AWG
Poles 2P-20P

15EDGKNG-3.5
250V/8A 0.2-1.0mm²
300V/8A 28-16AWG
Poles 2P-22P

15EDGKNH-3.5
320V/9.5A 0.2-1.5mm²
300V/8A 26-16AWG
Poles 2*(2P-24P)

15EDGKNHM-3.5
320V/9.5A 0.2-1.5mm²
300V/8A 26-16AWG
Poles 2*(2P-24P)

15EDGKNHG-3.5
320V/9.5A 0.2-1.5mm²
300V/8A 26-16AWG
Poles 2*(2P-24P)



15EDGKNHB-3.5
160V/13.5A 0.2-1.5mm²
300V/10A 28-16AWG
Poles 2*(2P-24P)



15EDGKNHBM-3.5
160V/13.5A 0.2-1.5mm²
300V/10A 28-16AWG
Poles 2*(2P-24P)



15EDGKNHBG-3.5
160V/13.5A 0.2-1.5mm²
300V/10A 28-16AWG
Poles 2*(2P-24P)

15EDGKNHC-3.5
250V/13.5A 0.2-1.5mm²
300V/10A 28-16AWG
Poles 2*(2P-24P)

15EDGRC-3.5
15EDGRC-3.81
250V/7A —
300V/8A —
Poles 2P-24P

15EDGRM-3.5
15EDGRM-3.81
250V/7A —
300V/8A —
Poles 2P-24P

15EDGRMG-3.81
250V/7A —
300V/8A —
Poles 2P-20P

15EDGRN-3.5
250V/7A —
300V/8A —
Poles 2P-22P



15EDGRC-LD-3.81
250V/7A —
300V/8A —
Poles 2P-24P

15EDGRM-LD-3.81
250V/7A —
300V/8A —
Poles 2P-20P



15EDGVC-3.5
15EDGVC-3.81
250V/7A —
300V/8A —
Poles 2P-24P

15EDGVM-3.5
15EDGVM-3.81
250V/7A —
300V/8A —
Poles 2P-20P



15EDGVN-3.5
250V/7A —
300V/8A —
Poles 2P-24P

15EDGLC-3.5
15EDGLC-3.81
250V/12A —
300V/8A —
Poles 2P-24P

15EDGLM-3.5
15EDGLM-3.81
250V/12A —
300V/8A —
Poles 2P-20P



15EDGRT-3.5
15EDGRT-3.81
250V/7A —
300V/8A —
Poles 2*(2P-24P)



15EDGRTM-3.5
15EDGRTM-3.81
250V/7A —
300V/8A —
Poles 2*(2P-20P)



15EDGVT-3.5
15EDGVT-3.81
250V/7A —
300V/8A —
Poles 2*(2P-24P)



15EDGVTM-3.5
15EDGVTM-3.81
250V/7A —
300V/8A —
Poles 2*(2P-20P)



15EDGRH-3.5
15EDGRH-3.81
250V/7A —
300V/8A —
Poles 2*(2P-24P)

15EDGRHM-3.5
15EDGRHM-3.81
250V/7A —
300V/8A —
Poles 2*(2P-20P)



15EDGVH-3.5
15EDGVH-3.81
250V/7A —
300V/8A —
Poles 2*(2P-24P)

15EDGVHM-3.5
15EDGVHM-3.81
250V/7A —
300V/8A —
Poles 2*(2P-20P)

15EDGRHD-3.5
250V/10A —
150V/10A —
Poles 2*(2P-24P)

15EDGRHDM-3.5
250V/10A —
150V/10A —
Poles 2*(2P-24P)

15EDGVHD-3.5
250V/10A —
150V/10A —
Poles 2*(2P-24P)

15EDGVHDM-3.5
250V/10A —
150V/10A —
Poles 2*(2P-24P)



15EDGA-3.5
15EDGA-3.81
250V/7A —
300V/8A —
Poles 2P-24P



15EDGB-3.5
15EDGB-3.81
250V/7A —
300V/8A —
Poles 2P-24P



15CDGV-3.81
250V/7A —
300V/8A —
Poles 2P-24P

15EDG-GBM-3.81
250V/7A 0.5-1.5mm²
UL 300V/8A 28-16AWG
Poles 2P-20P



15EDG,Pitch=5.08mm
Pluggable terminal blocks

15EDGK-5.08
450V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-12P

15EDGKM-5.08
450V/7A 0.5-1.5mm²
300V/8A 28-16AWG
Poles 2P-12P

15EDGRC-5.08
450V/7A —
300V/8A —
Poles 2P-12P

15EDGRM-5.08
450V/7A —
300V/8A —
Poles 2P-12P



15EDGVC-5.08
450V/7A —
300V/8A —
Poles 2P-12P



15EDGVM-5.08
450V/7A —
300V/8A —
Poles 2P-12P

15EDGKE-3.5
15EDGKE-3.81
IEC 250V/7A 0.5-1.5mm²
UL 300V/8A 30-14AWG
Poles 2P-24P

15EDGKDH-3.5
IEC 250V/8A 0.2-1.5mm²
UL 300V/8A 24-16AWG
Poles 2P-12P

15EDGKDHM-3.5
IEC 250V/8A 0.2-1.5mm²
UL 300V/8A 24-16AWG
Poles 2P-12P

15EDGKNC-3.81
IEC 160V/8A 0.2-1mm²
UL 300V/8A 18-20AWG
Poles 2P-16P

15EDGKNCM-3.81
IEC 160V/8A 0.2-1mm²
UL 300V/8A 18-20AWG
Poles 2P-16P



15EDGVCP-3.5
15EDGVCP-3.81 PRESS IN
IEC 250V/7A —
UL 300V/8A —
Poles 2P-20P



15EDGVMP-3.5
15EDGVMP-3.81 PRESS IN
IEC 250V/7A —
UL 300V/8A —
Poles 2P-20P

15EDGLF-3.5
15EDGLF-3.81
IEC 250V/7A —
UL 300V/8A —
Poles 3P-5P

15EDGRF-3.5
15EDGRF-3.81
IEC 250V/7A —
UL 300V/8A —
Poles 3P-5P

15EDGXA-3.81
15EDGXA-3.81 - 15EDGKM-3.81
Poles 2P-5P

15EDGXB-3.81
15EDGXB-3.81 - 15EDGKM-3.81
Poles 6P-16P



15EDGKF-5.08
IEC 250V/7A 0.5-1.5mm²
UL 300V/8A 28-16AWG
Poles 2P-12P

15EDGKFM-5.08
IEC 250V/7A 0.5-1.5mm²
UL 300V/8A 28-16AWG
Poles 2P-12P

15EDGK-SH-3.5
IEC 250V/7A 0.5-1.5mm²
UL 300V/8A 28-16AWG
Poles 3P

15EDGRC-SH-3.5
IEC 250V/7A —
UL 300V/8A —
Poles 5P

15EDGRC-SH-PE-3.5
IEC 250V/7A —
UL 300V/8A —
Poles 3P

15EDG-PWI-2.5
15EDGVC/RC/LC-2.5
15EDGVT/RT/VH/RH-2.5

15EDG-PWI
15EDGVC/RC/LC-3.5/3.81
15EDGVT/RT/VH/RH-3.5/3.81

15EDG-PWP
15EDGKNHB/M/G
15EDGR/VHD/M

15EDGKNH-PWI
15EDGKNH/M/G
15EDGR/VHC/M-THR

DG032-3.81
15EDGK/KA/KB/KC-3.81
15EDGKM/KAM/KBM/KCM-3.81


2EDG,Pitch=5.0/5.08/7.5/7.62mm
Pluggable terminal blocks

2EDGK-5.0
2EDGK-5.08
320V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDGK-7.5
2EDGK-7.62
400V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P

2EDGKM-5.0
2EDGKM-5.08
320V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-22P

2EDGKM-7.5
2EDGKM-7.62
400V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P

2EDGKE-5.0
2EDGKE-5.08
320V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-16P

2EDGKT-5.0
2EDGKT-5.08
320V/20A 2.5mm²
300V/15A 30-12AWG
Poles 2P-24P

2EDGKF-5.0
2EDGKF-5.08
320V/20A 0.2-2.5mm²
300V/15A 28-12AWG
Poles 2P-22P

2EDGKFM-5.0
2EDGKFM-5.08
320V/20A 0.2-2.5mm²
300V/15A 28-12AWG
Poles 2P-20P

2EDGKL-5.0
2EDGKL-5.08
320V/20A 2.5mm²
300V/15A 24-12AWG
Poles 2P-24P

2EDGKLM-5.0
2EDGKLM-5.08
320V/20A 2.5mm²
300V/10A 24-12AWG
Poles 2P-22P

2EDGKL-7.62
400V/12A 0.2-2.5mm²
300V/10A 28-12AWG
Poles 2P-12P

2EDGKLM-7.62
400V/12A 0.2-2.5mm²
300V/10A 28-12AWG
Poles 2P-12P

2EDGKC-5.0
2EDGKC-5.08
320V/20A 0.2-2.5mm²
300V/10A 28-12AWG
Poles 2P-24P

2EDGKC-7.62
400V/20A 0.2-2.5mm²
300V/10A 28-12AWG
Poles 2P-12P

2EDGKCM-5.0
2EDGKCM-5.08
320V/20A 0.2-2.5mm²
300V/10A 28-12AWG
Poles 2P-24P

2EDGKCM-7.62
400V/20A 0.2-2.5mm²
300V/10A 28-12AWG
Poles 2P-12P

2EDGKA-5.0
2EDGKA-5.08
320V/18A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDGKA-7.5
2EDGKA-7.62
400V/18A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P

2EDGKAM-5.0
2EDGKAM-5.08
320V/18A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDGKAM-7.5
2EDGKAM-7.62
400V/18A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P

2EDGKB-5.0
2EDGKB-5.08
320V/18A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDGKB-7.5
2EDGKB-7.62
400V/18A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P

2EDGKBM-5.0
2EDGKBM-5.08
320V/18A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDGKBM-7.5
2EDGKBM-7.62
400V/18A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P

2EDGKH-5.08
320V/15A 2.5mm²
300V/10A 28-12AWG
Poles 2P-12P

2EDGKHM-5.08
320V/15A 2.5mm²
300V/10A 28-12AWG
Poles 2P-12P

2EDGKJ-5.08
320V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDGKR-5.0
2EDGKR-5.08
320V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDGKR-7.62
400V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P

2EDGKRM-5.0
2EDGKRM-5.08
320V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-22P

2EDGKRM-7.62
400V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P

2EDGKRP-5.0
2EDGKRP-5.08
320V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-22P

2EDGKRP-7.62
400V/20A 2.5mm²
300V/15A 28-12AWG
Poles 2P-12P


2EDGKD-5.0
2EDGKD-5.08
320V/20A 0.2-2.5mm²
300V/10A 26-12AWG
Poles 2P-24P


2EDGKD-7.5
2EDGKD-7.62
400V/20A 0.2-2.5mm²
300V/10A 26-12AWG
Poles 2P-12P


2EDGKDM-5.0
2EDGKDM-5.08
320V/20A 0.2-2.5mm²
300V/10A 26-12AWG
Poles 2P-16P


2EDGKDM-7.5
2EDGKDM-7.62
400V/20A 0.2-2.5mm²
300V/10A 26-12AWG
Poles 2P-12P

2EDGKDW-5.0
2EDGKDW-5.08
320V/20A 2.5mm²
300V/10A 26-12AWG
Poles 2P-18P

2EDGKDWM-5.0
2EDGKDWM-5.08
320V/20A 2.5mm²
300V/10A 26-12AWG
Poles 2P-16P

2EDGKDF-5.0
2EDGKDF-5.08
320V/20A 0.2-2.5mm²
300V/10A 26-12AWG
Poles 2P-18P

2EDGKDFM-5.0
2EDGKDFM-5.08
320V/20A 0.2-2.5mm²
300V/10A 26-12AWG
Poles 2P-16P


2EDGKDA-5.0
2EDGKDA-5.08
320V/20A 2.5mm²
300V/10A 26-12AWG
Poles 2P-18P

2EDGKDAM-5.0
2EDGKDAM-5.08
320V/20A 2.5mm²
300V/10A 26-12AWG
Poles 2P-16P


2EDGKDB-5.0
2EDGKDB-5.08
320V/20A 2.5mm²
300V/10A 26-12AWG
Poles 2P-18P

2EDGKDBM-5.0
2EDGKDBM-5.08
320V/20A 2.5mm²
300V/10A 26-12AWG
Poles 2P-16P

2EDGKDR-5.0
2EDGKDR-5.08
320V/20A 2.5mm²
UL 300V/10A 26-12AWG
Poles 2P-16P

2EDGKDRM-5.0
2EDGKDRM-5.08
320V/20A 2.5mm²
UL 300V/10A 26-12AWG
Poles 2P-16P

2EDGKDRW-5.0
2EDGKDRW-5.08
320V/20A 2.5mm²
UL 300V/10A 26-12AWG
Poles 2P-18P

2EDGKDRWM-5.0
2EDGKDRWM-5.08
320V/20A 2.5mm²
UL 300V/10A 26-12AWG
Poles 2P-16P


2EDGKDH-5.08
320V/20A 2.5mm²
300V/12A 26-12AWG
Poles 2P-24P

2EDGKDHM-5.08
320V/20A 2.5mm²
300V/12A 26-12AWG
Poles 2P-24P

2EDGKDSV-5.0
2EDGKDSV-5.08
320V/20A 0.2-2.5mm²
UL 300V/12A 26-12AWG
Poles 2P-24P


2EDGR-5.0
2EDGR-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGRC-5.0
2EDGRC-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGR-7.5
2EDGR-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGRC-7.5
2EDGRC-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGRM-5.0
2EDGRM-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGRM-7.5
2EDGRM-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGV-5.0
2EDGV-5.08
320V/20A —
300V/15A —
Poles 2P-24P


2EDGVC-5.0
2EDGVC-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGV-7.5
2EDGV-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGVC-7.5
2EDGVC-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGVM-5.0
2EDGVM-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGVM-7.5
2EDGVM-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGL-5.0
2EDGL-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGLC-5.0
2EDGLC-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGLM-5.0
2EDGLM-5.08
320V/20A —
300V/15A —
Poles 2P-24P


2EDGJ-5.08
320V/20A —
300V/15A —
Poles 2P-4P

2EDGLF-5.0
320V/20A —
300V/15A —
Poles 2P-4P

2EDGRF-5.0
320V/20A —
300V/15A —
Poles 2P-4P

2EDGRT-5.0
2EDGRT-5.08
320V/10A —
300V/15A —
Poles 2*(2P,3P-24P)

2EDGRTC-5.0
2EDGRTC-5.08
320V/10A —
300V/15A —
Poles 2*(2P-24P)

2EDGRTM-5.0
2EDGRTM-5.08
320V/10A —
300V/15A —
Poles 2*(2P-22P)

2EDGVT-5.0
2EDGVT-5.08
320V/10A —
300V/15A —
Poles 2*(2P-24P)

2EDGVTC-5.0
2EDGVTC-5.08
320V/10A —
300V/15A —
Poles 2*(2P-24P)

2EDGVTM-5.0
2EDGVTM-5.08
320V/10A —
300V/15A —
Poles 2*(2P-22P)

2EDGRH-5.0
2EDGRH-5.08
320V/10A —
300V/15A —
Poles 2*(2P-24P)

2EDGRHM-5.0
2EDGRHM-5.08
320V/10A —
300V/15A —
Poles 2*(2P-22P)


2EDGVH-5.0
2EDGVH-5.08
320V/10A —
300V/15A —
Poles 2*(2P-24P)

2EDGVHM-5.0
2EDGVHM-5.08
320V/10A —
300V/15A —
Poles 2*(2P-22P)

2EDGA-5.0
2EDGA-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGA-7.5
2EDGA-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGAM-5.0
2EDGAM-5.08
320V/20A —
300V/15A —
Poles 2P-22P

2EDGAM-7.5
2EDGAM-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGB-5.0
2EDGB-5.08
320V/20A —
300V/15A —
Poles 2P-24P

2EDGB-7.5
2EDGB-7.62
400V/20A —
300V/15A —
Poles 2P-12P

2EDGBM-5.0
2EDGBM-5.08
320V/20A —
300V/15A —
Poles 2P-22P

2EDGBM-7.5
2EDGBM-7.62
400V/20A —
300V/15A —
Poles 2P-12P


2CDGB-5.0
2CDGB-5.08
320V/12A —
300V/15A —
Poles 2P-22P

2CDG-5.08
2CDG-5.08→2EDGKRP-5.08
2EDGKM-5.08
Poles 2P-22P

2CDGVC-5.08
320V/20A —
300V/15A —
Poles 2P-24P


2CDGVM-5.08
320V/20A —
300V/15A —
Poles 2P-22P

2CDGRC-5.08
320V/20A —
300V/15A —
Poles 2P-24P


2CDGRM-5.08
320V/20A —
300V/15A —
Poles 2P-22P


2CDGRM-5.08-100AH
320V/20A —
300V/15A —
Poles 2P-24P

2CDGVM-5.08-100AH
320V/20A —
300V/15A —
Poles 2P-24P

2EDG-STD-5.0
2EDG-STD-5.08
250V/24A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDG-DB-5.08
320V/12A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDG-DBM-5.08
320V/12A 2.5mm²
300V/15A 28-12AWG
Poles 2P-22P

2EDG-DK-5.08
320V/12A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDG-DKM-5.08
320V/12A 2.5mm²
300V/15A 28-12AWG
Poles 2P-22P

2EDG-UDB-5.08
320V/12A 2.5mm²
300V/15A 28-12AWG
Poles 2P-24P

2EDG-UDBM-5.08
320V/12A 2.5mm²
300V/15A 28-12AWG
Poles 2P-22P

2EDG-UDBN-5.08
320V/12A 2.5mm²
300V/15A 28-12AWG
Poles 2P-22P

2EDG-URK-5.08
320V/20A 2.5mm²
300V/15A 24-12AWG
Poles 6P-24P

2EDG-VRK-5.08
320V/20A 2.5mm²
300V/15A 24-12AWG
Poles 6P-24P

2EDGKQ-5.0
250V/10A 0.2-1.5mm²
300V/10A 28-14AWG
Poles 2P-16P

2EDGKG-5.08
IEC 320V/20A 2.5mm²
UL 300V/15A 28-12AWG
Poles 2P-24P

2EDGKN-5.0
2EDGKN-5.08
IEC 630V/41A 7.62mm²
UL 300V/41A —
Poles 02-12P

2EDGKNM-5.0
2EDGKNM-5.08
IEC 630V/41A 7.62mm²
UL 300V/41A —
Poles 02-12P

6EDGKA-7.62
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

6EDGKB-7.62
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

6EDGKR-7.62
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

2EDGKDG-5.08
IEC 320V/20A 2.5mm²
UL 300V/10A 28-12AWG
Poles 2P-16P

2EDGKDR-7.5
2EDGKDR-7.62
IEC 400V/20A 2.5mm²
UL 300V/10A 26-12AWG
Poles 2P-12P

2EDGKDRM-7.5
2EDGKDRM-7.62
IEC 400V/20A 2.5mm²
UL 300V/10A 26-12AWG
Poles 2P-12P

2EDGKDRN-5.08
IEC 320V/20A 2.5mm²
UL 300V/10A 26-12AWG
Poles 2P-16P

2EDGKNC-5.08-10A
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

2EDGKNC-5.08
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

2EDGKNCM-5.08
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

2EDGKNCG-5.08
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

2EDGKNCR-5.08
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

2EDGKNCRM-5.08
IEC 320V/12A 2.5mm²
UL 300V/10A 20-14AWG
Poles 2P-16P

2EDGKDSR-5.0
2EDGKDSR-5.08
IEC 320V/20A 0.2-2.5mm²
UL 300V/12A 26-12AWG
Poles 2P-18P


2EDGRB-5.0
2EDGRB-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

2EDGRN-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

2EDGRCP-5.0
2EDGRCP-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

2EDGRMP-5.0
2EDGRMP-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

2EDGVCP-5.0
2EDGVCP-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

2EDGVMP-5.0
2EDGVMP-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

2EDGVN-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

2EDGVG-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

2CDGA-5.0
2CDGA-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-22P

2EDG-UDT-5.08
IEC 320V/20A 2.5mm²
UL 300V/15A 24-12AWG
Poles 2P-24P

2EDG-UDTM-5.08
IEC 320V/20A 2.5mm²
UL 300V/15A 24-12AWG
Poles 2P-22P

DEC-3.5
IEC 200V/8A 1.5mm²
UL 150V/8A 26-16AWG
Poles 2P-12P

DEC-5.0 DEC-7.5
IEC 320V/20A 2.5mm²
UL 300V/15A 28-12AWG
Poles 2P-24P 2P-12P

DECB-3.5
IEC 200V/8A 2.5mm²
UL 150V/8A 28-12AWG
Poles 2P-16P

DECB-5.0 DECB-7.5
IEC 320V/20A 2.5mm²
UL 300V/15A 28-12AWG

2EDGXA-5.0
2EDGXA-5.0→2EDGKM-5.0
Poles 2P-3P

2EDGXB-5.0
2EDGXB-5.0→2EDGKM-5.0
Poles 4P-8P

2EDGXC-5.0
2EDGXC-5.0→2EDGKM-5.0
Poles 8P-16P


2EDG-PWI
2EDGK/KM/KA/AM/KB/BM/KD/DM-5.0/5.08/7.5/7.62
2EDGKF/FM/KL/LM/KH/HM/KDA/AM/KDB/BM-5.0/5.08
2EDGKC/CM-5.0/5.08/7.62


2EDG-PWP
2EDGV/VC/VM/R/RC/RM-5.0/5.08/7.5/7.62
2EDGL/LC/LM/VH/VHM/RH/RHM-5.0/5.08/7.5/7.62


2EDG-PWP-01AH
2EDGVC/RC/VM/RM-5.0/5.08-100A 2EDGRC-7.62-100A
2EDGRF/LF-5.0

DG019-5.0
2EDGK/KM/KA/AM/KB/BM-5.0/5.08
2EDGKF/FM/KL/LM/KH/HM-5.0/5.08
2EDGKC/CM-5.0/5.08/2EDGKT-5.0
Poles 2P-10P

Through Hole Reflow
Soldering 260˚C/10S

15EDGRC-THR-2.5
250V/5A —
150V/4A —
Poles 2P-12P

15EDGVC-THR-2.5
250V/5A —
150V/4A —
Poles 2P-12P

15EDGRC-THR-3.5
15EDGRC-THR-3.81
250V/8A —
300V/8A —
Poles 2P-12P

15EDGRM-THR-3.5
15EDGRM-THR-3.81
250V/8A —
300V/8A —
Poles 2P-12P

15EDGVC-THR-3.5
15EDGVC-THR-3.81
250V/8A —
300V/8A —
Poles 2P-12P

15EDGVM-THR-3.5
15EDGVM-THR-3.81
250V/8A —
300V/8A —
Poles 2P-12P

15EDGRHB-THR-3.5
15EDGRHB-THR-3.81
250V/8A —
300V/8A —
Poles 2*(2P-24P)

15EDGRHBN-THR-3.5
15EDGRHBN-THR-3.81
250V/8A —
300V/8A —
Poles 2*(2P-24P)

15EDGVHB-THR-3.5
15EDGVHB-THR-3.81
250V/8A —
300V/8A —
Poles 2*(2P-24P)

15EDGVHBN-THR-3.5
15EDGVHBN-THR-3.81
250V/8A —
300V/8A —
Poles 2*(2P-24P)

15EDGRHC-THR-3.5
320V/8A —
150V/8A —
Poles 2*(2P-24P)

15EDGRHCM-THR-3.5
VDE 320V/8A —
UL 150V/8A —
Poles 2*(2P-24P)

15EDGVHC-THR-3.5
VDE 320V/8A —
UL 300V/8A —
Poles 2*(2P-24P)

15EDGVHCM-THR-3.5
VDE 320V/8A —
UL 300V/8A —
Poles 2*(2P-24P)

2EDGR-THR-5.0
2EDGR-THR-5.08
VDE 320V/20A —
UL 300V/15A —
Poles 2P-12P

2EDGRC-THR-5.0
2EDGRC-THR-5.08
VDE 320V/20A —
UL 300V/15A —
Poles 2P-12P

2EDGRM-THR-5.0
2EDGRM-THR-5.08
VDE 320V/20A —
UL 300V/15A —
Poles 2P-12P

2EDGV-THR-5.0
2EDGV-THR-5.08
VDE 320V/20A —
UL 300V/15A —
Poles 2P-12P

2EDGVC-THR-5.0
2EDGVC-THR-5.08
VDE 320V/20A —
UL 300V/15A —
Poles 2P-12P

2EDGVM-THR-5.0
2EDGVM-THR-5.08
VDE 320V/20A —
UL 300V/15A —
Poles 2P-12P

2EDGRF-THR-5.0
CE 320V/20A —
UL 300V/15A —
Poles 2P-4P

2EDGLF-THR-5.0
CE 320V/20A —
UL 300V/15A —
Poles 2P-4P

SUPER SOURCE
2EDGRHC-THR-5.08
CE 320V/12A —
UL 300V/10A —
Poles 04-48P

SUPER SOURCE
2EDGRHCM-THR-5.08
CE 320V/12A —
UL 300V/10A —
Poles 04-48P

SUPER SOURCE
2EDGRN-THR-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-12P


SUPER SOURCE
2EDGVN-THR-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-12P

SUPER SOURCE
2EDGRH-THR-5.0
IEC 320V/10A —
UL 300V/15A —
Poles 2*(2P-24P)


5EDG,Pitch=7.62mm
Pluggable terminal blocks

5EDGK-7.62
VDE 400V/32A 0.2-4mm²
UL 300V/30A 30-10AWG
Poles 2P-12P

5EDGKM-7.62
VDE 400V/32A 0.2-4mm²
UL 300V/30A 30-10AWG
Poles 2P-12P

5EDGKH-7.62
CE 1000V/41A 0.5-6mm²
UL 600V/41A 24-8AWG
Poles 2P-12P

5EDGKHM-7.62
CE 1000V/41A 0.5-6mm²
UL 600V/41A 24-8AWG
Poles 2P-12P

5CDG-7.62
CE 400V/32A —
UL 300V/30A —
Poles 2P-12P


5EDGRC-7.62
VDE 400V/32A —
UL 300V/30A —
Poles 2P-12P


5EDGRM-7.62
VDE 400V/32A —
UL 300V/30A —
Poles 2P-12P


5EDGVC-7.62
VDE 400V/32A —
UL 300V/30A —
Poles 2P-12P


5EDGVM-7.62
VDE 400V/32A —
UL 300V/30A —
Poles 2P-12P


5EDGRHC-7.62
CE 630V/41A —
UL 300V/41A —
Poles 2P-16P


5EDGRHM-7.62
CE 630V/41A —
UL 300V/41A —
Poles 2P-16P

5EDGVHC-7.62
VDE 600V/57A 0.5-10.0mm²
UL 600V/52A 20-8AWG
Poles 2P-8P

5EDGVHM-7.62
VDE 600V/57A 0.5-10.0mm²
UL 600V/52A 20-6AWG
Poles 2P-6P

5EDGK-10.16
VDE 600V/57A 0.5-10.0mm²
UL 600V/52A 20-8AWG
Poles 2P-8P

5EDGKM-10.16
VDE 600V/57A 0.5-10.0mm²
UL 600V/52A 20-6AWG
Poles 2P-6P

5EDGRC-10.16
VDE 600V/57A —
UL 300V/52A —
Poles 2P-8P

5EDGRM-10.16
VDE 600V/57A —
UL 300V/52A —
Poles 2P-8P

5EDGRC-10.16-10A
VDE 600V/57A —
UL 300V/52A —
Poles 2P-8P

5EDGRM-10.16-10A
VDE 600V/57A —
UL 300V/52A —
Poles 2P-8P

5EDGVC-10.16
VDE 600V/57A —
UL 300V/52A —
Poles 2P-8P

5EDGVM-10.16
VDE 600V/57A —
UL 300V/52A —
Poles 2P-8P

5EDG-STD-10.16
CE 600V/57A 0.5-10mm²
UL 600V/52A 20-6AWG
Poles 2P-8P

5EDGKG-10.16
CE 600V/57A 0.5-10mm²
UL 600V/52A 20-6AWG
Poles 2P

5EDGRG-10.16
CE 600V/57A —
UL 600V/52A —
Poles 2P

5EDGKD-7.62
IEC 1000V/41A 0.2-10mm²
UL 600V/35A 24-8AWG
Poles 2P-12P

5EDGKDM-7.62
IEC 1000V/41A 0.2-10mm²
UL 600V/35A 24-8AWG
Poles 2P-12P

5EDG,Pitch=7.62/10.16mm
Pluggable terminal blocks

SUPER SOURCE
5EDGKRP-7.62
IEC 630V/20A 4mm²
UL 300V/20A 24-10AWG
Poles 2P-12P

SUPER SOURCE
5EDGK-UVK-7.62
IEC 630V/32A 4mm²
UL 300V/20A 24-10AWG
Poles 2P-12P

SUPER SOURCE
5EDGK-UVK-PE-7.62
IEC 630V/32A 4mm²
UL 300V/20A 24-10AWG
Poles 2P-12P

SUPER SOURCE
5EDGK-UV3K-7.62
IEC 1000V/20A 4mm²
UL 300V/20A 24-10AWG
Poles 2P-12P

SUPER SOURCE
5EDGKHH-7.62
IEC 1000V/32A 4mm²
UL 600V/30A 24-10AWG
Poles 2P-12P

SUPER SOURCE
5EDGKHHM-7.62
IEC 1000V/32A 4mm²
UL 600V/30A 24-10AWG
Poles 2P-12P

SUPER SOURCE
5EDGKR-10.16
IEC 600V/57A 10mm²
UL 600V/52A 20-6AWG
Poles 2P-8P

SUPER SOURCE
5EDGKRM-10.16
IEC 600V/57A 10mm²
UL 600V/52A 20-6AWG
Poles 2P-8P

SUPER SOURCE
5EDGKRP-10.16
IEC 600V/57A 10mm²
UL 600V/52A 20-6AWG
Poles 2P-8P

SUPER SOURCE
5EDGXA-7.62
5EDGXA-7.62 → 5EDGK-7.62
Poles 3P-5P

SUPER SOURCE
5EDGMXA-7.62
5EDGMXA-7.62 → 5EDGK-7.62
Poles 3P-5P

SUPER SOURCE
5EDGXB-7.62
5EDGXB-7.62 → 5EDGK-7.62
Poles 6P-12P

SUPER SOURCE
5EDGMXB-7.62
5EDGMXB-7.62 → 5EDGK-7.62
Poles 6P-12P


5EDG-PWI
5EDGK/M/RC/VC/RM/VM-10.16
5EDGK/RC/VC-7.62
5EDGKM/RM/VM-7.62

9EDG,Pitch=5.0/7.5mm
Pluggable terminal blocks

9EDGK-5.0
CE 320V/20A 0.2-2.5mm²
UL 300V/14.5A 28-14AWG
Poles 2P-14P

9EDGRC-5.0
CE 320V/20A —
UL 300V/14.5A —
Poles 2P-14P

9EDGK-7.5
VDE 630V/20A 0.2-2.5mm²
UL 300V/16A 28-14AWG
Poles 2P-12P

9EDGRC-7.5
VDE 630V/20A —
UL 300V/16A —
Poles 2P-12P

9EDGKH-7.5
VDE 1000V/20A 0.2-2.5mm²
UL 600V/16A 28-12AWG
Poles 4P

9EDGRH-7.5
VDE 1000V/20A —
UL 600V/16A —
Poles 4P

9EDGKHB-7.5
CE 1000V/41A 0.2-10mm²
UL 600V/35A 24-8AWG
Poles 4P


9EDGVHB-7.5
CE 1000V/41A —
UL 600V/35A —
Poles 4P

8EDG,Pitch=2.5mm
Pluggable terminal blocks

8EDGK-2.5
VDE 130V/6A 0.2-0.5mm²
UL 150V/4A 28-20AWG
Poles 2P-24P

8EDGKR-2.5
CE 130V/6A 0.5mm²
UL 150V/4A 28-20AWG
Poles 2P-12P

8EDGRC-2.5
VDE 130V/6A —
UL 150V/4A —
Poles 2P-12P

8EDGVC-2.5
VDE 130V/6A —
UL 150V/4A —
Poles 2P-12P

8EDG,Pitch=3.5 / 3.81mm
Pluggable terminal blocks

8EDGK-3.5
8EDGK-3.81
130V/10A 0.2-1.5mm²
300V/10A 28-14AWG
Poles 2P-24P

8EDGKG-3.5
8EDGKG-3.81
130V/10A 0.2-1.5mm²
300V/10A 28-14AWG
Poles 2P-24P

8EDGKR-3.5
8EDGKR-3.81
130V/10A 0.2-1.5mm²
300V/10A 28-14AWG
Poles 2P-24P

8EDGKRM-3.5
8EDGKRM-3.81
250V/10A 0.2-1.5mm²
300V/10A 28-14AWG
Poles 2P-24P

8EDGRC-3.5
8EDGRC-3.81
130V/10A —
300V/10A —
Poles 2P-24P

8EDGVC-3.5
8EDGVC-3.81
130V/10A —
300V/10A —
Poles 2P-24P

8EDGRH-3.5
8EDGRH-3.81
250V/10A —
300V/10A —
Poles 4P-24P

8EDGRHB-3.5
8EDGRHB-3.81
250V/10A —
300V/10A —
Poles 4P-24P

8EDG,Pitch=5.0/5.08/7.5/7.62mm
Pluggable terminal blocks

8EDGK-5.0
8EDGK-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGK-5.0
8EDGK-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGK-7.5
8EDGK-7.62
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKC-5.0
8EDGKC-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKC-7.5
8EDGKC-7.62
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKMA-5.0
8EDGKMA-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKMA-5.0
8EDGKMA-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKMA-7.5
8EDGKMA-7.62
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKMC-5.0
8EDGKMC-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKG-5.0
8EDGKG-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKG-5.0
8EDGKG-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKG-7.5
8EDGKG-7.62
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKF-5.0
320V/20A 0.2-2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDGKR-5.0
8EDGKR-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKR-7.5
8EDGKR-7.62
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKRMA-5.0
8EDGKRMA-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKRMA-7.5
8EDGKRMA-7.62
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKRC-5.0
8EDGKRC-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKRC-7.5
8EDGKRC-7.62
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDG-STD-5.0
CE 320V/20A 0.2-2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDG-STDM-5.0
CE 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDG-STDC-5.0
CE 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDG-STDB-5.0
CE 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDG-STDBM-5.0
CE 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDG-STDD-5.0
CE 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDG-STD-7.5
IEC 400V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-12P

8EDG-STDM-7.5
IEC 400V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-12P

8EDG-STDB-7.5
IEC 400V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-12P

8EDG-STDBM-7.5
IEC 400V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-12P

8EDGRC-5.0
8EDGRC-5.08
320V/20A —
300V/15A —
Poles 2P-24P

8EDGRC-5.0
8EDGRC-5.08
320V/20A —
300V/15A —
Poles 2P-24P

8EDGRC-7.5
8EDGRC-7.62
400V/20A —
300V/15A —
Poles 2P-12P

8EDGVC-5.0
8EDGVC-5.08
320V/20A —
300V/15A —
Poles 2P-24P

8EDGVC-5.0
8EDGVC-5.08
320V/20A —
300V/15A —
Poles 2P-24P

8EDGVC-THR-5.0
CE 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGVC-7.5
8EDGVC-7.62
400V/20A —
300V/15A —
Poles 2P-12P

8EDGA-5.0
8EDGA-5.08
CE 320V/20A —
300V/15A —
Poles 2P-24P

8EDGA-7.5
8EDGA-7.62
CE 400V/20A —
300V/15A —
Poles 2P-12P

8EDGAM-5.0
8EDGAM-5.08
CE 320V/20A —
300V/15A —
Poles 2P-24P

8EDGAM-7.5
8EDGAM-7.62
CE 400V/20A —
300V/15A —
Poles 2P-12P

8EDGB-5.0
8EDGB-5.08
CE 320V/20A —
300V/15A —
Poles 2P-24P

8EDGB-7.5
8EDGB-7.62
CE 400V/20A —
300V/15A —
Poles 2P-12P

8EDGBM-5.0
8EDGBM-5.08
CE 320V/20A —
300V/15A —
Poles 2P-24P

8EDGBM-7.5
8EDGBM-7.62
CE 400V/20A —
300V/15A —
Poles 2P-12P

8EDGC-5.0
CE 320V/20A —
300V/15A —
Poles 2P-24P

8EDGC-7.5
CE 400V/20A —
300V/15A —
Poles 2P-12P

8EDGCM-5.0
CE 320V/20A —
300V/15A —
Poles 2P-24P

8EDGCM-7.5
CE 400V/20A —
300V/15A —
Poles 2P-12P

8EDGD-5.0
CE 320V/20A —
300V/15A —
Poles 2P-24P

8EDGD-7.5
CE 400V/20A —
300V/15A —
Poles 2P-12P

8EDGDM-5.0
CE 320V/20A —
300V/15A —
Poles 2P-24P

8EDGDM-7.5
CE 400V/20A —
300V/15A —
Poles 2P-12P

8EDGKB-5.0
8EDGKB-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKB-5.0
8EDGKB-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKB-7.5
320V/20A 0.2-2.5mm²
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKC-7.5
8EDGKC-7.62
IEC 400V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-12P

8EDGKD-5.0
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKMB-5.0
8EDGKMB-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKMB-7.5
320V/20A 0.2-2.5mm²
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKGB-5.0
8EDGKGB-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKGB-7.5
320V/20A 0.2-2.5mm²
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKRB-5.0
8EDGKRB-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKRB-7.5
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKRMB-5.0
8EDGKRMB-5.08
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKRMB-7.5
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGKRD-5.0
320V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-24P

8EDGKRD-7.5
400V/20A 0.2-2.5mm²
300V/15A 22-14AWG
Poles 2P-12P

8EDGRCB-5.0
8EDGRCB-5.08
320V/20A —
300V/15A —
Poles 2P-24P

8EDGRCB-5.0
8EDGRCB-5.08
320V/20A —
300V/15A —
Poles 2P-24P

8EDGRCB-7.5
400V/20A —
300V/15A —
Poles 2P-12P

8EDGVCB-5.0
8EDGVCB-5.08
320V/20A —
300V/15A —
Poles 2P-24P

8EDGVCB-5.0
8EDGVCB-5.08
320V/20A —
300V/15A —
Poles 2P-24P

8EDGVCB-7.5
400V/20A —
300V/15A —
Poles 2P-12P

DG730K
CE 630V/10A 0.5-2.5mm²
UL 600V/10A 28-14AWG
Poles 3P

DG730J
CE 630V/10A 0.75-1.5mm²
UL 600V/10A 18-16AWG
Poles 3P

8EDGXA-3.5
Poles 10P

8EDGVCP-2.5
IEC 130V/6A —
UL 150V/4A —
Poles 2P-24P

8EDGKM-3.5
8EDGKM-3.81
IEC 130V/10A 0.2-1.5mm²
UL 300V/10A 28-14AWG
Poles 2P-24P

8EDGKRC-3.5
8EDGKRC-3.81
IEC 130V/10A 0.2-1.5mm²
UL 300V/10A 28-14AWG
Poles 2P-24P

8EDGKRB-3.5
8EDGKRB-3.81
IEC 130V/10A 0.2-1.5mm²
UL 300V/10A 28-14AWG
Poles 2P-24P

8EDGKRBG-3.5
8EDGKRBG-3.81
IEC 130V/10A 0.2-1.5mm²
UL 300V/10A 28-14AWG
Poles 2P-24P

8EDGKRBC-3.5
8EDGKRBC-3.81
IEC 130V/10A 0.2-1.5mm²
UL 300V/10A 28-14AWG
Poles 2P-24P

8EDGRM-3.5
8EDGRM-3.81
IEC 130V/10A —
UL 300V/10A —
Poles 2P-24P

8EDGVM-3.5
8EDGVM-3.81
IEC 130V/10A —
UL 300V/10A —
Poles 2P-24P

8EDGVCP-3.5
8EDGVCP-3.81
IEC 130V/10A —
UL 300V/10A —
Poles 2P-24P

8EDGA-3.5
8EDGA-3.81
IEC 130V/10A —
UL 300V/10A —
Poles 2P-24P

8EDGB-3.5
8EDGB-3.81
IEC 130V/10A —
UL 300V/10A —
Poles 2P-24P

8EDGAG-3.5
8EDGAG-3.81
IEC 130V/10A —
UL 300V/10A —
Poles 2P-24P

8EDGBG-3.5
8EDGBG-3.81
IEC 130V/10A —
UL 300V/10A —
Poles 2P-24P

8EDGKMC-7.5
8EDGKMC-7.62
IEC 400V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-12P

8EDGKM-5.08
IEC 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-22P

8EDGKE-5.0
8EDGKE-5.08
IEC 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDGKE-7.5
8EDGKE-7.62
IEC 400V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-12P

8EDGKH-5.0
IEC 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDGKI-5.0
IEC 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDGKRP-5.08
IEC 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-22P

8EDGRMA-5.0
8EDGRMA-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-22P

8EDGRMA-7.5
8EDGRMA-7.62
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGRM -5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-22P

8EDGRCH-5.0
8EDGRCH-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGVCE-5.0
8EDGVCE-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-22P

8EDGVCE-7.5
8EDGVCE-7.62
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGVMA-5.0
8EDGVMA-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-22P

8EDGVMA-7.5
8EDGVMA-7.62
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGVM -5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-22P

8EDGAG-5.0
8EDGAG-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGAG-7.5
8EDGAG-7.62
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGAMB-5.0
8EDGAMB-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGAMB-7.5
8EDGAMB-7.62
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGE-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGF-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGBG-5.0
8EDGBG-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGBG-7.5
8EDGBG-7.62
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGBMB-5.0
8EDGBMB-5.08
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGBMB-7.5
8EDGBMB-7.62
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGCG-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGCG-7.5
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGCMB-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGCMB-7.5
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGDG-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGDG-7.5
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGDMB-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGDMB-7.5
IEC 400V/20A —
UL 300V/15A —
Poles 2P-12P

8EDGDH-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGDI-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

8EDGKJ-5.0
IEC 320V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

8EDGVCBP-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-22P

8EDGXA-5.0
8EDGXA-5.08
8EDGXA-5.0/5.08→8EDGK/KB/KG/KR/KF-5.0/5.08
Poles 2P-12P

8EDGXB-7.5
8EDGXB-7.62
8EDGXB-7.5/7.62→8EDGK/KB/KG/KR/KF-7.5/7.62
Poles 2P-7P

8EDGRC-THR-3.5
IEC 250V/10A —
UL 300V/8A —
Poles 2P-24P

8EDGVC-THR-3.5
IEC 250V/10A —
UL 300V/8A —
Poles 2P-24P

8EDGRC-THR-5.0
IEC 320V/20A —
UL 300V/15A —
Poles 2P-24P

DG731J
IEC 500V/10A 0.75-1.5mm²
UL 600V/10A 18-16AWG
Poles 6P

DG731J-10A
IEC 500V/10A 0.75-1.5mm²
UL 600V/10A 18-16AWG
Poles 6P

DG731K
IEC 500V/10A 0.08-2.5mm²
UL 600V/10A 28-14AWG
Poles 6P

DG009
8EDGK-2.5, 8EDGKR-2.5
DG240W-2.5,DG240W-2.54

DG010
8EDGK-5.0/5.08/7.5/7.62
8EDGKR-5.0/5.08/7.5/7.62
8EDGKB-5.0/7.5
8EDGKRB-5.0/7.5

DG013
8EDGKC-5.0/5.08/7.5/7.62
8EDGKRMC-5.0/5.08/7.5/7.62
8EDGKD-5.0/7.5
8EDGKRD-5.0/7.5

DG014
8EDGVC/RC-5.0/5.08
8EDGVCB/RCB-5.0/5.08
8EDGKR-5.0/5.08,8EDGKRB-5.0
8EDGKRMA-5.0/5.08
8EDGKRMC-5.0/5.08,8EDGKRMB-5.0
8EDGKRD-5.0,8EDGKRMD-5.0

DG015
8EDGVC/RC-7.5/7.62
8EDGVCB/RCB-7.5/7.62
8EDGKR/KRB-7.5/7.62
8EDGKRMC-7.5/7.62
8EDGKRMB/RMD-7.5

DG016
8EDGKC-5.0/5.08/7.5/7.62
8EDGKRMC-5.0/5.08/7.5/7.62
8EDGKD-5.0/7.5
8EDGKRD-5.0/7.5

DG018-5.0
8EDGK/KR-5.0/5.08
8EDGKB/KRB-5.0
8EDGKD/KRD-5.0
8EDG-STD/STDB/STDC/STDD-5.0
Poles 2P-3P

DG018-7.5
8EDGK/KR-7.5/7.62
8EDGKB-7.5, 8EDGKRB-7.5
8EDGKG-7.5/7.62
8EDGKMA-7.5/7.62,8EDGKMB-7.5
Poles 2P-3P

DG024
8EDGRH-3.5,8EDGRHB-3.5

DG017
8EDGK/KC-5.0/5.08/7.5/7.62
8EDGKMA/KMC-5.0/5.08/7.5/7.62
8EDGKG-5.0/5.08/7.5/7.62
8EDGKB-5.0/5.08/7.5
8EDGKMB/KGB-5.0/5.08/7.5


PCB terminal blocks-
Wire Protector Type

DG301-5.0
250V/17.5A 1.5mm²
300V/15A 22-14AWG
Poles 2P,3P-24P

DG301R-5.0
250V/17.5A 1.5mm²
300V/15A 22-14AWG
Poles 2P,3P-24P

DG306-5.0
250V/15A 1.5mm²
300V/10A 22-14AWG
Poles 2P,3P-24P

DG307-5.0
250V/18A 0.5-2.5mm²
300V/10A 22-14AWG
Poles 02-24P

DG300-5.0
250V/24A 2.5mm²
300V/10A 22-14AWG
Poles 2P,3P-24P

DG300-7.5
450V/24A 2.5mm²
300V/10A 22-14AWG
Poles 2P,3P-24P

DG300R-5.0
250V/24A 2.5mm²
300V/10A 22-14AWG
Poles 2P,3P-24P

DG300R-7.5
450V/24A 2.5mm²
300V/10A 22-14AWG
Poles 2P,3P-24P

DG305-5.0
250V/20A 2.5mm²
300V/15A 22-14AWG
Poles 2P,3P-24P

DG305-7.5
450V/20A 2.5mm²
300V/15A 22-14AWG
Poles 2P,3P-24P

DG360-7.5
450V/24A 2.5mm²
300V/15A 22-14AWG
Poles 2P,3P-24P

DG365-7.5
VDE 450V/20A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P,3P-24P

DG331-5.0
CE 250V/12A 2.5mm²
UL 300V/10A 28-14AWG
Poles 2P-20P

DG332K-5.0
CE 250V/12A 0.2-1.5mm²
UL 300V/10A 28-16AWG
Poles 2P,3P-24P

DG332W-5.0
CE 250V/12A 1.5mm²
UL 300V/10A 30-16AWG
Poles 2P-12P

DG332J-5.0
CE 250V/12A —
UL 300V/10A —
Poles 2P-24P

DG332JR-5.0
CE 250V/12A —
UL 300V/10A —
Poles 2P-24P

DG106-5.0
CE 250V/4A —
UL 300V/2A —
Poles 1P-18P

DG106-5.0-10A
CE 250V/4A —
UL 300V/2A —
Poles 2P-18P

DG333K-3.5
DG333K-3.81
CE 250V/10A 1.0mm²
UL 300V/8A 28-16AWG
Poles 2P,3P-24P

DG333J-3.5
DG333J-3.81
CE 250V/12A —
UL 300V/8A —
Poles 2P-24P

DG335W-5.0
CE 250V/12A 0.25-1.5mm²
UL 300V/16A 28-12AWG
Poles 3P

DG140V-5.0
CE 630V/24A 2.5mm²
UL 300V/15A 26-14AWG
Poles 2P-19P

DG140S-5.0
CE 630V/24A 2.5mm²
UL 300V/15A 26-14AWG
Poles 2P-19P

DG140R-5.0
CE 630V/24A 2.5mm²
UL 300V/15A 26-14AWG
Poles 2P-19P

DG350-3.5
DG350-3.96
VDE 130V/10A 1.0mm²
UL 300V/7A 24-18AWG
Poles 2P,3P-24P

DG350R-3.5
DG350R-3.96
VDE 130V/10A 1.0mm²
UL 300V/7A 24-18AWG
Poles 2P,3P-24P

DG340-3.81
VDE 130V/10A 1.0mm²
UL 300V/7A 24-18AWG
Poles 2P,3P-24P

DG340R-3.81
VDE 130V/10A 1.0mm²
UL 300V/7A 24-18AWG
Poles 2P,3P-24P

DG302-5.0
VDE 250V/25A 0.5-4.0mm²
UL 300V/20A 20-12AWG
Poles 2P,3P-24P

DG302-7.5
CE 450V/25A 0.5-4.0mm²
UL 300V/20A 20-12AWG
Poles 2P,3P-24P

DG302R-5.0
IEC 250V/25A 0.5-4.0mm²
UL 300V/20A 20-12AWG
Poles 2P,3P-24P

DG302R-7.5
IEC 450V/25A 0.5-4.0mm²
UL 300V/20A 20-12AWG
Poles 2P,3P-24P

DG126 -5.0...19AH
VDE 250V/18A 0.5-2.5mm²
UL 300V/10A 26-14AWG
Poles 2P,3P-24P

DG126 -7.5
VDE 450V/18A 0.5-2.5mm²
UL 300V/10A 26-14AWG
Poles 2P,3P

DG126R-5.0
CE 250V/18A 0.5-2.5mm²
UL 300V/10A 26-14AWG
Poles 2P,3P-24P

DG166-5.0
VDE 250V/22A 2.5mm²
UL 300V/15A 22-12AWG
Poles 2P-12P

DG167-5.0
CE 250V/22A 0.5-2.5mm²
UL 300V/15A 22-12AWG
Poles 2P-12P

DG167-7.62
CE 450V/22A 0.5-2.5mm²
UL 300V/15A 22-12AWG
Poles 2P-12P

DG167R-5.0
CE 250V/22A 0.5-2.5mm²
UL 300V/15A 22-12AWG
Poles 2P-12P

DG351V-3.5
CE 200V/17.5A 0.2-1.5mm²
UL 300V/10A 26-16AWG
Poles 2P-24P

DG351R-3.5
CE 200V/17.5A 0.2-1.5mm²
UL 300V/10A 26-16AWG
Poles 2P-24P

DG303S-5.0
VDE 400V/24A(III/2) 2.5mm²
UL 300V/15A 26-14AWG
Poles 2P,3P-24P

DG106-7.5
IEC 450V/4A —
UL 300V/2A —
Poles 1P-18P

DG106-7.5-10A
IEC 450V/4A —
UL 300V/2A —
Poles 1P-18P

DG334K-5.0
CE 250/22A 0.5-2.5mm²
UL 300/15A 22-12AWG
Poles 2P-12P

DG333JR-3.5
IEC 250V/8A —
UL 300V/8A —
Poles 2P-24P

DG351-3.5
IEC 200V/17.5A 1.5mm²
UL 300V/10A 26-16AWG
Poles 2P,3P-24P

DG351S-3.5
IEC 200V/17.5A 1.5mm²
UL 300V/10A 26-16AWG
Poles 2P,3P-24P

DG303-5.0
IEC 320V/17.5A 2.5mm²
UL 300V/15A 26-14AWG
Poles 2P,3P-24P

DG303R-5.0
IEC 320V/17.5A 2.5mm²
UL 300V/15A 26-14AWG
Poles 2P,3P-24P

DG166-7.5
IEC 450/22A 2.5mm²
UL 300/15A 22-12AWG
Poles 2P-12P

DG167R-7.62
IEC 450/22A 0.5-2.5mm²
UL 300/15A 22-12AWG
Poles 2P-12P

DG332J-THR-5.0
IEC 250V/12A —
UL 300V/10A —
Poles 2P,3P-24P

DG333J-THR-3.5
IEC 250V/8A —
UL 300V/8A —
Poles 2P,3P-24P

DEX4-7.5
IEC 630V/32A 4.0mm²
UL 250V/30A 24-10AWG
Poles 1P-XXP


PCB terminal blocks-
Cage Type

DG308-2.54
VDE 130V/8A 1.0mm²
UL 150V/6A 26-18AWG
Poles 2P,12P

DG380-3.81
VDE 250V/16A 0.2-1.5mm²
UL 300V/12A 26-16AWG
Poles 2P-24P

DG380A-3.81
CE 250V/16A 0.5-1.5mm²
UL 300V/12A 30-14AWG
Poles 2*(2P-12P)

DG381S-3.5
DG381S-3.81
VDE 130V/10A 0.2-1.5mm²
UL 300V/10A 26-16AWG
Poles 2P-16P

DG381-3.5
DG381-3.81
VDE 130V/10A 1.0mm²
UL 300V/10A 26-16AWG
Poles 2P-24P

DG383-3.5
CE 160V/12A 0.2-1.5mm²
UL 300V/15A 30-14AWG
Poles 2P-24P

DG131-7.5
CE 630V/18A 0.2-2.5mm²
UL 300V/20A 24-12AWG
Poles 2P


DG381H-3.5
DG381H-3.81
VDE 130V/10A 1.0mm²
UL 150V/10A 26-16AWG
Poles 2P-16P


DG381A-3.5
DG381A-3.81
VDE 130V/10A 1.0mm²
UL 300V/12A 26-16AWG
Poles 2*(2P-16P)


DG381B-3.5
DG381B-3.81
VDE 130V/10A 1.0mm²
UL 300V/12A 26-16AWG
Poles 2*(2P-16P)

DG381A3-3.5
DG381A3-3.81
CE 130V/10A 0.2-1.5mm²
UL 300V/12A 30-16AWG
Poles 3*(2P-24P)

DG632-5.0
VDE 250V/24A 0.5-2.5mm²
UL 300V/15A 28-12AWG
Poles 2P-20P

DG632R-5.0
VDE 250V/24A 0.5-2.5mm²
UL 300V/15A 28-12AWG
Poles 2P-20P

DG330-5.0
VDE 250V/24A 2.5mm²
UL 300V/15A 22-12AWG
Poles 2P,3P-24P

DG103-5.0
DG103-5.08
VDE 250V/24A 2.5mm²
UL 300V/20A 24-12AWG
Poles 2P,3P-24P

DG104-5.0
DG104-5.08
VDE 250V/24A 0.5-2.5mm²
UL 300V/15A 24-14AWG
Poles 2P,3P-24P

DG127S-5.0
DG127S-5.08
VDE 250V/15A 0.2-1.5mm²
UL 300V/12A 26-14AWG
Poles 2P-16P

DG127-5.0
DG127-5.08
VDE 250V/15A 1.5mm²
UL 300V/12A 26-14AWG
Poles 2P,3P-24P

DG127-7.5
DG127-7.62
VDE 450V/15A 1.5mm²
UL 300V/12A 26-14AWG
Poles 2P,3P-24P

DG127H-5.0
DG127H-5.08
VDE 250V/15A 1.5mm²
UL 300V/12A 26-14AWG
Poles 2P,3P-24P

DG127HH-5.0
DG127HH-5.08
VDE 250V/15A 1.5mm²
UL 300V/12A 26-14AWG
Poles 2P,3P-24P

DG127A-5.0
DG127A-5.08
VDE 250V/15A 0.5-1.5mm²
UL 300V/12A 26-14AWG
Poles 2*(2P,3P-24P)

DG127A3-5.0
DG127A3-5.08
CE 250/10A 0.2-1.5mm²
UL 300V/12A 30-14AWG
Poles 3*(2P-24P)

DG127R-5.0
DG127R-5.08
VDE 250V/15A 1.5mm²
UL 300V/12A 26-14AWG
Poles 2P,3P-24P

DG128-5.0
VDE 250V/18A 0.5-2.5mm²
UL 300V/20A 30-12AWG
Poles 2P,3P-24P

DG128-7.5
VDE 450V/18A 0.5-2.5mm²
UL 300V/20A 30-12AWG
Poles 2P,3P-24P

DG128R-5.0
VDE 250V/18A 2.5mm²
UL 300V/20A 30-12AWG
Poles 2P,3P-24P

DG128R-7.5
VDE 450V/18A 2.5mm²
UL 300V/20A 30-12AWG
Poles 2P,3P-24P

DG125-5.0
DG125-5.08
VDE 250V/18A 2.5mm²
UL 300V/16A 26-12AWG
Poles 2P,3P-24P

DG500-5.0
DG500-5.08
VDE 250V/18A 2.5mm²
UL 300V/20A 30-12AWG
Poles 2P,3P-24P

DG500-7.62
VDE 450V/18A 2.5mm²
UL 300V/20A 30-12AWG
Poles 2P,3P-24P

DG503-5.0
DG503-5.08
VDE 450V/20A 0.2-2.5mm²
UL 300V/20A 28-12AWG
Poles 2P,3P-24P

DG504-5.08
CE 400V/20A 0.2-2.5mm²
UL 300V/20A 30-12AWG
Poles 2P,3P-24P

DG500H-5.0
DG500H-5.08
VDE 250V/24A 2.5mm²
UL 300V/20A 28-12AWG
Poles 2P,3P-24P

DG500HH-5.0
DG500HH-5.08
VDE 250V/24A 2.5mm²
UL 300V/20A 28-12AWG
Poles 2P,3P-24P

DG500A-5.0
DG500A-5.08
VDE 250V/18A 2.5mm²
UL 300V/20A 28-12AWG
Poles 2*(2P,3P-24P)

DG500A-5.08-100A
VDE 250V/18A 2.5mm²
UL 300V/20A 28-12AWG
Poles 2*(2P,3P-24P)


DG500B-5.0
DG500B-5.08
VDE 250V/18A 2.5mm²
UL 300V/20A 28-12AWG
Poles 2*(2P,3P-24P)

DG500AA-5.0
DG500AA-5.08
VDE 250V/18A 2.5mm²
UL 300V/20A 28-12AWG
Poles 2*(2P,3P-24P)


DG500BB-5.0
DG500BB-5.08
VDE 250V/18A 2.5mm²
UL 300V/20A 28-12AWG
Poles 2*(2P,3P-24P)

DG500A3-5.0
DG500A3-5.08
VDE 250V/18A 2.5mm²
UL 300V/20A 28-12AWG
Poles 3*(2P,3P-24P)

DG129-5.0
DG129-5.08
VDE 250V/20A 0.5-2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P


DG129-7.5
DG129-7.62
VDE 450V/20A 0.5-2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG129R-5.0
DG129R-5.08
VDE 250V/20A 0.5-2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P


DG129R-7.5
DG129R-7.62
VDE 450V/20A 0.5-2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG130-5.0
DG130-5.08
VDE 250V/20A 0.5-2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG130-7.5
DG130-7.62
CE 450V/20A 0.5-2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG130H-5.0
CE 250V/24A 0.25-2.5mm²
UL 300V/20A 24-12AWG
Poles 2P-24P


DG130A-5.0
DG130A-5.08
VDE 450V/20A 0.5-2.5mm²
UL 300V/20A 26-12AWG
Poles 2*(2P,3P-24P)

DG130A3-5.0
DG130A3-5.08
VDE 450V/20A 0.5-2.5mm²
UL 300V/20A 26-12AWG
Poles 3*(2P,3P-24P)

DG635-6.35
VDE 450V/32A 4.0mm²
UL 300V/30A 26-10AWG
Poles 2P,3P-24P

DG636S-6.35
CE 630V/32A 0.2-4.0mm²
UL 300V/30A 30-10AWG
Poles 2P,3P-24P

DG636S-9.52
CE 1000V/32A 0.2-4.0mm²
UL 300V/30A 30-10AWG
Poles 2P,3P-24P

DG636-6.35
VDE 450V/24A 4.0mm²
UL 300V/30A 26-10AWG
Poles 2P,3P-24P

DG636-7.62
VDE 630V/32A 4.0mm²
UL 300V/30A 26-10AWG
Poles 2P,3P-24P

DG636-9.52
VDE 1000V/32A 0.2-4.0mm²
UL 300V/30A 26-10AWG
Poles 2P,3P-24P

DG636A-6.35
CE 630V/32A 0.2-6.0mm²
UL 300V/30A 30-10AWG
Poles 2*(2P,3P-12P)

DG637-6.35
VDE 1000V/32A 0.2-4.0mm²
UL 600V/30A 28-10AWG
Poles 1P-XXP

DG638-9.52-DA/DB
CE 300V/600V/30A 0.2-4.0mm²
UL 300V/30A 24-10AWG
Poles 2P,3P-24P

DG950-9.5
VDE 750V/26A 4.0mm²
UL 300V/30A 26-10AWG
Poles 2P,3P-24P

DG135T-10.16
VDE 750V/57A 10.0mm²
UL 300V/52A 20-6AWG
Poles 2P,3P-24P

DG136T-10.16
VDE 1000V/65A 2.5-16.0mm²
UL 300V/60A 20-6AWG
Poles 2P,3P-24P

DG136T-12.7
CE 1000V/65A 2.5-16.0mm²
UL 600V/60A 20-6AWG
Poles 2P,3P-24P

DG136HT-10.16
VDE 1000V/65A 2.5-16.0mm²
UL 300V/60A 20-6AWG
Poles 1P,2P-24P

DG136HT-12.70
VDE 1000V/65A 2.5-16.0mm²
UL 600V/60A 20-6AWG
Poles 2P,3P-24P

DG138T-10.16
VDE 1000V/76A 0.5-16.0mm²
UL 600V/60A 20-6AWG
Poles 1P-XXP

DG138T-12.7
VDE 1000V/76A 0.5-16.0mm²
UL 600V/60A 20-6AWG
Poles 1P-XXP

DG137T-15.0
VDE 1000V/115A 4.0-35.0mm²
UL 600V/115A 20-2AWG
Poles 2P,3P-9P

DG137TM-15.0
VDE 1000V/115A 4.0-35.0mm²
UL 600V/115A 20-2AWG
Poles 2P,3P-9P

DG137TM-15.0-10A
VDE 1000V/115A 4.0-35.0mm²
UL 600V/115A 20-2AWG
Poles 1P

DG105R-5.0
VDE 250V/24A 0.5-2.5mm²
UL 300V/20A 30-12AWG
Poles 1P-XXP

DG105R-7.5
CE 450V/24A 0.5-2.5mm²
UL 300V/20A 30-12AWG
Poles 1P-XXP

DG105R-5.0-10A
CE 250V/24A 0.5-2.5mm²
UL 300V/20A 30-12AWG
Poles 1P-XXP

DG105R-7.5-10A
CE 450V/24A 0.5-2.5mm²
UL 300V/12A 30-12AWG
Poles 1P-XXP

DG105V-5.0
VDE 250V/24A 0.5-2.5mm²
UL 300V/20A 30-12AWG
Poles 1P-XXP

DG105V-7.5
CE 250V/24A 0.5-2.5mm²
UL 300V/20A 30-12AWG
Poles 1P-XXP

DG105V-5.0-10A
CE 250V/24A 0.5-2.5mm²
UL 300V/12A 30-12AWG
Poles 1P-XXP

DG105V-7.5-10A
CE 450V/24A 0.5-2.5mm²
UL 300V/12A 30-12AWG
Poles 1P-XXP

DG107R-6.35
CE 600V/32A 0.5-6.0mm²
UL 300V/30A 26-10AWG
Poles 1P-XXP

DG107R-7.62
CE 630V/32A 0.5-6.0mm²
UL 300V/30A 26-10AWG
Poles 1P-XXP

DG107V-7.62
CE 630V/32A 0.5-6.0mm²
UL 300V/30A 26-10AWG
Poles 1P-XXP


PS 4
VDE 320V/32A 0.2-4.0mm²
UL 300V/25A 26-10AWG
Poles 1P-XXP


PS 10
VDE 450V/57A 0.2-10.0mm²
UL 600V/70A 24AWG
Poles 1P-XXP


PS10-10A
CE 450V/57A 0.2-10.0mm²
UL 600V/70A 24AWG
Poles 1P-XXP


PS 10-PE
CE — 0.2-10.0mm²
UL — 24AWG
Poles 1P-XXP


PS10-PE-10A
CE — 0.2-10.0mm²
UL — 24AWG
Poles 1P-XXP

DGS1.5-5.0
CE 400V/17.5A 0.14-2.5mm²
UL 250V/15A 30-14AWG
Poles 1P-XXP

DGS2.5-5.0
CE 400V/24A 0.2-4.0mm²
UL 250V/15A 24-12AWG
Poles 1P-XXP

DSMT2.5-5.08
CE 630V/15A 0.2-2.5mm²
UL 300V/15A 24-12AWG
Poles 1P-XXP

DG130LF-5.0
CE 400V/24A 0.2-2.5mm²
UL 300V/20A 30-12AWG
Poles 04P

DG130RF-5.0
CE 400V/24A 0.2-2.5mm²
UL 300V/15A 30-12AWG
Poles 04P

DG636LF-7.5
IEC 750V/24A 2.5mm²
UL 300V/20A 30-12AWG
Poles 3P

DG636RF-7.5
IEC 750V/24A 2.5mm²
UL 300V/20A 30-12AWG
Poles 3P

DG381-THR-3.5
DG381-THR-3.81
CE 200V/13.5A 0.2-1.5mm²
UL 150V/10A 30-16AWG
Poles 2P,3P-24P

DG127-THR-5.0
DG127-THR-5.08
CE 250V/15A 0.2-1.5mm²
UL 300V/12A 26-14AWG
Poles 2P,3P-24P

DG500-THR-5.0
DG500-THR-5.08
IEC 250V/18A 2.5mm²
UL 300V/10A 24-12AWG
Poles 2P,3P-24P

DG503-THR-5.0
DG503-THR-5.08
IEC 250V/18A 2.5mm²
UL 300V/10A 24-12AWG
Poles 2P,3P-24P

DG130-THR-5.0
DG130-THR-5.08
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG381-SMT-3.81
IEC 130V/10A 1.0mm²
UL 150V/10A 26-16AWG
Poles 2P-12P


DG381R-3.5-10A
IEC 130V/10A 1.0mm²
UL 150V/10A 26-16AWG
Poles 2P,3P-24P

DG382-3.5
IEC 130V/12A 1.5mm²
UL 250V/10A 30-14AWG
Poles 2P,3P-24P

DG381HH-3.5
DG381HH-3.81
IEC 130V/10A 1.0mm²
UL 150V/10A 26-16AWG
Poles 2P-16P

DG381LF-3.5
IEC 130V/8A 1.5mm²
UL 150V/8A 26-16AWG
Poles 3P-5P

DG381RF-3.5
IEC 160V/8A 1.5mm²
UL 150V/8A 26-16AWG
Poles 3P-5P

DG103-7.5
DG103-7.62
IEC 300V/10A 2.5mm²
UL 450V/24A 24-12AWG
Poles 2P,3P-24P

DG127S-7.62
IEC 450V/15A 1.5mm²
UL 300V/12A 26-14AWG
Poles 2P,3P-24P

DG128W-5.0
DG128W-5.08
IEC 250V/18A 2.5mm²
UL 300V/15A 24-12AWG
Poles 2P,3P-24P

DG125R-5.0
DG125R-5.08
IEC 450V/18A 2.5mm²
UL 300V/15A 26-12AWG
Poles 2P,3P-24P

DG501-5.0
IEC 250V/18A 2.5mm²
UL 300V/10A 24-12AWG
Poles 2P,3P-24P

DG502-5.08
IEC 250V/18A 2.5mm²
UL 300V/10A 24-12AWG
Poles 2P,3P-24P

DG500C3-5.08
IEC 250V/18A 2.5mm²
UL 300V/10A 24-12AWG
Poles 3*(2P,3P-24P)

DG500A4-5.08
IEC 250V/18A 2.5mm²
UL 300V/10A 24-12AWG
Poles 4*(2P,3P-24P)

DG500C4-5.08
IEC 250V/18A 2.5mm²
UL 300V/10A 24-12AWG
Poles 4*(2P,3P-24P)


DG500BB3-5.08
IEC 250V/18A 2.5mm²
UL 300V/10A 24-12AWG
Poles 3*(2P,3P-24P)

DG130S-5.0
DG130S-5.08
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG130S-7.5
DG130S-7.62
IEC 450V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG130R-5.0
DG130R-5.08
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG131-5.0
DG131-5.08
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG132-5.08
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG133-5.0
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2P,3P-24P

DG130C-5.0
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2*(2P,3P-24P)

DG130AA-5.0
DG130AA-5.08
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2*(2P,3P-24P)


DG130BB-5.0
DG130BB-5.08
IEC 250V/20A 2.5mm²
UL 300V/20A 26-12AWG
Poles 2*(2P,3P-24P)


DG636A-9.52
IEC 750V/24A 4.0mm²
UL 300V/30A 26-10AWG
Poles 2P,3P-24P

DG107V-6.35
IEC 320V/32A 4.0mm²
UL 250V/30A 24-10AWG
Poles 1P-XXP

DG042-5.08
Poles 2P-3P

DG632-5.0,DG103-5.0,DG104-5.08,
DG127S-5.0/5.08,DG127-5.0/5.08,
DG128-5.0,DG500/R-5.0/5.08,DG125-5.0,
DG503-5.08,DG504-5.08,
DG129/R-5.0/5.08,DG130-5.0/5.08,
DG105R/V-5.0



DG027 Bridge accessory
DG028 Wire dismantle tool

DG2001-3.0
160V/5A 0.14-0.34mm²
320V/3A 26-22AWG
Poles 1P-3P

DG2002-4.0
160V/9A 0.2-0.75mm²
300V/9A 24-18AWG
Poles 1P-3P

DG2002-4.0-300AH
160V/9A 0.2-0.75mm²
300V/9A 24-18AWG
Poles 1P-3P

DG2003-6.0
320V/17.5A 0.5-1.5mm²
300V/10A 20-16AWG
Poles 1P-3P

DG043-3.0
—
UL —
Poles 1P-03P

DG027
—
UL —
Poles 1P-3P

DG028/DG044
—
UL —
Poles —

DG220A
130V/13.5A 0.5-1.0 SOL
150V/7A 22-18 SOL Cu
Poles 4P,8P

DG220B
320V/6A(III/2) 0.5-1.0 SOL
150V/7A 22-18 SOL
Poles 2P,4P

DG220J
320V/6A(III/2) —
150V/7A —
Poles 1P

DG221-5.6
450V/32A 0.2-4mm²
UL 600V/20A 24-12AWG
Poles 2P,3P,5P

DG219-3.5
320V/17.5A(III/2) 0.2-1.5mm²
UL 300V/10A 24-16AWG
Poles 2P-XXP

DG212V-THR-3.5
320V/17.5A 0.2-1.5mm²
300V/12A 28-14AWG
Poles 2P-24P

DG212R-THR-3.5
320V/17.5A 0.2-1.5mm²
300V/12A 28-14AWG
Poles 2P-24P

DG212R-THR-3.5-50A
320V/17.5A 0.2-1.5mm²
300V/12A 24-16AWG
Poles 2P-4P

DG212V-THR-5.0
500V/17.5A 0.2-1.5mm²
300V/12A 28-14AWG
Poles 2P-24P

DG212R-THR-5.0
500V/17.5A 0.2-1.5mm²
300V/12A 28-14AWG
Poles 2P-24P

DG212R-THR-5.0-50A
500V/17.5A 0.2-1.5mm²
300V/12A 28-14AWG
Poles 2P-24P

DG246-3.81
160V/9A 0.2-1.0mm²
UL 300V/10A 24-16AWG
Poles 2P-24P

DG246-5.08
320V/9A 0.2-1.5mm²
UL 300V/10A 24-16AWG
Poles 2P-24P

DG260-7.5
630V/32A 0.2-4.0mm²
UL 300V/30A 24-10AWG
Poles 1P-XXP

DG260-10.0
630V/32A 0.2-4.0mm²
UL 300V/30A 24-10AWG
Poles 1P-XXP

DG262-5.0
320V/32A 0.2-4.0mm²
300V/20A 28-12AWG
Poles 1P-XXP

DG262-7.5
630V/32A 0.2-4.0mm²
300V/20A 28-12AWG
Poles 1P-XXP

DG263-7.5
630V/41A 0.2-6.0mm²
UL 300V/30A 24-10AWG
Poles 1P-XXP

DG263-10.0
1000V/41A 0.2-6.0mm²
UL 300V/30A 24-10AWG
Poles 1P-XXP

DG264-10.0
320V/76A 0.2-16mm²
300V/66A 24-6AWG
Poles 1P-XXP

DG264-15.0
630V/76A 0.2-16mm²
300V/66A 24-6AWG
Poles 1P-XXP

DG264-20.0
1000V/76A 0.2-16mm²
300V/66A 24-6AWG
Poles 1P-XXP

DG270-10.0
1000V/76A 0.75-16mm²
UL 300V/66A 24-4AWG
Poles 1P-XXP

DG271V-3.5
200V/17.5A 0.2-1.5mm²
UL 300V/10A 24-16AWG
Poles 1P-24P

DG271R-3.5
200V/17.5A 0.2-1.5mm²
UL 300V/10A 24-16AWG
Poles 1P-24P

DG271V-5.0
400V/24A(III/2) 0.2-4mm²
300V/20A 24-12AWG
Poles 1P-XXP

DG271V-3.5
200V/17.5A 0.2-1.5mm²
UL 300V/10A 24-16AWG
Poles 1P-24P

DG271R-5.0
400V/24A(III/2) 0.2-4.0mm²
300V/20A 24-12AWG
Poles 1P-XXP

DG271V-7.5
1000V/41A 0.2-10.0mm²
600V/40A 24-8AWG
Poles 1P-XXP

DG271R-7.5
1000V/41A 0.2-10.0mm²
600V/40A 24-8AWG
Poles 1P-XXP

DG271V-10.0
1000V/76A 0.2-16.0mm²
600V/70A 20-4AWG
Poles 1P-XXP

DG271R-10.0
1000V/76A 0.2-16.0mm²
600V/70A 20-4AWG
Poles 1P-XXP

PCB-Spring terminal blocks


DG141V-2.54
130V/6A 0.2-1.0mm²
150V/2A 24-20AWG
Poles 1P-XXP


DG141R-2.54
130V/6A 0.2-1.0mm²
150V/2A 24-20AWG
Poles 1P-XXP


DG142V-5.0
DG142V-5.08
250V/15A 0.2-1.5mm²
300V/10A 22-16AWG
Poles 1P-XXP

DG142V-7.62
450V/15A 0.2-1.5mm²
300V/10A 22-16AWG
Poles 1P-XXP


DG142R-5.08
250V/15A 0.2-1.5mm²
300V/10A 22-16AWG
Poles 1P-XXP

DG142R-7.62
450V/15A 0.2-1.5mm²
300V/10A 22-16AWG
Poles 1P-XXP

DG237-5.08
320V/10A 0.2-1.5mm²
300V/10A 22-16AWG
Poles 2P-12P

DG390-5.0
250V/13.5A 1.0mm²
UL 300V/8A 22-18AWG
Poles 2P,3P-24P

DG235-3.81
DG235-3.96
250V/10A 1.5mm²
300V/5A 20-18AWG
Poles 1P-XXP

DG235-5.0
DG235-5.08
450V/15A 0.2-2.5 SOL 0.2-1.5 STR
300V/5A 20-18AWG
Poles 1P-XXP

DG235-7.5
DG235-7.62
450V/15A 0.2-2.5 SOL 0.2-1.5 STR
300V/5A 20-18AWG
Poles 1P-XXP

DG235-10.0
DG235-10.16
750V/15A 0.2-2.5 SOL 0.2-1.5 STR
300V/5A 20-18AWG
Poles 1P-XXP

DG235W-3.81
DG235W-3.96
250V/10A 1.5mm²
300V/5A 20-18AWG
Poles 1P-XXP

DG235W-5.0
DG235W-5.08
250V/15A 0.2-2.5 SOL 0.2-1.5 STR
300V/5A 20-18AWG
Poles 1P-XXP

DG235W-7.5
DG235W-7.62
450V/15A 0.2-2.5 SOL 0.2-1.5 STR
300V/5A 20-18AWG
Poles 1P-XXP

DG235W-10.0
DG235W-10.16
750V/15A 0.2-2.5 SOL 0.2-1.5 STR
300V/5A 20-18AWG
Poles 1P-XXP

DG235T-5.0
DG235T-5.08
250V/10A 2X1.5mm²
300V/5A 20-18AWG
Poles 1P-XXP

DG235T-7.5
DG235T-7.62
400V/10A 2X0.75mm²
300V/5A 20-18AWG
Poles 1P-XXP

DG235T-10.0
DG235T-10.16
630V/10A 2X0.75mm²
300V/5A 20-18AWG
Poles 1P-XXP

DG250-2.5
DG250-2.54
250V/2A 0.2-0.5mm²
300V/2A 24-20AWG
Poles 1P-XXP

DG250-3.5
450V/5A 0.2-0.75mm²
300V/8A 22-16AWG
Poles 1P-XXP

DG250-7.0
450V/5A 0.2-0.75mm²
300V/8A 22-16AWG
Poles 1P-XXP

DG250W-3.5
250V/3A 0.2-0.75mm²
300V/4A 22-18 SOL
Poles 1P-XXP

DG250T-5.0
450V/12A 0.2-1.5mm²
300V/10A 22-16AWG
Poles 2*(1P-XXP)

DG236-3.81
200V/10A 0.2-1.5mm²
300V/8A 20-16AWG
Poles 1P-XXP

DG236-5.0
400V/10A 0.2-1.5mm²
300V/8A 20-16AWG
Poles 1P-XXP

DG236-7.5
400V/10A 0.2-1.5mm²
300V/8A 20-16AWG
Poles 1P-XXP

DG211R-2.5
160V/3A 0.2-0.5mm²
150V/5A 28-20AWG
Poles 1P-XXP

DG211V-5.0
250V/15A 0.2-1.5mm²
300V/8A 26-16AWG
Poles 1P-XXP

DG211R-5.0

VDE 250V/15A 0.2-1.5mm²
UL 300V/8A 26-16AWG
Poles 1P-XXP

DG234-5.0-00AH

CE 320V/10A 0.2-1.5 STR
UL 300V/10A 30-16AWG
Poles 2P-24P

DG234-5.0-100AH

CE 320V/10A 0.2-1.5 STR
UL 300V/10A 30-16AWG
Poles 3P

DG240-2.5
DG240-2.54

VDE 130V/6A 0.2-0.5mm²
UL 150V/4A 28-20AWG
Poles 1P-XXP

DG240W-2.5
DG240W-2.54

VDE 130V/6A 0.2-0.5mm²
UL 150V/4A 28-20AWG
Poles 1P-XXP

DG241-2.5
DG241-2.54

VDE 130V/6A 0.2-0.5mm²
UL 150V/5A 28-20AWG
Poles 1P-XXP

DG242V-5.0
DG242V-5.08

VDE 450V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG242V-7.5
DG242V-7.62

VDE 750V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG242V-10.0
DG242V-10.16

VDE 1000V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG242R-5.0
DG242R-5.08

VDE 450V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG242R-7.5
DG242R-7.62

VDE 750V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG242R-10.0
DG242R-10.16

VDE 1000V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG243-5.0
DG243-5.08

VDE 450V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG243-7.5
DG243-7.62

VDE 750V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG243-10.0
DG243-10.16

VDE 1000V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG245-5.0
DG245-5.08

VDE 450V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG245-7.5
DG245-7.62

VDE 750V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG245-10.0
DG245-10.16

VDE 1000V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG245H2-5.0
DG245H2-5.08

VDE 450V/18A 0.2-2.5mm²
UL 300V/10A 28-12AWG
Poles 2*(1P-XXP)

DG245H3-5.0
DG245H3-5.08

VDE 450V/18A 0.2-2.5mm²
UL 300V/10A 28-12AWG
Poles 3*(1-XX)P

DG245H3-7.5
DG245H3-7.62

CE 630V/18A 0.2-2.5mm²
UL 300V/10A 28-12AWG
Poles 3*(1-XX)P

DG245H4-5.0
DG245H4-5.08

VDE 450V/18A 0.2-2.5mm²
UL 300V/10A 28-12AWG
Poles 4*(1P-XXP)

DG295-4.57

VDE 250V/5A 0.2-0.75mm²
UL 300V/3A 16AWG SOL
Poles 3P-10P

DG202-5.0

VDE 450V/16A 0.2-2.5mm²
UL 300V/12A 20-12AWG
Poles 1P-XXP

DG202-7.5

VDE 450V/16A 0.2-2.5mm²
UL 300V/12A 20-12AWG
Poles 1P-XXP

DG202-10.0

VDE 750V/16A 0.2-2.5mm²
UL 300V/12A 20-12AWG
Poles 1P-XXP

DG204-5.0
DG204-5.08

UL 320V/20A 0.2-2.5mm²
UL 300V/12A 28-12AWG
Poles 1P-XXP

DG204-7.5
DG204-7.62

CE 630V/20A 2.5mm²
UL 300V/12A 28-12AWG
Poles 1P-XXP

DG205-5.0
DG205-5.08

CE 250V/10A 2.5mm²
UL 300V/5A 28-12AWG
Poles 1P-XXP

DG208-3.5

CE 450V/9A 0.2-0.75mm²
UL 300V/8A 20-16AWG
Poles 1P-XXP

DG208-5.0

VDE 450V/9A 0.2-0.75mm²
UL 300V/7A 20-16AWG
Poles 1P-XXP

DG228-3.5

UL 450V/24A 0.5-2.5mm²
UL 600V/20A 22-12AWG
Poles 2P,3P,4P,5P,8P

DG222-8.0

UL 450V/24A 0.2-2.5mm²
UL 300V/22A Load:12-22AWG Line:14-12SOL
Poles 1P

DG224-8.0

UL 450V/24A 0.2-2.5mm²
UL 300V/22A 12-22AWG
Poles 1P

DG238-10.0

UL 450V/24A 0.75-2.5mm²
UL 600V/20A 22-12AWG
Poles 2P-5P



DG046

DG046 - DG262
Poles 2P-10P

DG250-THR-3.5

IEC 250V/7A 0.5-0.75mm²
UL 300V/8A 22-18AWG
Poles 1P-XXP

DG250B-5.0

IEC 250V/10A 0.5-1.5mm²
UL 300V/10A 22-16AWG
Poles 1P-XXP

DG250B-7.5

IEC 250V/10A 0.5-1.5mm²
UL 300V/10A 22-16AWG
Poles 1P-XXP

DG211V-7.5

IEC 250V/15A 0.2-1.5mm²
UL 300V/8A 26-16AWG
Poles 1P-XXP

DG211R-7.5

IEC 250V/15A 0.2-1.5mm²
UL 300V/8A 26-16AWG
Poles 2P,3P-24P

DG261-10.0

CE 630V/32A 0.2-4.0mm²
UL 300V/30A 24-10AWG
Poles 1P-XXP

DG261-15.0

CE 1000V/76A 0.2-16mm²
UL 600V/65A 24-6AWG
Poles 1P-XXP

DG245-THR-5.0

IEC 320V/24A 0.08-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP



DG245H2-7.5
DG245H2-7.62

IEC 450V/12A 2.5mm²
UL 300V/10A 28-12AWG
Poles 2*(1P-XXP)

DG245H2-10.0
DG245H2-10.16

IEC 450V/12A 2.5mm²
UL 300V/10A 28-12AWG
Poles 2*(1P-XXP)

DG245H3-10.0
DG245H3-10.16

IEC 450V/12A 2.5mm²
UL 300V/10A 28-12AWG
Poles 3*(1P-XXP)



DG204-3.5
DG204-3.81

IEC 250V/6A 1.5mm²
UL 300V/6A 28-14AWG
Poles 1P-XXP

DG204M-3.5
DG204M-3.81

IEC 250V/6A 1.5mm²
UL 300V/6A 28-14AWG
Poles 1P-XXP

DG204P-3.5
DG204P-3.81

IEC 250V/4A 1.5mm²
UL 300V/4A 28-14AWG
Poles 1P-XXP

DG204PM-3.5
DG204PM-3.81

IEC 250V/4A 1.5mm²
UL 300V/4A 28-14AWG
Poles 1P-XXP

DG204P-5.0
DG204P-5.08

IEC 250V/8A 2.5mm²
UL 300V/8A 28-12AWG
Poles 1P-XXP

DG204P-7.5
DG204P-7.62

IEC 400V/8A 2.5mm²
UL 300V/8A 28-12AWG
Poles 1P-XXP

DG742-5.0
DG742-5.08

IEC 250V/16A 2.5mm²
UL 300V/10A 28-12AWG
Poles 1P-XXP

DG742B-5.0
DG742B-5.08

IEC 250V/16A 2.5mm²
UL 300V/10A 28-12AWG
Poles 1P-XXP

DG205-7.5
DG205-7.62

IEC 450V/10A 2.5mm²
UL 300V/5A 28-12AWG
Poles 1P-XXP

DG206-5.0
DG206-5.08

IEC 250V/24A 2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG206-7.5
DG206-7.62

IEC 450V/24A 2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG206M-5.0
DG206M-5.08

IEC 250V/24A 2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP



DG206M-7.5
DG206M-7.62

IEC 450V/24A 2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG207R-5.0
DG207R-5.08

IEC 250V/16A 2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG207V-5.0
DG207V-5.08

IEC 250V/16A 2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG208-7.5

IEC 450V/9A 0.2-0.75mm²
UL 300V/7A 2X20-16AWG
Poles 1P-XXP

DG209-5.0

IEC 450V/17A 0.2-2.5mm²
UL 300V/15A 28-12AWG
Poles 1P-XXP

DG227

IEC 400V/18A 1.5mm²
UL 600V/10A 18-16AWG
Poles 3P,5P,8P

DG222T-9.5

IEC 450V/24A 2.5mm²
UL 300V/20A 22-12AWG
Poles 1P



Transformer terminal blocks

TS 2.5

VDE 800V/24A 0.5-2.5mm²
UL 300V/10A 24-14AWG
Poles 2P,3P

TS 4

VDE 250V/32A 0.75-4.0mm²
UL 300V/20A 20-12AWG
Poles 1P

TS 10

VDE 750V/57A 4.0-10.0mm²
UL 300V/55A 12-6AWG
Poles 1P

TSB 2.5

VDE 250V/24A 0.5-2.5mm²
UL 600V/20A 20-12AWG
Poles 2P,3P

TSB 4

VDE 450V/32A 0.5-4.0mm²
UL 600V/30A 20-12AWG
Poles 1P

TSC 4

VDE 750V/32A 0.5-4.0mm²
UL 300V/20A 20-10AWG
Poles 1P,2P

TSC 6

VDE 750V/41A 0.5-6.0mm²
UL 300V/20A 20-10AWG
Poles 1P

TSC 10

VDE 1000V/57A 0.2-10.0mm²
UL 600V/65A 24-6AWG
Poles 2P

TSCB 4

VDE 800V/32A 0.5-4.0mm²
UL 600V/30A 20-10AWG
Poles 1P-3P

TSCF 4

CE 250V/10A 0.5-4.0mm²
UL 300V/8A 30-10AWG
Poles 1P

TSF 2.5

UL 250V/6.3A 0.5-2.5mm²
UL 250V/6.3A 20-14AWG
Poles 1P

TSCBF 4

CE 750V/10A 0.2-4mm²
UL 600V/10A 30-12AWG
Poles 1P

TSCK 4

VDE 800V/32A 0.2-4mm²
UL 600V/30A 30-10AWG
Poles 2P

TZB 4

TZB4 → TSB2.5,TSB4,TSC4,TSC6, TSCB4,TSA2.5,TSA4,
TSC10,TSCF4,TSCW4
TSCK4

TSZB4

TSZB4 → TS2.5,TS4,TS10,TSF2.5

TSA 2.5

IEC 250V/24A 0.5-2.5mm²
UL 600V/10A 24-14AWG
Poles 2P

TSA 4

IEC 450V/32A 0.5-4.0mm²
UL 600V/30A 24-10AWG
Poles 1P

THROUGH-WALL TERMINAL BLOCKS / INTERFACE MODULE

TSCW 4
IEC 750V/32A 0.5-4.0mm²
UL 300V/20A 20-10AWG
Poles 1P,2P

TSP 4
IEC 750V/32A 0.5-4.0mm²
UL 300V/20A 20-10AWG
Poles 1P

TSPF 4
IEC 750V/10A 0.5-4.0mm²
UL 300V/10A 20-10AWG
Poles 1P

Through-wall terminal blocks

DG4
CE 400V/24A 0.2-4mm²
300V/20A 30-10AWG

DGH4
CE 400V/41A 0.2-6mm²
UL 300V/30A 30-10AWG


DG4F
CE 400V/6.3A 0.2-4mm²
UL 250V/8A 24-10AWG

DGH10
CE 500V/76A 0.5-16mm²
UL 300V/65A 24-6AWG

DGH16
CE 500V/76A 0.5-16mm²
UL 600V/85A 20-4AWG

DGH25
CE 500V/101A 10-25mm²
UL 600V/115A 8-2AWG

DGH50
CE 690V/170A 16-50mm²
UL 1000V/170A 6-2/0AWG

DGH95
CE 1000V/232A 35-95mm²
UL 600V/230A 4-4/0AWG

DGP16
IEC 500V/76A 0.5-16mm²
UL 600V/85A 20-4AWG

DGP95
IEC 1000V/232A 35-95mm²
UL 600V/230A 4-2/0AWG

DGV4
CE 400V/41A 0.2-6mm²
UL 300V/30A 30-10AWG

DG4B
IEC 690V/17.5A 0.4-4mm²
UL 600V/30A 24-10AWG


DG4-PE
IEC — 0.2-4mm²
UL — 24-10AWG


DG4FB
IEC 400V/6.3A 0.2-4mm²
UL 300V/8A 24-10AWG

DG4R
IEC 500V/32A 0.2-4mm²
UL 300V/30A 24-10AWG

DG4RB
IEC 500V/32A 0.2-4mm²
UL 300V/30A 24-10AWG

DG6R
IEC 500V/41A 0.5-6mm²
UL 600V/50A 24-8AWG

DG6RB
IEC 500V/41A 0.2-6mm²
UL 600V/50A 24-8AWG

DGH4B
IEC 500V/32A 0.2-4mm²
UL 300V/30A 24-10AWG

DGH10B
IEC 500V/57A 0.5-10mm²
UL 300V/65A 24-10AWG

DGH25-PE
IEC — 10-25mm²
UL — 10-2AWG

DGH95B
IEC 1000V/232A 35-95mm²
UL 600V/230A 4-2/0AWG

DGV4B
IEC 400V/32A 0.2-4mm²
UL 300V/30A 24-10AWG

DGV10
IEC 500V/57A 0.5-10mm²
UL 300V/65A 20-6AWG

DGV10B
IEC 500V/57A 0.5-10mm²
UL 300V/65A 20-6AWG

DGV16
IEC 500V/76A 0.5-16mm²
UL 600V/85A 20-4AWG

DGV25
IEC 500V/101A 10-25mm²
UL 600V/115A 10-24AWG

DGV50
IEC 690V/150A 16-50mm²
UL 600V/150A 6-1/0AWG

DGV95B
IEC 1000V/232A 35-95mm²
UL 600V/230A 4-2/0AWG

DGP10
IEC 500V/57A 0.5-10mm²
UL 300V/65A 20-6AWG

DGP10B
IEC 500V/57A 0.5-10mm²
UL 300V/65A 20-6AWG

DGP25
IEC 500V/101A 10-25mm²
UL 600V/115A 10-2AWG

DGP50
IEC 690V/150A 16-50mm²
UL 600V/150A 6-1/0AWG

DGVP10
IEC 400V/57A 0.5-10mm²
UL 300V/65A 20-6AWG

DGVP10B
IEC 400V/57A 0.5-10mm²
UL 300V/65A 20-6AWG

DGVP16
IEC 500V/76A 0.5-16mm²
UL 600V/85A 20-4AWG

DGVP25
IEC 500V/101A 10-25mm²
UL 600V/115A 10-2AWG

DGVP50
IEC 690V/150A 16-50mm²
UL 600V/150A 6-1/0AWG

DGV10-TW
IEC 500V/57A 0.5-10mm²
UL 300V/65A 20-6AWG

DGV10H-TW
IEC 500V/57A 0.5-10mm²
UL 600V/65A 20-6AWG

DGV25-TW
IEC 500V/101A 10-25mm²
UL 600V/115A 10-2AWG


INTERFACE MODULE
The difference of the upper cover and the side part of the module shown on the top right corner.

DMG-02P DMG-03P DMG-04P
DMG-05P DMG-07P DMG-08P
DMG-09P DMG-14P DMG-17P
DMG-19P DMG-24P DMG-29P
CE 2.5mm²
UL 24-12AWG
Poles 2P,3P,4P,5P,7P,8P,9P,14P,17P,19P,24P,29P

FMET-02P
FMET-03P FMET-04P
FMET-06P FMET-08P

FMET-04P-2100AH

FMET-02P-14-05AH

FMET-02P-11-25AH

FMET-02P-1Y-31AH

FMET-03P-14-04AH

FMET-03P-14-15AH

FMET-04P-14-05AH

FMET-04P-1Y-13AH

FMET-04P-11-26AH

FMET-06P-14-15AH

FMET-08P-11-14AH

FMET-02P-60A

FMET-03P-10A

FEGM-12P

FMED-02P

FMED-03P

FBUS17.5-11A
CE 150V/7A
UL 150V/7A

FBUS22.5-100A
CE 150V/7A
UL 150V/7A

DM72

DM72-100AH

DM100

DM108-100AH

DM108

DMK72

DMK108

DM50


DMGB-02P
DMGB-03P

FEG-02P
FEG-04P

FEGH-03P
FEGH-06P

FEGM-03P
FEGM-06P



RELAY MODULE

The Features of Relay Module Series ：

1.High wiring efficiency.
2.Signal processing function.
3.A variety of functional options.
4.A variety of channel selection, LED display.
5.It can be connected with the prefabricated cable.

The Features of Splitter Series ：

1.Easy and flexible wiring.
2.Small volume.
3.Multiple channel selection.
4.It can be connected with the prefabricated cable.



DM72 - RM - □□ - PN - 2 - 44 - 10□A(H)

Model	L	W	H
DM72-RM-04-PN-2-44-100A(H)	82	90	72
DM72-RM-08-PN-2-44-100A(H)	156	90	72
DM72-RM-12-PN-2-44-100A(H)	230	90	72
DM72-RM-16-PN-2-44-100A(H)	305	90	72
DM72-RM-20-PN-2-44-100A(H)	379	90	72



Relay type	Electromagnetic relays
Enter the rated voltage	24VDC
Input rated current (single channel)	22mA
Output load	16A 250VAC/30VDC
Contact structure	1NO/1NC
Signal input mode	High/Low level
Installation method	35mm DIN



DM72 - RM - □□ - PN - 4 - 44 - 1□A(H)

Model	L	W	H
DM72-RM-04-PN-4-44-10A(H)	72	90	72
DM72-RM-08-PN-4-44-10A(H)	133	90	72
DM72-RM-12-PN-4-44-10A(H)	198	90	72
DM72-RM-16-PN-4-44-10A(H)	258	90	72
DM72-RM-20-PN-4-44-10A(H)	319	90	72



Relay type	Electromagnetic relays
Enter the rated voltage	24VDC
Input rated current (single channel)	22mA
Output load	5A 250VAC/30VDC
Contact structure	2NO/2NC
Signal input mode	High/Low level
Installation method	35mm DIN

DM72 - RME - □□ - PN - 1 - 4A - 0□A(H)

Model	L	W	H
DM72-RME-04-PN-1-4A-00A(H)	34	90	60
DM72-RME-08-PN-1-4A-00A(H)	62	90	60
DM72-RME-16-PN-1-4A-00A(H)	117	90	60



Relay type	Solid state relays
Enter the rated voltage	20VDC~28VDC
Input rated current (single channel)	7mA
Output load	2A 100VAC~240VAC
Contact structure	1NO
Response time	<2ms
Signal input mode	High/Low level
Installation method	35mm DIN



DM72 - RM - □□ - PN - 2 - 44 - 1□A(H)

Model	L	W	H
DM72-RM-04-PN-2-44-10A(H)	70	90	72
DM72-RM-08-PN-2-44-10A(H)	131	90	72
DM72-RM-12-PN-2-44-10A(H)	194	90	70
DM72-RM-16-PN-2-44-10A(H)	255	90	70
DM72-RM-20-PN-2-44-10A(H)	316	90	70



Relay type	Electromagnetic relays
Enter the rated voltage	24VDC
Input rated current (single channel)	22mA
Output load	10A 250VAC/30VDC
Contact structure	1NO/1NC
Signal input mode	High/Low level
Installation method	35mm DIN

DM72 - RMUS - □□ - PN - 1 - 44 - 0□A(H)

Model	L	W	H
DM72-RMUS-04-PN-1-44-00A(H)	40	90	60
DM72-RMUS-08-PN-1-44-00A(H)	60	90	60
DM72-RMUS-12-PN-1-44-00A(H)	81	90	60
DM72-RMUS-16-PN-1-44-00A(H)	103	90	60
DM72-RMUS-20-PN-1-44-00A(H)	123	90	60
DM72-RMUS-24-PN-1-44-00A(H)	145	90	60



Relay type	Electromagnetic relays
Enter the rated voltage	24VDC
Input rated current (single channel)	8mA
Output load	5A 250VAC/30VDC
Contact structure	1NO
Signal input mode	High/Low level
Installation method	35mm DIN

DM72 - RME - □□ - PN - 1 - 4D - 0□A(H)

Model	L	W	H
DM72-RME-04-PN-1-4D-00A(H)	34	90	60
DM72-RME-08-PN-1-4D-00A(H)	62	90	60
DM72-RME-16-PN-1-4D-00A(H)	117	90	60



Relay type	Solid state relays
Enter the rated voltage	20VDC~28VDC
Input rated current (single channel)	5mA~10mA
Output load	3A 60VAC/60VDC
Contact structure	1NO
Response time	<7ms
Signal input mode	High/Low level
Installation method	35mm DIN

DM72 - IDC - □□ - □□ - 4Y - 0□A(H)

Model	L	W	H
DM72-IDC-10-10-4Y-00A(H)	46	90	63
DM72-IDC-20-20-4Y-00A(H)	63	90	63
DM72-IDC-26-26-4Y-00A(H)	83	90	63
DM72-IDC-34-34-4Y-00A(H)	105	90	63
DM72-IDC-40-40-4Y-00A(H)	119	90	63
DM72-IDC-50-50-4Y-00A(H)	145	90	63



Enter the rated voltage	50VDC
Input rated current (single channel)	1A
Installation method	35mm DIN

DM72 - DBJ - □□ - □□ - 4Y - 0□A(H)

Model	L	W	H
DM72-DBJ-09-09-4Y-00A(H)	61	90	48
DM72-DBJ-15-15-4Y-00A(H)	54	90	59
DM72-DBJ-25-25-4Y-00A(H)	79	90	59
DM72-DBJ-37-37-4Y-00A(H)	109	90	59
DM72-DBJ-50-50-4Y-00A(H)	140	90	59



Enter the rated voltage	50VDC
Input rated current (single channel)	1A
Installation method	35mm DIN

DM72 - DBK - □□ - □□ - 4Y - 0□A(H)

Model	L	W	H
DM72-DBK-09-09-4Y-00A(H)	61	90	48
DM72-DBK-15-15-4Y-00A(H)	54	90	59
DM72-DBK-25-25-4Y-00A(H)	79	90	59
DM72-DBK-37-37-4Y-00A(H)	109	90	59
DM72-DBK-50-50-4Y-00A(H)	140	90	59



Enter the rated voltage	50VDC
Input rated current (single channel)	1A
Installation method	35mm DIN

DM50 - FCN - 40 - 40 - 4Y - 0□A(H)

Model	L	W	H
DM50-FCN-40-40-4Y-00A(H)	111	57	43



DM50 - IDC - □□ - □□ - 4Y - 0□A(H)

Model	L	W	H
DM50-IDC-10-10-4Y-00A(H)	66	57	43
DM50-IDC-20-20-4Y-00A(H)	66	57	43
DM50-IDC-26-26-4Y-00A(H)	81	57	43
DM50-IDC-34-34-4Y-00A(H)	111	57	43
DM50-IDC-40-40-4Y-00A(H)	111	57	43
DM50-IDC-50-50-4Y-00A(H)	143	57	43



Enter the rated voltage	50VDC
Input rated current (single channel)	1A
Installation method	35mm DIN

DM50 - DBJ - □□ - □□ - 4Y - 0□A(H)

Model	L	W	H
DM50-DBJ-09-09-4Y-00A(H)	66	57	31
DM50-DBJ-15-15-4Y-00A(H)	66	57	43
DM50-DBJ-25-25-4Y-00A(H)	81	57	43
DM50-DBJ-37-37-4Y-00A(H)	111	57	43
DM50-DBJ-50-50-4Y-00A(H)	143	57	43



Enter the rated voltage	50VDC
Input rated current (single channel)	1A
Installation method	35mm DIN

DM50 - DBK - □□ - □□ - 4Y - 0□A(H)

Model	L	W	H
DM50-DBK-09-09-4Y-00A(H)	66	57	31
DM50-DBK-15-15-4Y-00A(H)	66	57	43
DM50-DBK-25-25-4Y-00A(H)	81	57	43
DM50-DBK-37-37-4Y-00A(H)	111	57	43
DM50-DBK-50-50-4Y-00A(H)	143	57	43



Enter the rated voltage	50VDC
Input rated current (single channel)	1A
Installation method	35mm DIN

DM50 - MDR - □□ - □□ - 4Y - 0□A(H)

Model	L	W	H
DM50-MDR-20-20-4Y-00A(H)	81	57	43
DM50-MDR-26-26-4Y-00A(H)	111	57	43
DM50-MDR-36-36-4Y-00A(H)	111	57	43
DM50-MDR-50-50-4Y-00A(H)	143	57	43



Enter the rated voltage	50VDC
Input rated current (single channel)	1A
Installation method	35mm DIN



RELAY

The Features of Relay Series ：

1. Rapid response, high stability of product structure.
2. Long service life, small size and so on.
3. Product can be used in different load and environment.
4. Various matched socket, total 3 series: general, protection and isolation type.



DRPE

Certificate	UL\CE
Contact type	2C\2CH 4C
Load current	5A\10A 5A
Contact resistance	50mΩ
Coil power	0.9W/1.2VA
Working temperature	-40~+70℃



DRPE

Certificate	UL\CE
Contact type	2C\2CH 4C
Load current	5A\10A 5A
Contact resistance	50mΩ
Coil power	0.9W/1.2VA
Working temperature	-40~+70℃

DRPY

Certificate	UL\CE
Contact type	2C 4C
Load current	5A 3A
Contact resistance	50mΩ
Coil power	0.9W/1.2VA
Working temperature	-25~+55℃

DRPC

Certificate	UL\CE
Contact type	1C 2C
Load current	10A 5A
Contact resistance	50mΩ
Coil power	0.53W/1.0VA
Working temperature	-25~+55℃

DRPL

Certificate	UL\CE
Contact type	2C
Load current	10A
Contact resistance	50mΩ
Coil power	2C:0.9W/1.2VA 4C:1.5W/3VA
Working temperature	-25~+55℃

DRPL

Certificate	UL\CE
Contact type	4C
Load current	10A
Contact resistance	50mΩ
Coil power	2C:0.9W/1.2VA 4C:1.5W/3VA
Working temperature	-25~+55℃



DPYF08A-3 **DPYF14A-3**

Certificate	CE
Pin number	08 14
Rated current	10A 7A
Screw torque	1.0Nm
External connection wire	20-14/0.5-2.5AWG/mm²
Working temperature	-40~+65℃



DPTF08A2-3 **DPTF14A2-3**

Certificate	CE
Pin number	08 14
Rated current	10A 10A
Screw torque	1.2Nm
External connection wire	20-14/0.5-2.5AWG/mm²
Working temperature	-40~+65℃



DPYF08A-E3 **DPYF14A-E3**

Certificate	CE
Pin number	08 14
Rated current	10A 7A
Screw torque	1.0Nm
External connection wire	20-14/0.5-2.5AWG/mm²
Working temperature	-40~+65℃



Power distribution Terminal Blocks

DGD16/6

CE	690V/80A 16-6mm²
UL	— —
Poles	—

DGD35/16

CE	690V/125A 35-16mm²
UL	— —
Poles	—

DGD70/16

CE	690V/175A 70-16mm²
UL	— —
Poles	—

DGD120/35

CE	690V/250A 120-35mm²
UL	— —
Poles	—

DGD185/35

CE	690V/400A 185-35mm²
UL	— —
Poles	—

DGD3-35/16

CE	690V/125A 35-16mm²
UL	— —
Poles	—

DGD3-70/16

CE	690V/175A 70-16mm²
UL	— —
Poles	—

Feed Through terminal blocks

Increase 1.2mm at the bottom

DG8HS-1.2 DG10HS-1.2 DG12HS-1.2 DG15HS-1.2

CE	450V,750V 0.5-4.0mm²,1.0-6.0mm² 32A,41A,57A,76A 2.5-10mm²,8.0-16mm²
UL	300V 20-12,18-10 20A,30A,30A,50A 14-10,12-10AWG
Poles	2P-12P

Wire Protector

Increase 1.2mm at the bottom

DG8HSWP-1.2 DG10HSWP-1.2 DG12HSWP-1.2 DG15HSWP-1.2

CE	450V,750V 0.5-2.5mm²,0.5-4mm² 24A,32A,41A,57A 0.75-6mm²,1.0-10mm²
UL	300V 20-14,18-12 15A,20A,30A,20A 14-10,12-8AWG
Poles	2P-12P



DG8US DG10US DG12US DG15US

CE	450V 32A,41A,57A,76A 0.5-4mm²,0.75-6mm²
UL	300V 20-12,18-10 20A,30A,30A,50A 12-8,14-6AWG
Poles	12P

DG252

CE	450V/24A 0.5-1.5mm²(spring) 1.0-2.5mm²(screw)
UL	300V/10A 22-16AWG
Poles	2P-12P

DG1.5T DG2.5T DG4T DG6T DG10T DG16T

CE	450V,750V,800V 17.5A,24A,32A, 41A,57A,76A
UL	2x1.5mm²,2x2.5mm²,2x4.0mm²,2x6.0mm² 2x2.5-10mm²,2x4.0-16.0mm²
Poles	10P

DG801

CE	250V/6.3A 0.2-2.5mm²
UL	300V/6.3A 22-14AWG
Poles	1P-5P



DG280J DG280K

DG280

CE	450V/24A 0.5-2.5mm²
UL	600V/20A 22-12AWG
Poles	2P,3P,4P

DG285J DG285K

DG285

CE	400V/24A 2.5mm²
UL	300V/16A 18-12AWG
Poles	3P

Pitch:7.62mm(.300 ")



DG25C - A

CE	250V/24A 2.5mm²
UL	300V/15A 22-14AWG
Poles	2P-24P

DG25C - B

CE	250V/24A 2.5mm²
UL	300V/15A 22-14AWG
Poles	2P-26P



DG25S - A

CE	250V/24A 2.5mm²
UL	300V/15A 22-14AWG
Poles	2P-24P



DG25S - B

CE	250V/24A 2.5mm²
UL	300V/15A 22-14AWG
Poles	2P-26P



DG25H - A

CE	250V/24A 2.5mm²
UL	300V/15A 22-14AWG
Poles	2P-24P

DG25R - A

CE	250V/24A 2.5mm²
UL	300V/15A 22-14AWG
Poles	2P-24P

DG25R - B

CE	250V/24A 2.5mm²
UL	300V/15A 22-14AWG
Poles	2P-26P



Pitch:8.25mm (.325″)

The product is designed according to UL1059,CSA C22.2 No.158.



DG35C - A

CE	450V/24A 2.5mm²
UL	300V/20A 22-12AWG
Poles	2P-24P

DG35C - B

CE	450V/24A 2.5mm²
UL	300V/20A 22-12AWG
Poles	2P-26P



DG35S - A

CE	450V/24A 2.5mm²
UL	300V/20A 22-12AWG
Poles	2P-24P

DG35S - B

CE	450V/24A 2.5mm²
UL	300V/20A 22-12AWG
Poles	2P-26P



DG35H - A

CE	450V/24A 2.5mm²
UL	300V/20A 22-12AWG
Poles	2P-24P

DG35R - A

CE	450V/24A 2.5mm²
UL	300V/20A 22-12AWG
Poles	2P-24P

DG35R - B

CE	450V/24A 2.5mm²
UL	300V/20A 22-12AWG
Poles	2P-26P

Pitch:9.5mm(.375 ")

DG45C - A

CE	750V/32A 4mm²
UL	300V/25A 22-12AWG
Poles	2P-20P

DG45C - B
CE 750V/32A 4mm²
UL 300V/25A 22-12AWG
Poles 2P-26P

DG45S - A
CE 750V/32A 4mm²
UL 300V/25A 22-12AWG
Poles 2P-20P 2P-24P

DG45S - B
CE 750V/32A 4mm²
UL 300V/25A 22-12AWG
Poles 2P-22P 2P-26P

DG45S-B-60A Assemble
CE 750V/32A 4mm²
UL 300V/25A 22-12AWG
Poles 2P,3P,4P

DG45H - A
CE 750V/32A 4mm²
UL 300V/25A 22-12AWG
Poles 2P-24P

DG45R - A
CE 750V/32A 4mm²
UL 300V/25A 22-12AWG
Poles 2P-24P

DG45R - B
CE 750V/32A 4mm²
UL 300V/25A 22-12AWG
Poles 2P-26P

Pitch:10.0mm(.394 ")

DG55C - A
CE 750V/32A 4mm²
UL 300V/20A 22-12AWG
Poles 2P-24P

DG55C - B
CE 750V/32A 4mm²
UL 300V/20A 22-12AWG
Poles 2P-26P


DG55S - A
CE 750V/32A 4mm²
UL 300V/20A 22-12AWG
Poles 2P-24P

DG55S - B
CE 750V/32A 4mm²
UL 300V/20A 22-12AWG
Poles 2P-26P

DG55H - A
CE 750V/32A 4mm²
UL 300V/20A 22-12AWG
Poles 2P-24P

DG55R - A
CE 750V/32A 4mm²
UL 300V/20A 22-12AWG
Poles 2P-24P

DG55R - B
CE 750V/32A 4mm²
UL 300V/20A 22-12AWG
Poles 2P-26P


Pitch:11.0mm(.433 ")

DG65C - A
CE 750V/32A 4mm²
UL 300V/30A 22-10AWG
Poles 2P-20P

DG65C - B
CE 750V/32A 4mm²
UL 300V/30A 22-10AWG
Poles 2P-22P

DG65S - A
CE 750V/32A 4mm²
UL 300V/30A 22-10AWG
Poles 2P-20P

DG65S - B
CE 750V/32A 4mm²
UL 300V/30A 22-10AWG
Poles 2P-22P

DG65H - A
CE 750V/32A 4mm²
UL 300V/30A 22-12AWG
Poles 2P-20P

DG65R - A
CE 750V/32A 4mm²
UL 300V/30A 22-10AWG
Poles 2P-20P

DG65R - B
CE 750V/32A 4mm²
UL 300V/30A 22-10AWG
Poles 2P-22P

Pitch:6.35mm(.250 ")

DG16S - B
CE 250V/17.5A 1.5mm²
UL 300V/10A 22-16AWG
Poles 2P-24P


DG16R - B
CE 250V/17.5A 1.5mm²
UL 300V/10A 22-16AWG
Poles 2P-24P


DG26GC-B
CE — 2.5mm²
UL 300V/30A 22-14AWG
Poles 02-12P

Pitch:8.25mm(.325 ")

DG36S - B
CE 450V/24A 2.5mm²
UL 300V/20A 22-12AWG
Poles 2P-22P

DG36R - B
CE 450V/24A 2.5mm²
UL 300V/20A 22-12AWG
Poles 2P-22P

Pitch:9.5mm(.375 ")


DG46S - B
CE 750V/32A 4mm²
UL 300V/30A 22-10AWG
Poles 2P-26P


DG46S-B-60A Assemble
CE 750V/32A 4.0mm²
UL 300V/30A 22-10AWG
Poles 2P,3P,4P


DG46R - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-26P

DG46GS - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-12P

DG46GR - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-12P

DG46-DA/DB
CE 750V/32A 4.0mm²
UL 600V/20A 24-12AWG
Poles 2P-24P

Pitch:11.11mm(.437 ")

DG66S - B
CE 750V/32A 4.0mm²
UL 300V/30A 22-10AWG
Poles 2P-26P

DG66R - B
CE 750V/32A 4.0mm²
UL 300V/30A 22-10AWG
Poles 2P-12P

DG66-DA/DB
CE 750V/32A 4.0mm²
UL 600V/30A 22-10AWG
Poles 2P-25P

DG66RT
CE 750V/32A 4.0mm²
UL 300V/40A 18-8AWG
Poles 2P-24P

DG66VT
CE 800V/50A 1-10mm²
UL 300V/40A 18-8AWG
Poles 2P-12P

DG66H-B
CE 800V/41A 0.2-6.0mm²
UL 600V/30A 22-10AWG
Poles 9P

DG66S-2
CE — — —
UL 600V/30A 22-10AWG
Poles 02-10P

Pitch:7.62mm(.300 ")

DG28C - A
CE 250V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

DG28C - B
CE 250V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-26P

DG28S - A
CE 250V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

DG28S - B
CE 250V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-26P

DG28H - A
CE 250V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

DG28R - A
CE 250V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

DG28R - B
CE 250V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-26P

DG28R-B-280AH
CE 250V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-26P

Pitch:8.25mm(.325 ")

DG38C - A
CE 450V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

DG38C - B
CE 450V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-26P

DG38S - A
CE 450V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

DG38S - B
CE 450V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-26P

DG38H- A
CE 450V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

DG38R - A
CE 450V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-24P

DG38R - B
CE 450V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2P-26P

Pitch:9.5mm(.375 ")

DG48C - A
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P

DG48C - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-22P

DG48S - A
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P

DG48S - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P


DG48H - A
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P

DG48R - A
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P

DG48R - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-22P


DG48R-B-30AH
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-22P

Pitch:10.0mm(.394 ")

DG58C - A
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P

DG58C - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-22P


DG58S - A
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P


DG58S - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-22P


DG58H - A
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P


DG58R - A
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-20P

DG58R - B
CE 750V/32A 4.0mm²
UL 300V/20A 22-12AWG
Poles 2P-22P

Pitch:13.0mm(.512 ")

DG78C - A
CE 750V/41A 6.0mm²
UL 600V40A 18-10AWG
Poles 2P-18P

DG78C - B
CE 750V/41A 6.0mm²
UL 600V40A 18-10AWG
Poles 2P-20P

DG78H - A
CE 750V/41A 6.0mm²
UL 600V40A 18-10AWG
Poles 2P-20P

DG78R - A
CE 750V/41A 6.0mm²
UL 600V40A 18-10AWG
Poles 2P-18P

DG88
1000V/57A 10.0mm²
600V/100A 14-3AWG
Poles 2P-20P

DG88RT
1000V/76A 16.0mm²
600V/100A 10-3AWG
Poles 2P-12P

DG1450-B
800V/45A 10.0mm²
300V/50A 22-8AWG
Poles 2P-14P

DG1450-B-10A
— — —
300V/50A 22-8AWG
Poles 2P-14P

DG1450H-B
800V/45A 10.0mm²
600V/45A 22-8AWG
Poles 3P-14P

DG1450H-B-10A
800V/45A 10.0mm²
600V/45A 22-8AWG
Poles 3P-14P



DG1450H-B-20A
800V57A 10.0mm²
600V45A 22-8AWG
Poles 3P-14P



DG1450H-B-30A
800V57A 10.0mm²
600V/45A 22-8AWG
Poles 3P-14P



DG1450H-B-40A
800V57A 10.0mm²
600V/45A 22-8AWG
Poles 2P-14P



DG1700
1000V/76A 16.0mm²
UL 600V/65A 22-6AWG
Poles 3P-14P

DG2000-B
800V/75A 25.0mm²
UL 600V/75A 26-4AWG
Poles 2P-12P

DG2000H-B
1000V/75A 25.0mm²
600V/80A 26-4AWG
Poles 2P-12P

DG90-B
1000V/76A 16.0mm²
600V/90A 4-22AWG
Poles 3P-14P

DG1716-B
1000V/76A 16.0mm²
600V/80A 4-22AWG
Poles 3P-14P

DG2020-B
1000V/76A 16.0mm²
600V/100A 3-18AWG
Poles 4P-12P

Pitch:9.5-17.45mm

DG49-A
450V/32A 4.0mm²
300V/20A 22-12AWG
Poles 2P-24P

DG69-A
750V/32A 4.0mm²
300V/25A 22-12AWG
Poles 2P-18P

DG89-A
750V/41A 6.0mm²
600V/30A 22-10AWG
Poles 2P-18P

DG98-A
750V/41A 0.2-6.0mm²
600V/45A 22-8AWG
Poles 2P-13P

DG99-A
750V/41A 0.2-6.0mm²
600V/75A 14-4AWG
Poles 2P-12P

DG30-A
750V/41A 6.0mm²
300V/30A 28-10AWG
Poles 2P-10P

DG31-B
600V/25A 6.0mm²
600V/30A 18-10AWG
Poles 8P-9P

Pitch:7.62mm
(.300 ")

DG24 - 1
250V/17.5A 1.5mm²
300V/15A 22-14AWG
Poles 2*(3P-24P)

DG24 - 2
250V/17.5A 1.5mm²
300V/15A 22-14AWG
Poles 2*(4P-24P)

DG24-3
— — —
UL 300V/15A 22-14AWG
Poles 06-48P

DG24B-1
— — —
UL 300V/8A 22-14AWG
Poles 5P-49P

DG24B-2
— — —
300V/15A 24-14AWG
Poles 4P-48P

DG24-4
— — —
UL 300V/8A 22-14AWG
Poles 10P-48P

DG24-5
— — —
UL 300V/8A 24-14AWG
Poles 11P-49P

DG24-6
— — —
300V/10A 24-14AWG
Poles 18P

Pitch:9.52mm
(.375 ")

DG44B - 1
250V/24A 2.5mm²
300V/15A 22-14AWG
Poles 2*(5P-18P)

DG44-1
450V/32A 4.0mm²
UL 300V/20A 18-12AWG
Poles 4P-20P


Pitch:7.3-60mm
(.287 " ~2.36 ")

DGR10
250V/17.5A 0.2-1.5mm²
UL 600V/10A 24-16AWG
Poles 1P-XXP

DGR20
800V/20A 0.2-4mm²
UL 600V/20A 24-12AWG
Poles 1P-XXP

DGR30
800V/32A 0.2-6mm²
UL 600V/30A 20-10AWG
Poles 1P-XXP

DGR40
800V/41A 0.2-10mm²
600V/40A 22-8AWG
Poles 1P-XXP

DGB100-A-10A
1000V/101A 35mm²
600V/130A 20-1AWG
Poles 1P-XXP

DGR60
H=38.0mm
1000V/101A 25.0mm²
600V/80A 20-4AWG
Poles 1P-XXP

DGR60-20A H=38.0mm
1000V/101A 25.0mm²
600V/80A 20-4AWG
Poles 1P-XXP

DGR100 H=43.5mm
1000V/125A 35.0mm²
600V/130A 20-1AWG
Poles 1P-XXP

DGR100-20A H=43.5mm
1000V/125A 35.0mm²
600V/130A 20-2AWG
Poles 1P-XXP

DGR150 H=45.0mm
1000V/155A 70mm²
600V/155A 20-2/0AWG
Poles 1P-XXP

DGR150-20A H=45.0mm
1000V/155A 70mm²
600V/155A 20-2/0AWG
Poles 1P-XXP

DGR200 H=58.0mm
1000V/200A 95mm²
600V/200A 20-4/0AWG
Poles 1P-XXP

DGR200-20A H=58.0mm
1000V/200A 95mm²
600V/200A 20-4/0AWG
Poles 1P-XXP

DGR240 H=52.1mm
1000V/240A 120mm²
UL 600V/240A 4-250kcmil
Poles 1P-XXP

DGR300 H=63.0mm
1000V/300A 150mm²
UL 600V/300A 20-300kcmil
Poles 1P-XXP

DGR300-20A H=63.0mm
1000V/300A 150mm²
UL 600V/300A 20-300kcmil
Poles 1P-XXP

DGR500 H=68.0mm
1000V/520A 300mm²
UL 600V/500A 300-750kcmil
Poles 1P-XXP


Pitch:28mm(1.10 ")

DG32-A
1000V/120A 35mm²
UL 600V/120A 20-2AWG
Poles 3P

DG32-A-100A
1000V/120A 35mm²
UL 600V/120A 20-2AWG
Poles 3P

Pitch:10-27mm
(.395 " ~1.06 ")

DG30-1
IEC 750V/41A 4mm²
UL 300V/30A 18-10AWG
Poles 2P-10P

DG30-2
IEC 750V/41A 4mm²
UL 300V/30A 18-10AWG
Poles 2P-10P

DG30-3
IEC 750V/101A 25mm²
UL 600V/75A 10-2AWG
Poles 2P-10P

DG30-4
IEC 750V/125A 35mm²
UL 600V/100A 8-2AWG
Poles 2P-10P

DG44B - 2
IEC 450V/24A 2.5mm²
UL 300V/15A 22-14AWG
Poles 2*(2P-18P)

DGA40-A
IEC 750V/40A 10mm²
UL 300V/40A 20-8AWG
Poles 1P-XXP


DGA75-A
IEC 750V/75A 25mm²
UL 300V/75A 20-4AWG
Poles 1P-XXP

DGA75-B
IEC 750V/75A 25mm²
UL 300V/75A 20-4AWG
Poles 1P-XXP


DGA100-A
IEC 800V/101A 35mm²
UL 600V/101A 20-2AWG
Poles 1P-XXP

DGA150-A
IEC 800V/150A 50mm²
UL 600V/150A 20-1/0AWG
Poles 1P-XXP


DGA180-A
IEC 800V/180A 50mm²
UL 600V/180A 20-1/0AWG
Poles 1P-XXP

DG78S - A
IEC 750V/41A 6mm²
UL 600V/40A 18-10AWG
Poles 2P-18P

DG78S - B
IEC 750V/41A 6mm²
UL 600V/40A 18-10AWG
Poles 2P-20P

DG1350-B
IEC 750V/41A 6mm²
UL 600V/30A 26-10AWG
Poles 2P-12P

DG1350-B-10A
IEC 750V/41A 6mm²
UL 600V/30A 26-10AWG
Poles 2P-12P


DGB50-A
IEC 800V/50A 10mm²
UL 600V/50A 20-8AWG
Poles 1P-XXP

DGB100-A
IEC 800V/101A 35mm²
UL 600V/101A 20-2AWG
Poles 1P-XXP

DGB150-A
IEC 600V/150A 50mm²
UL 600V/150A 20-1/0AWG
Poles 1P-XXP

DGB200-A
IEC 800V/200A 70mm²
UL 600V/200A 20-2/0AWG
Poles 1P-XXP

DGR40 H=42.5mm
IEC 750V/30A 4mm²
UL 600V/30A 22-12AWG
Poles 1P-XXP

DGR60-30A H=34.0mm
IEC 600V/60A 25mm²
UL 600V/60A 20-4AWG
Poles 1P-XXP

DGR60-40A H=29.0mm
IEC 600V/60A 25mm²
UL 600V/60A 20-4AWG
Poles 1P-XXP

DGR80 H=38.0mm
IEC 800V/80A 25mm²
UL 600V/80A 20-4AWG
Poles 1P-XXP

DGR80-20A H=38.0mm
IEC 800V/80A 25mm²
UL 600V/80A 20-4AWG
Poles 1P-XXP

DGR80-50A H=42.5mm
IEC 800V/80A 25mm²
UL 600V/80A 20-4AWG
Poles 1P-XXP

DGR80-60A H=42.5mm
IEC 800V/80A 25mm²
UL 600V/80A 20-4AWG
Poles 1P-XXP

DGR100-50A H=50.5mm
IEC 800V/100A 35mm²
UL 600V/101A 20-2AWG
Poles 1P-XXP

DG78R - B
CE 750V/41A 6.0mm²
UL 600V40A 18-10AWG
Poles 2P-20P

DGR100-60A H=50.5mm
IEC 800V/100A 35mm²
UL 600V/101A 20-2AWG
Poles 1P-XXP

DGR175 H=48.0mm
IEC 800V/175A 70mm²
UL 600V/175A 20-2/0AWG
Poles 1P-XXP

DGR175-20A H=48.0mm
IEC 800V/175A 70mm²
UL 600V/175A 20-2/0AWG
Poles 1P-XXP

DG048
CE —
UL 600V/10A —
Poles 2P

DS2.5PH
CE 320V/20A 0.2-2.5mm²
UL 300V/13A 24-16AWG

DS2.5RH
CE —
UL —

DS2.5K3
CE 500V/20A 0.75-2.5mm²
UL 300V/13A 18-14AWG

DS2.5K6
CE 500V/20A 0.75-2.5mm²
UL 300V/13A 18-14AWG

DS2.5K3-CLAMP
CE — 0.75-2.5mm²
UL — 18-14AWG



The product is designed according to IEC/EN60947,UL1059, CSA C22.2 No.158.

DS1.5
CE 500V/17.5A 0.2-1.5mm²
UL 600V/15A 26-14AWG
T/W/End plate 3.5/45/1.5mm

DS2.5
CE 800V/24A 0.2-4mm²
UL 600V/20A 26-12AWG
T/W/End plate 5.2/48.5/1.5mm

DS4
CE 800V/32A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 6.2/56/1.5mm


DS6
CE 1000V/41A 0.5-10mm²
UL 600V/50A 20-8AWG
T/W/End plate 8.2/57.7/1.5mm

DS10
CE 1000V/57A 0.5-16mm²
UL 600V/65A 20-6AWG
T/W/End plate 10.2/67.7/1.5mm


DS16
CE 1000V/76A 0.5-25mm²
UL 600V/85A 20-4AWG
T/W/End plate 12.2/75.4/2.2mm

DS1.5-PE
CE — 0.2-1.5mm²
UL — 26-14AWG
T/W/End plate 3.5/45/1.5mm


DS2.5-PE
CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.2/48.5/1.5mm

DS4-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 6.2/56/1.5mm

DS6-PE
CE — 0.5-10mm²
UL — 20-8AWG
T/W/End plate 8.2/57.7/1.5mm

DS10-PE
CE — 0.5-16mm²
UL — 20-6AWG
T/W/End plate 10.2/67.7/1.5mm

DS16-PE
CE — 0.5-25mm²
UL — 20-4AWG
T/W/End plate 12.2/75.4/2.2mm


DS1.5-TW
CE 500V/17.5A 0.14-1.5mm²
UL 300V/15A 26-14AWG
T/W/End plate 3.5/54/1.5mm


DS2.5-TW
CE 800V/24A 0.2-4mm²
UL 600V/20A 26-12AWG
T/W/End plate 5.2/60.5/2.2mm

DS4-TW
CE 800V/32A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 6.2/66.5/2.2mm

DS1.5-TW-PE
CE — 0.14-1.5mm²
UL — 26-14AWG
T/W/End plate 3.5/63.2/1.5mm


DS2.5-TW-PE
CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.2/60.5/2.2mm

DS4-TW-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 6.2/66.5/2.2mm

DS6-TW
CE 1000V/41A 0.5-6mm²
UL 600V/40A 20-8AWG
T/W/End plate 8.2/57.7/1.5mm


DS1.5-QU
CE 500V/17.5A 0.14-1.5mm²
UL 300V/15A 26-14AWG
T/W/End plate 3.5/63.2/1.5mm

DS2.5-QU
CE 800V/24A 0.2-4mm²
UL 600V/20A 26-12AWG
T/W/End plate 5.2/72.20/2.2mm

DS4-QU
CE 800V/32A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 6.2/77/2.2mm

DS1.5-QU-PE
CE — 0.14-1.5mm²
UL — 26-14AWG
T/W/End plate 3.5/63.2/1.5mm

DS2.5-QU-PE
CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.2/72.20/2.2mm

DS4-QU-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 6.2/77/2.2mm

D-DS1.5
D-DS1.5 - DS1.5,DS1.5-PE


D-DS1.5-TW
D-DS1.5-TW - DS1.5-TW,DS1.5-TW-PE


D-DS1.5-QU
D-DS1.5-QU - DS1.5-QU,DS1.5-QU-PE


D-DS2.5
D-DS2.5 - DS2.5,DS2.5-PE


D-DS2.5-TW
D-DS2.5-TW - DS2.5-TW,DS2.5-TW-PE


D-DS2.5-QU
D-DS2.5-QU - DS2.5-QU,DS2.5-QU-PE


D-DS4
D-DS4 - DS4,DS4-PE

D-DS4-QU
D-DS4-QU - DS4-QU,DS4-QU-PE

D-DS4-TW
D-DS4-TW - DS4-TW,DS4-TW-PE

D-DS6
D-DS6 - DS6,DS6-PE

D-DS10
D-DS10 - DS10,DS10-PE


D-DS16
D-DS16 - DS16,DS16-PE

DSKK2.5
CE 500V/22A 0.2-4mm²
UL 300V/20A 26-12AWG
T/W/End plate 5.2/68.2/2.2mm

D-DSKK2.5-50A
CE 500V/22A 0.2-4mm²
UL 300V/20A 26-12AWG
T/W/End plate 5.2/68.2/2.2mm


D-DSKK2.5
D-DSKK2.5 - DSKK2.5

DSKK4
CE 500V/32A 0.2-6mm²
UL 300V/28A 24-10AWG
T/W/End plate 6.2/83.5/2.2mm

DSKK4-50A
CE 500V/32A 0.2-6mm²
UL 300V/28A 24-10AWG
T/W/End plate 6.2/83.5/2.2mm


D-DSKK4
D-DSKK4 - DSKK4

DSKK2.5-PE
D-DSKK2.5-PE

DFB1.5 DFB2.5 DFB4 DFB6 DFB10 DFB16
DFB1.5 – DS1.5/DS1.5-TW/DS1.5-QU
DFB2.5 – DS2.5/DS2.5-TW/DS2.5-QU/DSKK2.5
DFB4 → DS4/DS4-TW/DS4-QU/DSKK4
DFB6 → DS6
DFB10 – DS10
DFB16 – DS16



The product is designed according to IEC/EN60947,UL1059, CSA C22.2 No.158.

DC2.5
CE 800V/24A 0.2-4mm²
UL 600V/25A 26-12AWG
T/W/End plate 5.1/44.5/1.5mm


DC4
CE 1000V/32A 0.2-6mm²
UL 600V/30A 22-10AWG
T/W/End plate 6.1/44.5/1.5mm


DC6
CE 1000V/41A 0.2-10mm²
UL 600V/50A 22-8AWG
T/W/End plate 8.0/45.0/1.5mm

DC10
CE 1000V/57A 0.5-16mm²
UL 600V/65A 20-6AWG
T/W/End plate 10/43.9/1.5mm


DC16
CE 1000V/76A 0.5-25mm²
UL 600V/100A 14-3AWG
T/W/End plate 12/52.8/1.5mm


DC35
CE 1000V/125A 2.5-50mm²
UL 600V/150A 14-1/0AWG
T/W/End plate 16/55.4/-mm


DC2.5-PE
CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.1/44.5/1.5mm


DC4-PE
CE — 0.2-6mm²
UL — 22-10AWG
T/W/End plate 6.1/44.5/1.5mm

DC6-PE
CE — 0.2-10mm²
UL — 22-8AWG
T/W/End plate 8.0/45/1.5mm

DC10-PE
CE — 0.5-16mm²
UL — 20-6AWG
T/W/End plate 10/43.9/1.5mm


DC16-PE
CE — 1.5-25mm²
UL — 12-4AWG
T/W/End plate 12/41/1.5mm

DC35-PE
CE — 2.5-50mm²
UL — 14-1/0AWG
T/W/End plate 16/55.4/-mm

D-DC2.5 D-DC4 D-DC6 D-DC10 D-DC16
D-DC2.5 - DC2.5,DC2.5-PE
- DC4,DC4-PE
D-DC6 - DC6,DC -PE
- DC10,DC10-PE
D-DC16 - DC16,DC16-PE

DCTK6
CE 630V/41A 10mm²
UL 300V/45A 26-8AWG
T/W/End plate 8/72.0/1.5mm

D-DCTK6
D-DCTK6 - DCTK6

DC4-HE
CE 500V/6.3A 0.5-6mm²
UL 600V/6.3A 20-10AWG
T/W/End plate 8/58/1.5mm

D-DC4-HE
D-DC4-HE - DC4-HE

DC2.5-TW
CE 1000V/24A 0.2-4mm²
UL 600V/20A 22-12AWG
T/W/End plate 5.1/48.7/1.5mm

D-DC2.5-TW
D-DC2.5 - DS2.5-TW,DS2.5-TW-PE

DCKKB2.5
CE 500V/24A 0.5-4mm²
UL 300V/20A 26-12AWG
T/W/End plate 5.1/76/1.5mm

DCKKB2.5-50A
CE 500V/24A 0.5-4mm²
UL 300V/20A 26-12AWG
T/W/End plate 5.1/76/1.5mm

D-DCKKB2.5
D-DCKKB2.5 - DCKKB2.5

FBRI6-RTK/S
FBRI6-RTK/S - DCTK6

DFA2.5 DFA4 DFA6
DFA10 DFA16 DFA35

DFA2.5 – DC2.5,DC2.5-TW,DCKKB2.5
DFA4 – DC4
DFA6 – DC6
DFA10 – DC10
DFA16 – DC16
DFA35 – Dc35

PC series



The product is designed according to IEC/EN60947,UL1059, CSA C22.2 No.158.



PC1.5
500V/17.5A 0.2-1.5mm²
300V/12A 26-16AWG
T/W/End plate 4.2/42.5/1.5mm

PC2.5B
800V/24A 0.2-2.5mm²
600V/20A 24-12AWG
T/W/End plate 6.2/42.5/1.5mm



PC2.5
800V/24A 0.2-2.5mm²
600V/20A 24-12AWG
T/W/End plate 5.2/42.5/1.6mm



PC4
800V/32A 0.2-4mm²
600V/30A 24-10AWG
T/W/End plate 6.2/42.5/1.6mm

PC6
800V/41A 0.2-6mm²
600V/50A 24-8AWG
T/W/End plate 8.2/42.5/1.6mm

PC10
800V/57A 0.2-10mm²
600V/65A 20-6AWG
T/W/End plate 10.2/42.5/1.6mm

PC16
800V/76A 0.2-16mm²
600V/85A 12-4AWG
T/W/End plate 12.2/42.5/1.5mm

D-PC1.5,D-PC2.5
D-PC16
D-PC1.5 - PC1.5,PC2.5B
D-PC2.5 - PC2.5,PC4,PC6,PC10
D-PC16 - PC16

PC35
1000V/125A 0.2-35mm²
600V/150A 18-1/0AWG
T/W/End plate 15.2/50/-mm

PC50
1000V/150A 25-50mm²
600V/125A 6-1/0AWG
T/W/End plate 20/70.5/-mm

PC95
IEC 1000V/232A 35-95mm²
UL 300V/85A 4-3/0AWG
T/W/End plate 25/83/-mm

PC10-105AH
800V/57A 0.2-10mm²
600V/65A 20-6AWG
T/W/End plate 10.2/42.5/1.6mm

PC16-105AH
800V/76A 0.2-16mm²
600V/85A 12-4AWG
T/W/End plate 12.2/42.5/1.5mm

PC35-105AH
1000V/125A 0.2-35mm²
600V/150A 18-1/0AWG
T/W/End plate 12.2/42.5/1.5mm

PC1.5-PE
— 0.2-1.5mm²
— 26-14AWG
T/W/End plate 4.2/42.5/-mm

PC2.5-PE
— 0.2-2.5mm²
— 24-12AWG
T/W/End plate 5.2/42.5/-mm

PC4-PE
— 0.2-4mm²
— 24-10AWG
T/W/End plate 6.2/42.5/-mm

PC6-PE
— 0.2-6mm²
— 24-10AWG
T/W/End plate 8.2/42.5/-mm

PC10-PE
— 0.2-10mm²
— 24-6AWG
T/W/End plate 10.2/42.5/-mm

PC16-PE
— 0.2-16mm²
— 12-4AWG
T/W/End plate 12.2/42.5/-mm

PC35-PE
— 0.2-35mm²
— 18-2AWG
T/W/End plate 15.2/50/-mm

PC50-PE
— 25-50mm²
— 6-1/0AWG
T/W/End plate 20/70.5/-mm

PC2.5-TW
400V/24A 0.2-2.5mm²
300V/20A 30-12AWG
T/W/End plate 5.2/50.5/2mm

PC4-TW
500V/32A 0.2-4mm²
300V/30A 30-10AWG
T/W/End plate 6.2/50.5/2mm

D-PC4-TW
D-PC4-TW-PC2.5-TW,PC4-TW

PC2.5-TW-PE
— 0.2-2.5mm²
— 24-14AWG
T/W/End plate 5.2/50.5/-mm

PC4-TW-PE
— 0.2-4mm²
— 24-12AWG
T/W/End plate 6.2/50.5/-mm

PCDK2.5
500V/24A 0.2-2.5mm²
300V/20A 24-12AWG
T/W/End plate 5.2/63.5/1.5mm

PCDK4
630V/32A 0.2-4mm²
300V/30A 24-10AWG
T/W/End plate 6.2/63.5/1.5mm

D-PCDK2.5
D-PCDK2.5 - PCDK2.5,PCDK4

PCDK2.5-PE
— 0.2-2.5mm²
— 24-12AWG
T/W/End plate 5.2/63.5/-mm

PCDK4-PE
— 0.2-4mm²
— 24-10AWG
T/W/End plate 6.2/63.5/-mm

PCKK2.5
500V/24A 0.2-2.5mm²
300V/20A 24-12AWG
T/W/End plate 5.2/56/2.6mm

PCKK2.5-50A
500V/24A 0.2-2.5mm²
300V/20A 24-12AWG
T/W/End plate 5.2/56/2.6mm

PCKK4
500V/32A 0.2-4mm²
300V/30A 26-10AWG
T/W/End plate 6.2/56/2.6mm

PCKK4-PE
— 0.2-4mm²
— 26-10AWG
T/W/End plate 6.2/56/-mm

D-PCKK2.5 D-PCKKB2.5
D-PCKKB10 D-PCKKB10/2.5
D-PCKK2.5 - PCKK2.5,PCKK4
D-PCKKB2.5 - PCKKB2.5,PCKKB4
D-PCKKB10 - PCKKB10
D-PCKKB10/2.5 - PCKKB10/2.5

DP-PCKK2.5
DP-PCKK2.5 -PCKK2.5,PCKK4
PCKK4-PE
— 26-10AWG

PCIK16
400V/76A 4-16mm²
300V/85A 12-4AWG
T/W/End plate 12.2/42.5/1.8mm

D-PCIK16
D-PCIK16 - PCIK16

PCIK35
IEC 600V/125A 0.75-35mm²
UL 300V/85A 18-2AWG
T/W/End plate 15.2/55/-mm

PCIK35-PE
— 0.75-35mm²
— 18-2AWG
T/W/End plate 15.2/55/-mm

PC4-HE
800V/6.3A 0.2-4mm²
600V/12A 24-12AWG
T/W/End plate 8.2/72.5/-mm

PC10-DR
800V/10A 0.5-10mm²
600V/20A 24-6AWG
T/W/End plate 12/62/-mm



PCMT2.5
400V/16A 0.2-2.5mm²
300V/85A 24-12AWG
T/W/End plate 5.2/46/1mm



PCMT4
800V/16A 0.2-4mm²
300V/85A 24-12AWG
T/W/End plate 6.2/51/-mm



D-PCMT2.5
D-PCMT2.5 - PCMT2.5

PCTK6
630V/41A 6mm²
300V/45A 26-8AWG
T/W/End plate 8.2/72/2mm

D-PCTK6
D-PCTK6 - PCTK6



PCTK6-BEN
400V/41A 0.5-6mm²
300V/40A 26-10AWG
T/W/End plate 8.2/61/2.2mm



D-PCTK6-BEN
D-PCTK6-BEN - PCTK6-BEN

PCMB2.5
400V/24A 0.2-2.5mm²
300V/20A 28-12AWG
T/W/End plate 5.2/28/1.5mm

PCMB4
500V/32A 0.2-4mm²
300V/30A 10-26AWG
T/W/End plate 6.2/28/1.5mm

D-PCMB2.5
D-PCMB6/E
D-PCMB2.5 - PCMB2.5,PCMB4
D-PCMB6/E - PCMB6/E



E-PC
E-PC - NS35/7.5,NS35/15, NS-32

E-PC-DIN15
E-PC-DIN15 - NS15

TS-KK 3 TS-K
TS-KK3 – PC2.5B,PCDK2.5,PCDK4, PCKK2.5,PCKK4
TS-K – PC2.5,PC4,PC6,PC10,PC16, PC35,PCIK16,PCIK35,PCMB2.5/4



ATP-PC
ATP-PC – PC1.5,PC2.5B,PC2.5,PC4, PC6,PC10,PC16

DBE-1
PC Series

DBE-2
PC Series

PC150
IEC 1000V/309A 50-150mm²
UL 300V/85A 2-300MCM
T/W/End plate 31/100/-mm

PC240
IEC 1000V/415A 70-240mm²
UL 800V/380A 0-500MCM
T/W/End plate 36/100/-mm

PC2.5B-PE
IEC — 0.2-2.5mm²
UL — 24-12MCM
T/W/End plate 6.2/42.5/-mm



PC95-PE
IEC — 35-95mm²
UL — 4-3/0AWG
T/W/End plate 25/83/-mm

PC10-TW
IEC 800V/57A 0.2-10mm²
UL 300V/65A 20-6AWG
T/W/End plate 10.2/56.5/-mm

PC10-PL
IEC 800V/57A 0.2-10mm²
UL 600V/65A 20-6AWG
T/W/End plate 10.2/53/-mm

PC10-TW-PE
IEC — 0.2-10mm²
UL — 20-6AWG
T/W/End plate 10.2/56.5/-mm



PC10-PL-PE
IEC — 0.2-10mm²
UL — 20-6AWG
T/W/End plate 10.2/53/-mm

PC2.5-RE
IEC 500V/24A 0.2-2.5mm²
UL 300V/20A 24-12AWG
T/W/End plate 5.2/47.5/1.5mm

PC4-RE
IEC 500V/32A 0.2-4mm²
UL 300V/30A 24-10AWG
T/W/End plate 6.2/47.5/1.5mm

D-PC2.5-RE
D-PC2.5-RE - PC2.5-RE,PC4-RE



PC2.5-RE-PE
IEC — 0.2-2.5mm²
UL — 24-12AWG
T/W/End plate 5.2/42.5/-mm

PC4-RE-PE
IEC — 0.2-4mm²
UL — 24-10AWG
T/W/End plate 6.2/42.5/-mm

PCKKB2.5
IEC 500V/24A 0.2-2.5mm²
UL 600V/20A 24-12AWG
T/W/End plate 5.2/67/2.5mm

PCKKB4
IEC 500V/32A 0.2-4mm²
UL 600V/30A 24-12AWG
T/W/End plate 6.2/67/2.5mm

PCKKB10
IEC 500V/57A 0.2-10mm²
UL 600V/65A 20-6AWG
T/W/End plate 10.2/77.5/1.5mm

PCKKB10/2.5
IEC 500V/57A,24A 0.2-10mm²,0.2-2.5mm²
UL 600V/54A,20A 20-6AWG,24-12AWG
T/W/End plate 10.2/77.5/1.5mm

PCIK16-PE
CE — 4-16mm²
UL — 12-4AWG
T/W/End plate 12.5/42.5/-mm


PCMT4-DK
IEC 690V/16A 0.2-4mm²
UL 600V/15A 24-10AWG
T/W/End plate 6.2/63.5/1.5mm

PCTK6/S
IEC 500V/41A 0.5-6mm²
UL 300V/40A 20-8AWG
T/W/End plate 8.2/61/2.2mm

PCTK10-BEN
IEC 500V/57A 0.5-10mm²
UL 300V/40A 20-6AWG
T/W/End plate 8.2/61/1.5mm


PCMB6/E
IEC 500V/41A 0.5-6mm²
UL 300V/50A 20-8AWG
T/W/End plate 8.2/35/1.5mm


PCMB2.5-PE
IEC — 0.2-2.5mm²
UL — 24-12AWG
T/W/End plate 5.2/28/-mm


PCMB4-PE
IEC — 0.2-4mm²
UL — 24-10AWG
T/W/End plate 6.2/28/-mm


PCMB 6/E-PE
IEC — 0.5-6mm²
UL — 20-8AWG
T/W/End plate 8.2/39/-mm


EB 10-5 EB 10-6
EB 10-8 EB 10-10
EB 10-12 EB 10-15

EB10-5 - PC2.5,PCDK2.5,PCKK2.5,PCMB2.5
EB10-6 - PC2.5B,PC4,PCDK4,PCKK4,PCMB4
EB10-8 - PC6,PC4-HE
EB10-10 - PC10
EB10-12 - PC16,PC10-DR,PCIK16
EB10-15 - PC35,PCIK35


FBRI 10-4 FBRI 10-5
FBI 10-6 FBI 10-8
FBI 10-10 FBI 10-12
FBI 10-15

FBRI 10-4 - PC1.5
FBRI 10-5 - PC2.5,PCDK2.5,PCKK2.5
FBI 10-6 - PC2.5B,PC4,PCDK4,PCKK4
FBI 10-8 - PC6
FBI 10-10 - PC10
FBI 10-12 - PC16,PC10-DR,PCIK16
FBI 10-15 - PC35,PCIK35

FB2-RTK/S
FB3-RTK/S
FB5-RTK/S
FB10-RTK/S

FB2/3/5/10-RTK/S - PCTK6

DLM2

DLM2- E-PC

DSB
PC Series

DRPS
PC Series

DBE-2
DBE-1 - NS35/7.5,NS35/15,NS-32

DLM
PC Series

DLM1
PC Series

WS series



The product is designed according to IEC/EN60947,UL1059, CSA C22.2 No.158.

WS1.5
CE 800V/17.5A 0.2-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 4/52/2.5mm

WS2.5
VDE 800V/24A 0.2-2.5mm²
UL 600V/15A 18-14AWG
T/W/End plate 5/53/2.5mm

WS4
CE 800V/32A 0.2-4mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/59/2.5mm


WS6
CE 800V/41A 0.2-6mm²
UL 600V/20A 24-10AWG
T/W/End plate 8/74.5/2.5mm

WS10
CE 800V/57A 0.2-10mm²
UL 600V/50A 24-8AWG
T/W/End plate 10/78/2.5mm

WS16
CE 800V/76A 0.2-16mm²
UL 600V/65A 24-6AWG
T/W/End plate 12/94.5/2.5mm


WS35
CE 1000V/125A 2.5-35mm²
UL 600V/115A 14-2AWG
T/W/End plate 16/99.9/-mm

WS1.5-PE
CE — 0.2-1.5mm²
UL — 28-16AWG
T/W/End plate 4/52/2mm


WS2.5-PE
VDE — 0.2-2.5mm²
UL — 28-12AWG
T/W/End plate 5/53/2.5mm

WS4-PE
CE — 0.2-4mm²
UL — 28-12AWG
T/W/End plate 6/59/2.5mm

WS6-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 8/74.5/2.5mm

WS10-PE
CE — 0.2-10mm²
UL — 24-8AWG
T/W/End plate 10/78/2.5mm


WS16-PE
CE — 0.2-16mm²
UL — 24-6AWG
T/W/End plate 12/94.5/2.5mm

WS35-PE
CE — 2.5-35mm²
UL — 14-2AWG
T/W/End plate 16/99.9/2.5mm

D-WS1.5,D-WS2.5
D-WS4, D-WS6
D-WS10, D-WS16

D-WS1.5 - WS1.5,WS1.5-PE
D-WS2.5 - WS2.5,WS2.5-PE
D-WS4 - WS4,WS4-PE
D-WS6 - WS6,WS6-PE
D-WS10 - WS10,WS10-PE
D-WS16 - WS16,WS16-PE

WS1.5-TW
CE 800V/17.5A 0.2-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 4/62.5/2.5mm

WS2.5-TW
CE 800V/24A 0.2-2.5mm²
UL 600V/15A 28-14AWG
T/W/End plate 5/64/2.5mm

WS4-TW
CE 800V/32A 0.2-4mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/73.5/2.5mm

WS6-TW
CE 800V/41A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 8/93/2.5mm

WS10-TW
CE 800V/57A 0.2-10mm²
UL 600V/50A 24-8AWG
T/W/End plate 16/99.9/-mm

WS16-TW
CE 800V/76A 0.2-16mm²
UL 600V/50A 24-6AWG
T/W/End plate 12/104.5/2.5mm

WS1.5-TW-PE
CE — 0.2-1.5mm²
UL — 28-16AWG
T/W/End plate 4/62.5/2.5mm

WS2.5-TW-PE
CE — 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/64/2.5mm

WS4-TW-PE
CE — 0.2-4mm²
UL — 28-12AWG
T/W/End plate 6/73.5/2.5mm

WS6-TW-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 8/93/2.5mm

WS10-TW-PE
CE — 0.2-10mm²
UL — 24-8AWG
T/W/End plate 10/97.5/2.5mm

WS16-TW-PE
CE — 0.2-16mm²
UL — 24-6AWG
T/W/End plate 12/104.5/2.5mm

D-WS1.5-TW, D-WS2.5-TW
D-WS4-TW, D-WS6-TW
D-WS10-TW, D-WS16-TW

D-WS1.5-TW - WS1.5-TW,WS1.5-TW-PE
D-WS2.5-TW - WS2.5-TW,WS2.5-TW-PE
D-WS4-TW - WS4-TW,WS4-TW-PE
D-WS6-TW - WS6-TW,WS6-TW-PE
D-WS10-TW - WS10-TW,WS10-TW-PE
D-WS16-TW - WS16-TW,WS16-TW-PE

WS1.5-QU
CE 800V/17.5A 0.2-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 4/73/2.5mm

WS2.5-QU
CE 800V/20A 0.2-2.5mm²
UL 600V/15A 28-14AWG
T/W/End plate 5/75/2.5mm

WS4-QU
CE 800V/32A 0.2-4mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/86/2.5mm

WS1.5-QU-PE
CE — 0.2-1.5mm²
UL — 28-16AWG
T/W/End plate 4/73/2.5mm

WS2.5-QU-PE
CE — 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/75/2.5mm

WS4-QU-PE
CE — 0.2-4mm²
UL — 28-12AWG
T/W/End plate 6/86/2.5mm

WS1.5-QU-LD
CE 250V/0.5A 0.08-1.5mm²
UL — 28-16AWG
T/W/End plate 5/50.5/2.5mm

WS1.5-QU-100A
CE 800V/17.5A 0.08-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 5/50.5/2.5mm


D-WS1.5-QU, D-WS2.5-QU
D-WS4-QU

D-WS1.5-QU - WS1.5-QU,WS1.5-QU-PE
D-WS2.5-QU - WS2.5-QU,WS2.5-QU-PE
D-WS4-QU - WS4-QU,WS4-QU-PE

D-WS1.5-QU-100A
D-WS1.5-QU-100A - WS1.5-QU-100A

WS2.5P
VDE 500V/22A 0.2-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 5/53/2.5mm


WS2.5P-PE
VDE 500V/22A 0.2-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 5/53/2.5mm

D-WS2.5P
D-WS 2.5P - WS 2.5P - WS 2.5P-PE

WS2.5-L
D-WS2.5-L

WS2.5-TW-TA
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-14AWG
T/W/End plate 5/50.5/2.5mm

WS2.5-TW-TA-PE
IEC — 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/50.5/2.5mm


D-WS2.5-TW-TA
D-WS4-TW-TA

D-WS2.5-TW-TA - WS2.5-TW-TA,WS2.5-TW-TA-PE
D-WS4-TW-TA - WS4-TW-TA,WS4-TW-TA-PE

WS1.5-SD
CE 800V/17.5A 0.2-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 4/42.5/2.5mm

WS2.5-SD
CE 800V/24A 0.2-2.5mm²
UL 600V/15A 28-14AWG
T/W/End plate 5/42.5/2.5mm

WS4-SD
CE 800V/32A 0.2-4mm²
UL 600V/15A 28-12AWG
T/W/End plate 6/42.5/2.5mm

WS6-SD
CE 800V/41A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 8/46.5/2.5mm

WS10-SD
CE 800V/57A 0.2-10mm²
UL 600V/30A 24-8AWG
T/W/End plate 10/52/2.5mm

WS16-SD
CE 800V/76A 0.2-16mm²
UL 600V/65A 24-6AWG
T/W/End plate 12/58/2.5mm

WS2.5-SD-PE
CE — 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/42.5/2.5mm

WS6-SD-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 8/46.5/2.5mm

WS10-SD-PE
CE — 0.2-16mm²
UL — 24-6AWG
T/W/End plate 8/46.5/2.5mm

WS16-SD-PE
CE — 0.2-16mm²
UL — 24-6AWG
T/W/End plate 12/58/2.5mm

D-WS1.5-SD, D-WS2.5-SD
D-WS4-SD, D-WS6-SD
D-WS10-SD, D-WS16-SD

D-WS1.5-SD - WS1.5-SD
D-WS2.5-SD - WS2.5-SD,WS2.5-SD-PE
D-WS4-SD - WS4-SD,WS4-SD-PE
D-WS6-SD - WS6-SD,WS6-SD-PE
D-WS10-SD - WS10-SD,WS10-SD-PE
D-WS16-SD - WS16-SD,WS16-SD-PE

WS2.5-DIN15
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/32/4mm

WS2.5T-DIN15
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-12AWG
T/W/End plate 10/32/4mm

WS2.5-DIN35
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/37.7/4mm

WS2.5T-DIN35
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-12AWG
T/W/End plate 10/37.7/4mm

WS2.5-MID-CO
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/32/4mm

D-WS2.5-MID-CO
D-WS2.5-MID-CO - WS2.5-DIN15, WS2.5-DIN35, WS2.5-MID-CO, WS2.5T-DIN15, WS2.5T-DIN35, WS2.5T-MID-CO

WS2.5-END-CO
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/32/4mm

WS2.5T-MID-CO
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-12AWG
T/W/End plate 10/32/4mm

WS2.5T-END-CO
CE 800V/24A 0.08-2.5mm²
UL 600V/20A 28-12AWG
T/W/End plate 10/32/4mm

D-WS2.5-END-CO

D-WS2.5-END-CO → WS2.5-END-CO / WS2.5T-END-CO



WS1.5-DB

800V/17.5A 0.2-1.5mm²
300V/10A 28-16AWG
T/W/End plate 5/25/2.5mm

WS1.5-DB-11A

800V/17.5A 0.2-1.5mm²
UL 300V/10A 28-16AWG
T/W/End plate 5/25/2.5mm



WS1.5T-DB

800V/17.5A 0.2-1.5mm²
300V/10A 28-16AWG
T/W/End plate 8/25/2.5mm



WS2.5-DB

800V/24A 0.2-2.5mm²
300V/15A 28-14AWG
T/W/End plate 6/28/2.5mm

WS2.5-DB-11A

800V/24A 0.2-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 6/28/2.5mm



WS2.5-DB-21A

800V/24A 0.2-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 6/28/2.5mm



WS2.5T-DB

800V/24A 0.2-2.5mm²
300V/15A 28-14AWG
T/W/End plate 10/28/2.5mm



WS4-DB

630V/32A 0.2-4mm²
UL 300V/20A 28-12AWG
T/W/End plate 7/33.5/2.5mm



WS4T-DB

630V/32A 0.2-4mm²
UL 300V/20A 28-12AWG
T/W/End plate 12/33.5/2.5mm

WSF4-TA

800V/16A 0.2-4mm²
UL 300V/10A 28-10AWG
T/W/End plate 6/60/66.6mm

D-WS1.5-DB
D-WS2.5-DB
D-WS4-DB

D-WS1.5-DB - WS1.5-DB,WS1.5T-DB
D-WS2.5-DB - WS2.5-DB,WS2.5T-DB
D-WS4-DB - WS4-DB,WS4T-DB

WHH-WS1.5-DB

WHH-WS1.5-DB - WS1.5-DB,WS1.5T-DB / WS2.5-DB,WS2.5T-DB / WS4-DB,WS4T-DB

E-WS

E-WS - NS35/7.5,NS35/15

E-WS-DIN15

E-WS-DIN15 - WS2.5-DIN15,WS2.5T-DIN15
PCMB2.5, PCMB 4

WS1.5-LD

IEC 250V/0.5A 0.08-1.5mm²
UL — 28-16AWG
T/W/End plate 4/73/2.5mm

WS2.5-LD

IEC 250V/0.5A 0.08-2.5mm²
UL — 28-14AWG
T/W/End plate 5/75/2.5mm

WS4-LD

IEC 250V/0.5A 0.08-4mm²
UL — 28-12AWG
T/W/End plate 6/59/2.5mm

WS1.5-TW-LD

IEC 250V/0.5A 0.08-1.5mm²
UL — 28-16AWG
T/W/End plate 4/62.5/2.5mm

WS2.5-TW-LD

IEC 250V/0.5A 0.08-2.5mm²
UL — 28-14AWG
T/W/End plate 5/64/2.5mm

WS4-TW-LD

IEC 250V/0.5A 0.08-4mm²
UL — 28-12AWG
T/W/End plate 6/73.5/2.5mm

WS2.5-QU-LD

IEC 250V/0.5A 0.08-2.5mm²
UL — 28-14AWG
T/W/End plate 5/75/2.5mm

WS4-QU-LD

IEC 250V/0.5A 0.08-4mm²
UL — 28-12AWG
T/W/End plate 6/86/2.5mm

WS4-TW-TA-PE

IEC — 0.2-4mm²
UL — 28-12AWG
T/W/End plate 6/61.5/2.5mm

WS4-SD-PE

— 0.2-4mm²
UL — 28-12AWG
T/W/End plate 6/42.5/2.5mm

WSK6

IEC 500V/10A 0.2-6mm²
UL 600V/10A 24-10AWG
T/W/End plate 13/62/2.5mm

WSK6-ED

IEC 500V/10A 0.2-6mm²
UL 600V/10A 24-10AWG
T/W/End plate 13/62/2.5mm

WS6-HE

IEC 400V/41A 0.2-6mm²
UL 300V/30A 24-10AWG
T/W/End plate 8/87.5/2.5mm

WS6-RE

IEC 400V/41A 0.2-6mm²
UL 300V/30A 24-10AWG
T/W/End plate 8/87.5/2.5mm

WS6-HE-10A

IEC 400V/41A 0.2-6mm²
UL 300V/30A 24-10AWG
T/W/End plate 8/87.5/2.5mm

WS6-HE/LD

IEC — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 16/87.5/2.5mm

WS2.5-MID-CO-10A

IEC 800V/24A 0.2-2.5mm²
UL 60V/15A 28-14AWG
T/W/End plate 6/32/4mm

WS2.5T-MID-CO-10A

IEC 800V/24A 0.2-2.5mm²
UL 60V/15A 28-14AWG
T/W/End plate 10/32/4mm

WS2.5-DB-20A

IEC 800V/24A 0.08-2.5mm²
UL 300V/20A 28-12AWG
T/W/End plate 6/28/2.5mm

WS2.5T-DB-20A

IEC 800V/24A 0.08-2.5mm²
UL 300V/20A 28-12AWG
T/W/End plate 10/28/2.5mm

WS2.5-DB-30A

IEC 500V/24A 0.08-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 6/28/2.5mm

WS2.5T-DB-30A

IEC 500V/24A 0.08-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 10/28/2.5mm

WS2.5T-DB-20A

IEC 800V/24A 0.08-2.5mm²
UL 300V/20A 28-12AWG
T/W/End plate 10/28/2.5mm

WS2.5-DB-30A

IEC 500V/24A 0.08-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 6/28/2.5mm

WS2.5T-DB-30A

IEC 500V/24A 0.08-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 10/28/2.5mm

WFA1.5 WFA 2.5 WFA 4
WFA 6 WFA 10 WFA 16

WFA1.5 → WS1.5,WS1.5-TW,WS1.5-QU,WS1.5-SD...
WFA2.5 → WS2.5,WS2.5-TW,WS2.5-QU,WS2.5-SD...
WFA4 → WS4,WS4-TW,WS4-QU,WS4-SD...
WFA6 → WS6,WS6-TW,WS6-SD...
WFA10 → WS10,WS10-TW,WS10-SD...
WFA16 → WS16,WS16-TW,WS16-SD...

WFB 1.5 WFB 2.5 WFB 4
WFB 6 WFB 10 WFB 16

WFB1.5 → WS1.5,WS1.5-TW,WS1.5-QU,WS1.5-SD...
WFB2.5 → WS2.5,WS2.5-TW,WS2.5-QU,WS2.5-SD...
WFB4 → WS4,WS4-TW,WS4-QU,WS4-SD...
WFB6 → WS6,WS6-TW,WS6-SD...
WFB10 → WS10,WS10-TW,WS10-SD...
WFB16 → WS16,WS16-TW,WS16-SD...

WFC2.5-2 WFC2.5-3 WFC2.5-4
WFC2.5-5 WFC2.5-6 WFC2.5-7
WFC2.5-8

WFC2.5 → WS2.5,WS2.5-TW,WS2.5-QU,WS2.5-SD...

WFE

WS2.5/T-DIN15 WS2.5/T-DIN35
WS2.5/T-DB-10A/20A/30A
WS2.5/T-MID-CO/-10A

EEA1.5 EEA2.5 EEA4
EEA6 EEA10 EEA16

EEA1.5 → WS1.5,WS1.5-TW,WS1.5-QU,WS1.5-SD...
EEA2.5 → WS2.5,WS2.5-TW,WS2.5-QU,WS2.5-SD...
EEA4 → WS4,WS4-TW,WS4-QU,WS4-SD...
EEA6 → WS6,WS6-TW,WS6-SD,WS6-SD-PE...
EEA10 → WS10,WS10-TW,WS10-SD...
EEA16 → WS16,WS16-TW,WS16-SD...

TTA1.5 TTA2.5 TTA4
TTA6 TTA10 TTA16

TTA1.5 → WS1.5,WS1.5-TW,WS1.5-QU,WS1.5-SD...
TTA2.5 → WS2.5,WS2.5-TW,WS2.5-QU,WS2.5-SD...
TTA4 → WS4,WS4-TW,WS4-QU,WS4-SD...
TTA6 → WS6,WS6-TW,WS6-SD,WS6-SD-PE...
TTA10 → WS10,WS10-TW,WS10-SD...
TTA16 → WS16,WS16-TW,WS16-SD...



NS-15





NS35/7.5



NS35/15



NS-32



DEK4,DEK5,DEK6

DEK4 → WS1.5,WS1.5-PE,WS1.5-TW,WS1.5-TW-PE, WS1.5-QU,WS1.5-QU-PE,WS1.5T-DB
DEK5 → WS2.5,WS2.5-PE,WS2.5-TW,WS2.5-TW-PE WS2.5-QU,WS2.5-QU-PE,WS2.5T-DB,WS2.5F,WS1.5T-DB-10A WS1.5-DB,WS2.5T-DB-10A
DEK6 → WS4,WS4-PE,WS4-TW,WS4-TW-PE,WS4-QU WS4-QU-PE,WS4-DB,WS4T-DB,WS2.5-DB



ZW5

WS2.5-DIN15,WS2.5T-DIN15
ZW5 - WS2.5-DIN35,WS2.5T-DIN35
WS2.5-MID-CO,WS2.5T-MID-CO

ZB3.5,ZB4

ZB3.5 → DS1.5,DS1.5-PE,DS1.5-TW,DS1.5-TW-PE, DS1.5-QU,DS1.5-QU-PE
ZB4 → WS1.5,WS1.5-PE,WS1.5-TW,WS1.5-TW-PE, WS1.5-QU,WS1.5-QU-PE,WS1.5-QU-LD, WS1.5-SD,PC1.5,PC1.5-PE



ZB5

ZB5 → DS2.5,DS2.5-PE,DS2.5-TW,DS2.5-TW-PE, DS2.5-QU,DS2.5-QU-PE,DSKK2.5,WS2.5,WS2.5-PE, WS2.5-TW,WS2.5-TW-PE,WS2.5-QU,WS2.5-QU-PE, WS2.5F,WS2.5F-PE,WS2.5-TW-TA,WS2.5-TW-TA-PE, WS2.5-SD,WS2.5-SD-PE,DC2.5,DC2.5-PE,DC2.5-TW, DCKKB2.5,PC2.5,PC2.5-PE,PC2.5-TW,PC2.5-TW-PE, PCDK2.5,PCDK2.5-PE,PCMB2.5,PCKKK2.5,PCMT2.5



ZB6

ZB6 → DS4,DS4-P.E,DS4-TW,DS4-TW-PE,DS4-QU, DS4-QU-PE,DSKK4,WS4,WS4-PE,WS4-TW,WS4-TW-PE, WS4-QU,WS4-QU-PE,WS4-SD,WSF4-TA,DC4,DC4-PE, PC4,PC4-PE,PC4-TW,PC4-TW-PE,PCDK4,PCDK4-PE, PCMB4,PCKKK4,PCKKK4-PE,PCMT4,PC2.5B

ZB8

ZB8 → DS8,DS8-PE,WS8,WS8-PE,WS8-TW, WS8-TW-PE,WS8-SD,WS8-SD-PE,DC8,DC8-PE, DCTK8,DC4-HE,PC8,PC8-PE,PC4-HE,PCTK8, PCTK8-BEN,PC10-DR

ZB10

ZB10 → DS10,DS10-PE,DS16,DS16-PE,WS10,WS10-PE, WS10-TW,WS10-TW-PE,WS16,WS16-PE,WS16-TW , WS16-TW-PE,WS36,WS35-PE,WS10-SD,WS10-SD-PE, WS16-SD,WS16-SD-PE,DC10,DC10-PE,DC16,DC16-PE, DC35,DC35-PE,PC10,PC10-PE,PC16,PC16-PE,PC35, PC35-PE ,PC50,PC50-PE ,PC95 ,PCIK16,PCIK35, PCIK35-PE

WB4

WB4 → WS1.5,WS1.5-PE,WS1.5-TW,WS1.5-TW-PE, WS1.5-QU,WS1.5-QU-PE,WS1.5-QU-LD, WS1.5-SD,PC1.5,PC1.5-PE



WB5

WB5 → DS2.5,DS2.5-PE,DS2.5-TW,DS2.5-TW-PE, DS2.5-QU,DS2.5-QU-PE,DSKK2.5,WS2.5,WS2.5-PE, WS2.5-TW,WS2.5-TW-PE,WS2.5-QU,WS2.5-QU-PE, WS2.5F,WS2.5F-PE, WS2.5-TW-TA,WS2.5-TW-TA-PE, WS2.5-SD,WS2.5-SD-PE,DC2.5,DC2.5-PE,DC2.5-TW, DCKKB2.5,PC2.5,PC2.5-PE,PC2.5-TW,PC2.5-TW-PE, PCDK2.5,PCDK2.5-PE,PCMB2.5,PCKKK2.5,PCMT2.5

ZK5,ZK6

ZK5 → DSKK2.5
ZK6 → DSKK4

Labeling strips are applied in upper side of terminal blocks,
Color and printing content are optional according to customer requirements.

Thermal Transfer Printer





K1	Terminal:Tin-Plated	Brass
K2	Terminal:Tin-Plated	Brass
K3	Terminal:Tin-Plated	Brass
K4	Terminal:Tin-Plated	Brass



K5	Terminal:Tin-Plated	Brass
K6	Terminal:Tin-Plated	Brass
K7	Terminal:Tin-Plated	Brass
K8	Terminal:Tin-Plated	Brass



K9	Terminal:Tin-Plated	Rated Current:20A
K10	Terminal:Tin-Plated	Rated Current:20A
K11	Terminal:Tin-Plated	Rated Current:20A
K12	Terminal:Tin-Plated	Rated Current:20A



K13	Terminal:Tin-Plated	Rated Current:15A
K14	Terminal:Tin-Plated	Rated Current:15A
K15	Terminal:Tin-Plated	Rated Current:25A
K16	Terminal:Tin-Plated	



K17	Terminal:Tin-Plated	
K18	Terminal:Tin-Plated	
K19	Terminal:Tin-Plated	
K20	Terminal:Tin-Plated	



K21	Terminal:Tin-Plated	
K22	Terminal:Tin-Plated	
K23	Terminal:Tin-Plated	
K24	Terminal:Ni-Plated	



K25	Terminal:Ni-Plated	
K27	Terminal:Tin-Plated	
K30	Cage:Ni-Plated	
OEM01	Cage:Ni-Plated	



DG10000-TOWPIN	Terminal:Tin-Plated	
K31	Terminal:Tin-Plated	Rated Current:40A
K32	Terminal:Sn-Plated	
K33	Terminal:Tin-Plated	



K34	Terminal:Tin-Plated	Rated Current:65A
K36	Terminal:Tin-Plated	Rated Current:115A
K41	Terminal:Sn-Plated	Rated Current:200A
K45	Terminal:Tin-Plated	Rated Current:50A



K46	Terminal:Sn-Plated	
K48	Terminal:Sn-Plated	Rated Current:30A
K50	Terminal:Tin-Plated	Rated Current:50A
K51	Terminal:Tin-Plated	Rated Current:92A



K54	Terminal:Ni-Plated	Rated Current:30A
K55	Terminal:Ni-Plated	Rated Current:20A
K56	Terminal:Sn-Plated	Pitch:5.0mm
K58	Terminal:Tin-Plated	Rated Current:30A



K59	Terminal:Tin-Plated	Rated Current:269A
K60	Terminal:Ni-Plated	Rated Current:65A
K67	Terminal:Sn-Plated	
K68	Terminal:Tin-Plated	Rated Current:80A



K72	Terminal:Zn-Ni Plated	
K75	Terminal:Ag-Plated	
K81	Terminal:Tin-Plated	
K91	Terminal:Tin-Plated	Rated Current:50A



K92	Terminal:Tin-Plated	Rated Current:25A
K93	Terminal:Tin-Plated	Rated Current:25A
K94	Terminal:Tin-Plated	Rated Current:60A
K96	Terminal:Tin-Plated	Rated Current:200A

K25	Brass	Torque Value:M4,1.2N.m
K13	Brass	Torque Value:M4,1.2N.m
K14	Brass	Torque Value:M3.5,0.8N.m
K15	Brass	Torque Value:M3.5,0.8N.m
K30	Brass	Torque Value:M3,0.5N.m
K9	Brass	
K10	Brass	
K11	Brass	
K12	Brass	
K5	Brass	
K6	Brass	
K7	Brass	
K8	Brass	
K1	Brass	
K2	Brass	
K3	Brass	
K4	Brass	
K17	Brass	
K18	Brass	
K19	Brass	
K20	Brass	
K21	Brass	
K22	Brass	
K23	Brass	
K24	Brass	
K27	Brass	
OEM01	Brass	
K31	Brass	Torque Value:M4,1.2N.m
K32	Brass	
K33	Brass	
K34	Brass	Torque Value:M5,2.0N.m
K36	Brass	Torque Value:M6,1.8N.m
K41	Copper	Torque Value:M6,1.98N.m
K45	Brass	Torque Value:M4,1.2N.m
K46	Brass	Torque Value:M3,0.5N.m
K48	Brass	Torque Value:M4,1.6N.m
K50	Brass	Torque Value:M4,1.32N.m
K51	Brass	Torque Value:M5.0,2.0N.m
K54	Brass	Screw:M4.0,Steel
K55	Brass	
K56	Copper	
K58	Brass	Pitch:14.28mm Poles:2-13P
K59	Brass	Torque Value:M6.0,3.5N.m
K60	Brass	
K67	Brass	
K68	Brass	Torque Value:M5.0,2.4N.m
K72	Steel	Torque Value:M4,1.2N.m
K75	Copper	Torque Value:M2,0.2N.m
K81	Brass	
K91	Brass	Torque Value:M4,1.32N.m
K92	Brass	Screw: M4 2.0N • m
K93	Brass	Screw: M4 2.0N • m
K94	Brass	Screw: M3 1.0N • m Steel
K96	Copper	Screw: M8 3.5N • m Zn-Plated

PCB Header / Plugs	15EDGRC-2.5	15EDGRH-2.5	15EDGRC-3.5	15EDGRM-3.5	15EDGRC-3.81	15EDGRM-3.81	15EDGRC-LD-3.81	15EDGRM-LD-3.81	15EDGLC-3.5	15EDGLM-3.5	15EDGLC-3.81	15EDGLM-3.81	15EDGRT-3.5
	15EDGVC-2.5	15EDGVH-2.5	15EDGVC-3.5	15EDGVM-3.5	15EDGVC-3.81	15EDGVM-3.81							15EDGVT-3.5
15EDGKD-2.5	●	●											
15EDGK-3.5			●						●				●
15EDGKM-3.5				●						●			
15EDGKA-3.5			●						●				
15EDGKAM-3.5				●						●			
15EDGKB-3.5			●						●				
15EDGKBM-3.5				●						●			
15EDGKD-3.5			●						●				
15EDGKDM-3.5				●						●			
15EDGKN-3.5			●						●				
15EDGKNG-3.5													
15EDGKNM-3.5				●						●			
15EDGA-3.5			●						●				
15EDGB-3.5			●						●				
15EDGK-3.81					●		●				●		
15EDGKM-3.81						●		●				●	
15EDGKC-3.81					●		●				●		
15EDGKCM-3.81						●		●				●	
15EDGKA-3.81					●		●				●		
15EDGKAM-3.81						●		●				●	
15EDGKB-3.81					●		●				●		
15EDGKBM-3.81						●		●				●	
15EDGKD-3.81					●		●				●		
15EDGKDM-3.81						●		●				●	
15EDGA-3.81					●						●		
15EDGB-3.81					●						●		
15EDGA-3.81					●						●		
15EDGB-3.81					●						●		
15EDGK-5.08													
15EDGKM-5.08													

15EDGRTM-3.5	15EDGRT-3.81	15EDGRTM-3.81	15EDGRH-3.5	15EDGRHM-3.5	15EDGRH-3.81	15EDGRHM-3.81	15CDGV-3.81	15EDG-GBM-3.81	15EDGKR-3.81	15EDGKRP-3.81	15EDGRHB-THR-3.5	15EDGRHBN-THR-3.5	15EDGRC-5.08	15EDGRM-5.08
15EDGVTM-3.5	15EDGVT-3.81	15EDGVTM-3.81	15EDGVH-3.5	15EDGVHM-3.5	15EDGVH-3.81	15EDGVHM-3.81					15EDGVHB-THR-3.5	15EDGVHBN-THR-3.5	15EDGVC-5.08	15EDGVM-5.08
			●											
●				●										
			●											
				●										
			●											
				●										
			●											
				●										
			●								●			
												●		
				●										
	●				●				●					
		●				●	●	●		●				
	●				●				●					
		●				●	●	●		●				
	●				●				●					
		●				●	●	●		●				
	●				●				●					
		●				●	●	●		●				
	●				●				●					
		●				●	●	●		●				
									●					
									●					
													●	
														●

Male / Female	2EDGR-5.0	2EDGRM-5.0	2EDGR-5.08	2EDGRM-5.08	2EDGR-7.5	2EDGRM-7.5	2EDGR-7.62	2EDGRM-7.62	—	—	—	—	—
	2EDGRC-5.0	2EDGVM-5.0	2EDGRC-5.08	2EDGVM-5.08	2EDGRC-7.5	2EDGVM-7.5	2EDGRC-7.62	2EDGVM-7.62					
	2EDGV-5.0		2EDGV-5.08		2EDGV-7.5		2EDGV-7.62						
	2EDGVC-5.0		2EDGVC-5.08		2EDGVC-7.5		2EDGVC-7.62						
2EDGK-5.0/5.08	●		●										
2EDGK-7.62							●						
2EDGKM-5.0/5.08		●		●									
2EDGKM-7.62								●					
2EDGKA-5.0/5.08	●		●										
2EDGKA-7.5/7.62					●		●						
2EDGKAM-5.0/5.08		●		●									
2EDGKAM-7.5/7.62						●		●					
2EDGKB-5.0/5.08	●		●										
2EDGKB-7.5/7.62					●		●						
2EDGKBM-5.0/5.08		●		●									
2EDGKBM-7.5/7.62						●		●					

—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

2EDG SERIES MATCHING TABLE

Male / Female	2EDGR-5.0	2EDGRM-5.0	2EDGR-5.08	2EDGRM-5.08	2EDGRC-7.5	2EDGRM-7.5	2EDGRC-7.62	2EDGRM-7.62	2EDGL-5.08	2EDGLM-5.08	2EDGLF-5.0	2EDGRT-5.0	2EDGRTM-5.0
	2EDGV-5.0	2EDGVM-5.0	2EDGV-5.08	2EDGVM-5.08	2EDGVC-7.5	2EDGVM-7.5	2EDGVC-7.62	2EDGVM-7.62	2EDDGLC-5.08		2EDGRF-5.0	2EDGVT-5.0	2EDGVTM-5.0
	2EDGVC-5.0		2EDGVC-5.08				2EDGV-7.62					2EDGRTC-5.0	
	2EDGRC-5.0		2EDGRC-5.08									2EDGVTC-5.0	
2EDGK-5.0	●											●	
2EDGKM-5.0		●											●
2EDGKE-5.0	●											●	
2EDGKT-5.0	●											●	
2EDGKF-5.0	●										●	●	
2EDGKFM-5.0		●											●
2EDGKC-5.0	●											●	
2EDGKCM-5.0		●											●
2EDGKA/B-5.0	●											●	
2EDGKAM/BM-5.0		●											●
2EDGKD-5.0	●											●	
2EDGKDM-5.0		●											●
2EDG-STD-5.0	●												
2EDGK-5.08			●						●				
2EDGKM-5.08				●						●			
2EDGKE-5.08			●						●				
2EDGKL-5.08			●						●				
2EDGKLM-5.08				●						●			
2EDGKC-5.08			●						●				
2EDGKCM-5.08				●						●			
2EDGKA/B-5.08			●						●				
2EDGKAM/BM-5.08				●						●			
2EDGKH-5.08			●						●				
2EDGKHM-5.08				●						●			
2EDGKD-5.08			●						●				
2EDGKDM-5.08				●						●			
2EDGKDF-5.08			●						●				
2EDGKDFM-5.08				●						●			
2EDGKDA/B-5.08			●						●				
2EDGKDAM/BM-5.08				●						●			
2EDGKDH-5.08			●						●				
2EDGKDHM-5.08				●						●			
2EDGA/B-5.08			●						●				
2EDGAM/BM-5.08													
2EDGK-7.5					●								
2EDGKM-7.5						●							
2EDGKA/B-7.5					●								
2EDGKAM/BM-7.5						●							
2EDGKD-7.5					●								
2EDGKDM-7.5						●							
2EDGK-7.62							●						
2EDGKM-7.62								●					
2EDGKC-7.62							●						
2EDGKCM-7.62								●					
2EDGKA/B-7.62							●						
2EDGKAM/BM-7.62								●					
2EDGKD-7.62							●						
2EDGKDM-7.62								●					

Male / Female	2EDGRT-5.08	2EDGRTM-5.08	2EDGRH-5.0	2EDGRHM-5.0	2EDGRH-5.08	2EDGRHM-5.08	2CDGB-5.08	2EDGKR-5.08	2EDGKRM-5.08	2EDGKRP-5.08	2EDGKRP-7.62	2EDGKDR-5.08	2EDGKDRM-5.08	2EDGKR-7.62	2EDGKRM-7.62
	2EDGVT-5.08	2EDGVTM-5.08	2EDGVH-5.0	2EDGVHM-5.0	2EDGVH-5.08	2EDGVHM-5.08									
	2EDGRTC-5.08														
	2EDGVTC-5.08														
2EDGK-5.0			●												
2EDGKM-5.0				●											
2EDGKE-5.0			●												
2EDGKT-5.0			●												
2EDGKF-5.0			●												
2EDGKFM-5.0				●											
2EDGKC-5.0			●												
2EDGKCM-5.0				●											
2EDGKA/B-5.0			●												
2EDGKAM/BM-5.0				●											
2EDGKD-5.0			●												
2EDGKDM-5.0				●											
2EDG-STD-5.0															
2EDGK-5.08	●				●			●				●			
2EDGKM-5.08		●				●	●			●					
2EDGKE-5.08	●				●			●				●			
2EDGKL-5.08	●				●			●				●			
2EDGKLM-5.08		●				●	●			●					
2EDGKC-5.08	●				●			●				●			
2EDGKCM-5.08		●				●	●			●					
2EDGKA/B-5.08	●				●			●				●			
2EDGKAM/BM-5.08		●				●	●			●					
2EDGKH-5.08								●				●			
2EDGKHM-5.08							●			●					
2EDGKD-5.08	●				●			●				●			
2EDGKDM-5.08		●				●	●			●					
2EDGKDF-5.08	●				●			●				●			
2EDGKDFM-5.08		●				●	●			●					
2EDGKDA/B-5.08	●				●			●				●			
2EDGKDAM/BM-5.08		●				●	●			●					
2EDGKDH-5.08								●				●			
2EDGKDHM-5.08							●			●					
2EDGA/B-5.08								●							
2EDGAM/BM-5.08									●				●		
2EDGK-7.5															
2EDGKM-7.5															
2EDGKA/B-7.5															
2EDGKAM/BM-7.5															
2EDGKD-7.5															
2EDGKDM-7.5															
2EDGK-7.62														●	
2EDGKM-7.62											●				
2EDGKC-7.62														●	
2EDGKCM-7.62											●				
2EDGKA/B-7.62														●	
2EDGKAM/BM-7.62											●				
2EDGKD-7.62														●	
2EDGKDM-7.62											●				

8EDG SERIES MATCHING TABLE

PCB Header / Plugs	8EDGVC-2.5	8EDGKR-2.5	8EDGVC-3.5	8EDGKR-3.5	8EDGKRM-3.5	8EDGRH-3.5	8EDGRHB-3.5	8EDGRC-5.0	8EDGKR-5.0	8EDGKRMA-5.0	8EDGKRC-5.0	8EDGRC-5.08	8EDGKR-5.08	8EDGKRMA-5.08
	8EDGRC-2.5		8EDGRC-3.5					8EDGVC-5.0				8EDGVC-5.08		
8EDGK-2.5	●	●												
8EDGK-3.5			●	●		●	●							
8EDGKG-3.5			●	●		●	●							
8EDGA-5.0								●	●	●	●			
8EDGB-5.0								●	●	●	●			
8EDGAM-5.0								●	●	●	●			
8EDGBM-5.0								●	●	●	●			
8EDGK-5.0								●	●	●	●			
8EDGKG-5.0								●	●	●	●			
8EDGKMA-5.0								●	●	●	●			
8EDGKC-5.0								●	●	●	●			
8EDGKMC-5.0								●	●	●	●			
8EDGKF-5.0								●	●	●	●			
8EDG-STD-5.0								●	●	●	●			
8EDG-STDM-5.0								●	●	●	●			
8EDG-STDC-5.0								●	●	●	●			
8EDG-STDB-5.0														
8EDG-STDBM-5.0														
8EDG-STDD-5.0														
8EDGK-5.08												●	●	●
8EDGKG-5.08												●	●	●
8EDGKMA-5.08												●	●	●
8EDGA-7.5														
8EDGB-7.5														
8EDGAM-7.5														
8EDGBM-7.5														
8EDGK-7.5														
8EDGKG-7.5														
8EDGKMA-7.5														
8EDGK-7.62														
8EDGKG-7.62														
8EDGKMA-7.62														
8EDGC-5.0														
8EDGD-5.0														
8EDGCM-5.0														
8EDGDM-5.0														
8EDGKB-5.0														
8EDGKGB-5.0														
8EDGKMB-5.0														
8EDGKD-5.0														
8EDGKB-5.08														
8EDGC-7.5														
8EDGD-7.5														
8EDGCM-7.5														
8EDGDM-7.5														
8EDGKB-7.5														
8EDGKGB-7.5														
8EDGKMB-7.5														

8EDGKRMC-5.08	8EDGRC-7.5	8EDGKR-7.5	8EDGKRMA-7.5	8EDGKRMC-7.5	8EDGRC-7.62	8EDGKR-7.62	8EDGKRMA-7.62	8EDGVCB-5.0	8EDGKRB-5.0	8EDGKRMB-5.0	8EDGKRD-5.0	8EDGVCB-5.08	8EDGVCB-7.5	8EDGKRB-7.5	8EDGKRMB-7.5
	8EDGVC-7.5				8EDGVC-7.62			8EDGRCB-5.0				8EDGRCB-5.08	8EDGRCB-7.5		
								●	●	●	●				
								●	●	●	●				
								●	●	●	●				
●															
●															
●															
	●	●	●	●											
	●	●	●	●											
	●	●	●	●											
	●	●	●	●											
	●	●	●	●											
	●	●	●	●											
	●	●	●	●											
					●	●	●								
					●	●	●								
					●	●	●								
								●	●	●	●				
								●	●	●	●				
								●	●	●	●				
								●	●	●	●				
								●	●	●	●				
								●	●	●	●				
								●	●	●	●				
												●			
													●	●	●
													●	●	●
													●	●	●
													●	●	●
													●	●	●
													●	●	●
													●	●	●

DG331/DG332/DG333 Series Matching Table

PCB Header / Plugs	DG332J-5.0	DG333J-3.5
	DG332JR-5.0	
DG331-5.0	●	
DG332K-5.0	●	
DG332W-5.0	●	
DG333K-3.5		●

5EDG Series Matching Table

PCB Header / Plugs	5EDGRC-7.62	5EDGRM-7.62	5CDG-7.62	5EDGRC-10.16	5EDGRM-10.16
	5EDGVC-7.62	5EDGVM-7.62		5EDGVC-10.16	5EDGVM-10.16
5EDGK-7.62	●		●		
5EDGKM-7.62		●			
5EDGK-10.16				●	
5EDGKM-10.16					●

COLOR	STANDARD COLOR	SPECIAL COLOR	
GREY	PANTONE 430C DEGSON 01	PANTONE 429C DEGSON 41	PANTONE 421U DEGSON 61
BLUE	PANTONE 3015U DEGSON 02	PANTONE 2995U DEGSON 12	PANTONE 2925C DEGSON 22
GREEN	PANTONE 556C DEGSON 04	PANTONE 369U DEGSON 14	PANTONE 356U DEGSON 34
ORANGE	PANTONE 167C DEGSON 05	PANTONE 158U DEGSON 15	PANTONE 1675C DEGSON 25
RED	PANTONE 208C DEGSON 06	PANTONE 222C DEGSON 36	
YELLOW	PANTONE 108C DEGSON 08	PANTONE 465U DEGSON 28	
WHITE	PANTONE 430C DEGSON 09	PANTONE 427C DEGSON 19	

COLOR	STANDARD COLOR
BLACK	PANTONE 419C DEGSON 03
TRANSPARENT	PANTONE NATURAL COLOR DEGSON 17

KONICA MINOLTA Spectrophotometer