Note: This datasheet may be out of date

Please download the latest datasheet of BLM15HG102SN1# from the official website of Murata Manufacturing
Co. Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=BLM15HG102SN1%23

BLM15HG102SN1#

"#" indicates a package specification code.







< List of part numbers with package codes >

BLM15HG102SN1B BLM15HG102SN1D BLM15HG102SN1J



Appearance & Shape













Features

Excellent high frequency impedance characteristics with 0402 (EIA) size.

Features (BLM15HG/HD/EG Series)

- 1. Small size: 1.0x0.5mm (0402)
- Suitable for noise suppression in 1GHz or higher frequency
- 3. Low DC Resistance/Large Rated Current (BLM15E)
- 4. No Lead production using Ni+Sn plating in termination

Applications

- 1. EMI suppression for Note PC and DSC
- 2. Noise suppression for data line in mobile phone
- 3. Prevention of erroneous operation caused by local oscillation signal in mobile phone
- 4. Optical pickup modules



Other Usage

For general



Packaging Information

Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	1000
D	180mm Paper Tape	10000
J	330mm Paper Tape	50000

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: http://www.murata.com/

Last updated :2017/07/13



Co., Ltd. http://www.murata.com/en-sg/products/productdetail?partno=BLM15HG102SN1%23

1400Ω

±40%

 $\underline{ Please \ download \ the \ latest \ data sheet \ of \ BLM15HG102SN1\# \ from \ the \ official \ website \ of \ Murata \ Manufacturing} }$

BLM15HG102SN1#

"#" indicates a package specification code.

Impedance (at 1GHz)

Impedance (at 1GHz) Tolerance

Note: This datasheet may be out of date



Shape	SMD
Size Code (in mm)	1005
Size Code (in inch)	0402
Length	1.0mm
Length Tolerance	±0.05mm
Width	0.5mm
Width Tolerance	±0.05mm
Thickness	0.5mm
Thickness Tolerance	±0.05mm
Rated Current (at 85°C)	250mA
Rated Current (at 125°C)	250mA
Operating Temperature Range	-55°C to 125°C
Mass(typ.)	0.001g
Number of Circuit	1
DC Resistance(max.)	1.1Ω
Impedance (at 100MHz)	1000Ω
Impedance (at 100MHz) Tolerance	±25%

2 of 3

Attention

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: http://www.murata.com/


^{1.} This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


Co., Ltd. http://www.murata.com/en-sg/products/productdetail?partno=BLM15HG102SN1%23

BLM15HG102SN1#

"#" indicates a package specification code.







Impedance-Frequency Characteristics

Equivalent Circuit

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

