

## **RIBBON CONNECTOR ACCESSORIES**





499252-5

TE Internal Number: 499252-5 Alias ID: 2-42935-7201

TE CONNECTIVITY (TE)

Always EU RoHS/ELV Compliant

AMP-LATCH | AMP-LATCH - NOVO

010 STRAIN RELIEF A-L RCPT

Accessory Type Strain Relief

✓ Active



PRODUCT DRAWING



3D PDF

**Product Drawings** 

STRAIN RELIEF, RECEPTACLE CONNECTOR, FLAT CABLE, AMP-LATCH

PDF **English** 

**CAD Files** 

Customer View Model

2D\_DXF.ZIP English

3D PDF

PDF **3D** 

Customer View Model

3D\_IGS.ZIP English

Customer View Model

3D\_STP.ZIP **English** 

Catalog Pages/Data Sheets

Ribbon Cable Interconnect Solutions

PDF **English** 

**Product Specifications** 

Application Specification AMP-LATCH Novo Receptacles For Ribbon Cable With Conductors Having 1.27

Mm (.050 In.) Centerlines

PDF **English** 

Product Environmental Compliance

TE Material Declaration MD\_499252-5\_12212015151\_dmtec

PDF **English** 

Product Type Features	Accessory Type	Strain Relief
	Accessory Color	Black
	Product Type	Accessory
Body Features	Color	Black
	Body Material	Thermoplastic
Contact Features	Contact Mating Area Plating Material	Gold or Palladium Nickel or Performance Based
	Contact Transmits (Typical)	Signal (Data)
	Contact Base Material	Phosphor Bronze
Dimensions	Length	17.526 mm [ .6899 in ]
	Width	6.1 mm [ .2402 in ]
	Height	14.76 mm [ .581 in ]
Operation/Application	For Use With	Receptacle Connector
Industry Standards	UL File Number	E28476
	Agency/Standard	CSA, UL
	UL Rating	Recognized
	CSA File Number	LR 7189
Packaging Features	Packaging Quantity	500
	Packaging Method	Bag/Box
Product Compliance	Statement of Compliance	

PDF

VIEW ALL PRODUCT COMPLIANCE

## **CUSTOMERS ALSO BOUGHT**



